

FLAMAN

GRAIN STORAGE &		STORM SEED TREATER	33	BOMILL, LAB DOCKAGE AND	48
HANDLING SOLUTIONS	5	AGI XTA AUGERS	34	DEHULLER	
GRAIN STORAGE & MONITORING	4	AGI UTX AUGERS	35	SATAKE COLOUR SORTERS	49
GRAIN VACS	13	BATCO CONVEYORS	36	TODUDOD FEDTU IZED	
NECO GRAIN DRYING	13	PERTEN MOISTURE	07	TOPKROP FERTILIZER	
WALINGA ULTRA-VEYOR	16	& PROTEIN TESTERS	37	KUGLER PROGRAM	50
AGI WRX & UTILITY AUGERS	17	GRAIN ANALYSIS	37	ACF-SR PROGRAM	52
WALINGAAGRI-VAC	17	ACCESSORIES		TK-10 PROGRAM	52
J&M GRAIN CARTS	18	GRAIN TREATMENT &		BLACKEARTH PROGRAM	54
J&M SEED TENDER	20	CLEANING SOLUTIONS			
GRAIN WAGONS	21	GRAIN HANDLING & CLEANING	, 38	FARM IMPLEMENTS &	
GRAIN BAGGER & EXTRACTORS	22	PLANT INSTALLS	40	TILLAGE SOLUTIONS	
GRAIN BAGS	24	SCREENS	41	K-LINE HIGH SPEED DISCS	56
MASSLOAD & AUGER ENGINES	25	KWIK KLEEN & GCS SCALPER	42	WISHEK HEAVY DISCS	57
AERATION & BIN ACCESSORIES	26	ISM SEPERATOR	43	RITE WAY LANDROLLER & HARROW	58
AUGER & CONVEYOR ACCESSORIES	29	GJESDAL CLEANERS	44	SCHULTE DISC HARROW	60
SPRINGLAND UTL	30	BENCH / PREMIER	45		
MERIDIAN CONVEYORS	31			STONE CRUSHER / TILLER	61
AGI X SERIES AUGERS	32	BENCH INDUSTRIES DEBEARDERS & DEHULLERS	46 47	S.HOULE BOX SCRAPER	61

Frank Flaman FOUNDATION

Flaman Group of Companies gives back through the Frank Flaman Foundation, which supports charities and projects locally & internationally. Flaman team members take part in development projects worldwide and are also active participants in their communities.



flaman.com/foundation



www.flaman.com

FARM KING DISCS	62	AIR COMPRESSORS	75	DUMP TRAILERS	90
SOVEMA HAY RAKES	62	PRESSURE WASHERS	75	UTILITY TRAILERS	91
SWATH ROLLERS	62	GENERATORS	75	SPECIALTY TRAILERS	92
SNOW REMOVAL	63				
SCHULTE IMPLEMENTS	64	TRANSPORT SOLUTION	NS	FLAMAN FITNESS	
BALE CARTS	66	FUEL TANKS & DEF TANKS	76	FITNESS EQUIPMENT	94
WOODCHIPPERS & TPH	66	TOW ROPES, STRAPS &	78	PADDLEBOARDS &	96
POSTPOUNDERS	67	ACCESSORIES		PLAYGROUNDS	
		PARTS & SERVICE, JACKS	80		
PARTS & HARDWARE		TIRES	81	RENTALS	
WATER & STORAGE TANKS	68	WHEEL WRANGLER & JACK	81	AG EQUIPMENT RENTALS	98
FERTILIZER TANKS	69	AXLES & HUBS	82	TRAILER RENTALS	100
PUMPS AND SUPPLIES	71	ICE FISHING SHACKS & SLEDS	83	CONSTRUCTION RENTALS	101
SEPTIC TANKS	71	BOAT LIFTS & DOCKS	83		
CHEM HANDLERS	72	TRAILER ACCESSORIES	84		
CHEMBINE MIXER & HOT TANK	72	AGRICULTURE TRANSPORT	86	LOCATIONS	
FIRE FIGHTERS	73	SPRAYER & SEMI TRAILERS	87		400
SHOP EQUIPMENT & SUPPLIES	73	ENCLOSED TRAILERS	88	LOCATIONS & MAPS	102
YARD SPRAYERS & FERTILIZER	74	FLAT DECK TRAILERS	89		

JOIN OUR EXTENDED FAMILY



People together, doing what's right, making a difference.

Flaman is a group of individuals working together as a team to reach our #1 goal of Customer Responsibility. We call ourselves an "extended Family" and all value the support, team atmosphere, autonomy and social interaction that are key to our culture and our success.



Install, Support & Service

Wireless Grain Monitoring



Protect Your Investment

Call one of our technology experts today. We can help you design a wireless system that fits your farm best.

4" Corrugated sheets, 30° Roof 40" Diameter filler cap 64" x 30" Entrance door

OPTIONS:

Stiffened and Unstiffened Bins Inside and Outside ladder packages Temperature & moisture cables Aeration floor and unload systems 40" Lid with remote Manholes in roof & hopper cone

OPTIONS:

Temp. & moisture cables

Aeration – Straight duct OR Grain Guard Rocket

Spiral staircase OR ladder w/ safety cage

Steel skid foundation

Roof vents

Grain Storage Customized For Your Farm

Stress Free Bin Buying. From the Concrete Pad to the Monitoring Systems we can help.







Timely Builds

Grain Cleaning & Handling Systems

In Partnership with



In partnership with Corr Grain professionally managed bin builds are available. Experienced planning and scheduling includes setup crews and concrete installation.



We specialize in setups for Grain Dryer Systems, Grain Cleaning & Processing Plants, Automated Bin Sites, and Producer Loading Sites.



GRAIN MONITORING SOLUTIONS

INSTALL, SUPPORT & SERVICE



INSTALL



At home, on site or on vacation

Monitor the grain in your bins at

anytime from anywhere









A wireless solar powered system consisting of temperature cables, remote units and master units. You can control your fans remotely with this system. A Simple 3-Step Solution. Protect your investment. OPI Blue system will pay for itself!

SERVICE

SUPPORT



WE HAVE OVER 20 YEARS EXPERIENCE INSTALLING TEMPERATURE CABLES & GRAIN MONITORING SYSTEMS.





IN PARTNERSHIP WITH CORR GRAIN

TIMELY BUILDS
FROM THE CONCRETE PAD TO
THE MONITORING SYSTEMS



Corr Grain, doing the right thing for your farm!





Grain Bins • Fertilizer Bins • Handling Systems • Grain Monitoring • NECO Grain Dryers











www.corrgrain.ca

866.959.8577

TWISTER - FLAT BOTTOM





UNSTIFFENED BINSFROM 15' TO 48' DIAMETER

SIZE	BU	HEIGHT
15'	2300-5100	19'-37'
18'	3400-9800	20'-49'
21'	4800-13,400	21'-50'
24'	6300-17,600	21'-51'
27'	8000-22,500	22'-52'
30'	10,000-28,000	23'-53'
33'	14,900-39,800	24'-54'
36'	15,000-40,000	25'-55'
42'	21,000-56,000	26'-56'
48'	28,000-73,000	28'-58'

Flat Bottom

Stiffened and Unstiffened Bins


FEATURES

- ➤ 4" Corrugated sheets
- ➤ Roof manhole
- ➤ 30° Roof corrugated with 3" ribs
- > Roof ladder
- > Spiral staircase
- ➤ 40" Filler cap remote opener
- ➤ Large walk through door, 64" x 30"

OPTIONS

- ➤ Temperature & moisture cables
- ➤ U-Trough unload
- ➤ Full floor aeration systems
- > Round or gooseneck vents
- > Exterior Stiffeners
- ➤ 9" Bin sweep





Hopper Bottom

Available in 15' - 27' diameter

FEATURES

- ➤ 24" ground clearance varies by manufacturer
- ➤ 40" lid with remote
- > Manholes in roof & hopper cone
- > Set up crews available

OPTIONS

- > Temperature & moisture cables
- ➤ Aeration Straight duct OR Grain Guard Rocket
- ➤ Saf-T-Fill OR LevALERT bin level indicator
- Spiral staircase OR ladder with safety cage
- > Steel skid foundation
- Roof vents

POPULAR HOPPER PACKAGES

SIZE	BU	HEIGHT	AUGER
1805	4900	33'10"	61'
1806	5679	37'6"	66'
2105	6893	35'11"	61'
2106	7953	39'7"	70'
2406	10437	42'4"	71'

BU capacity may vary depending on cone manufacturer

OTHER SIZES AVAILABLE

WE CAN HELP YOU WITH:

Hopper Cones
Bucket Elevators
Cat Walks
Ladders

Custom Fabrication
Grain Cleaning
Grain Processing
Seed Treating

MERIDIAN GALVANIZED BINS AND HOPPER COMBO'S

Available in size up to 56,000 bushels





HOPPER BINS									
COMBO SIZE	BU								
18' 5 Ring	4,870								
18' 6 Ring	5,684								
21' 5 Ring	6,759								
21' 6 Ring	7,869								
24' 5 Ring	9,049								
24' 6 Ring	10,498								
27' 6 Ring	13.600								



FLAT BOTTOM BINS							
BIN	BU RANGE						
15'	2,876 - 4,006						
18'	4,195 – 9,893						
21'	5,781 – 13,527						
24'	7,643 – 17,772						
27'	9,798 – 22,613						
30'	12,242 - 28,069						
33'	14,988 – 34,154						
36'	18,044 – 40,822						
42'	25,133 – 56,143						

HOPPER COMBO'S

Available in sizes up to 13,600 bushels

Features

35° Hopper Cone
HSS Tubing - Legs & Supports
Heavy Ga. Sheets for Superior Strength
Rack & Pinion Unload Gate
Quality Paint Finish
27" Bin Lid c/w Remote Opener
Exterior Side Wall & Roof Ladder
Vertical Seams Double Bolted
Roof Slope 30°
LevAlert
Manhole and Manway

Options

Double, Triple or Quad Skids Vertical or Horizontal Aeration LevAlert Bin Level Indicator Spiral Staircase Temperature monitoring Moisture monitoring Aeration Fan

FLAT BOTTOM BINS

Available in size up to 56,000 bushels

Features

Heavy Ga. Sheets for Superior Strength Vertical Seams Double Bolted Roof Slope 30° & Large Bin Lid Exterior Side Wall & Roof Ladder 3 Panel Walk-in Door

Options

Full Floor Aeration (.050 perf.)
Welded Truss Supports
11" U-Trough Unload
& 7.25" Bin Sweep
Roof Vents (18"rd.) & Fans
Interior Sidewall Ladder
Spiral Staircase
(single or dual platform)



MULTI-PURPOSE BINS

These tough bins are completely pre-welded, inspected and then treated with Meridian's premium powder coating inside and out.

The special powder coat paint allows for many years of corrosion and abrasion resistance even with fertilizer storage.

MODEL	METRIC TONS	BIN HEIGHT	MIN. AUGER					
1412	69	25'3"	46'					
1612	91	25'11"	46'					
1615	108	28'11"	51'					
1620	136	33'11"	61'					
1625	165	38'11"	71'					
1630	193	43'11"	71'					
1820	176	35'6"	61'					
1825	212	40'6"	71'					
Other sizes available								

GRAIN MAX BINS

Meridian Grain Max hopper bins offer top quality grain and seed storage at prices comparable to corrugated hopper combos.

Without bolts and ribs, the Grain Max seamless interior allows for safe and easy unloading ensuring seed or contaminants are not trapped on walls or joints.

MODEL	BU	BIN HEIGHT	MIN. AUGER						
GM2300	2301	26'3"	46'						
GM3000	3264	28'11"	51'						
GM4000	4119	33'11"	61'						
GM5000	4973	38'11"	71'						
GM5300	5324	35'6"	61'						
GM6400	6405	40'6"	71'						
GM7500	7488	45'6"	76'						
Other sizes available									

Available Options

SKID FOUNDATION















grain, seed or feed

GRAIN BINS

- > Sight Glasses
- ➤ Bottom Inspection Hatch
- Sidewall & Roof Ladders
- 24" Vented top lid
- 19" Discharge with R&P Slide Gate

BIN	BU	BIN HEIGHT	MIN. AUGER
1208G	1140	19.1 ft	36'
1412G	2050	23.7 ft	41'
1612G	2850	25.9 ft	46'
1616G	3500	29.9 ft	51'
1620G	4200	33.9 ft	61'
1624G	4900	37.9 ft	61'
1628G	5400	40.9 ft	71'
1630G	5730	42.9 ft	71'
1632G	6070	44.9 ft	71'

TOP ROOF MANNAY INTERIOR EPOXY COATING (on Magnum-FTM) WESTEEL INDUSTRIAL GRADE COXTING FOR SUPERIOR FINISH 6" SIGHT GLASS PRESSED COME SHEETS FOR OPTIMUM STRENGTH INSPECTION HIGH RACK & PINION SLIDE GATE HEAVY-DUTY CONSTRUCTED

REMOTE VENTED LID

CUSTOM OPTIONS

WESTEEL

FERTILIZER BINS

- > Sight Glasses
- ➤ Bottom Inspection Hatch
- Stainless Steel Rack and Pinion Slide Gate
- > Poke Hole

BIN	METRIC TONS	BIN HEIGHT	MIN. AUGER
1208F	42	19.1 ft	36'
1408F	54	19.7 ft	36'
1412F	73	23.7 ft	41'
1416F	92	27.7 ft	51'
1612F	100	25.9 ft	46'
1616F	125	29.9 ft	51'
1620F	147	33.9 ft	61'
1624F	170	37.9 ft	61'
1628F	198	40.9 ft	71'

REM GRAIN VAC

Clean out your bins fast!



Quiet, fast and easy to use

REM VRX GRAIN VAC

REM VRX Grain Vac is a proven machine from top to bottom, every piece has been examined, questioned and tested. The VRX sets all new standards on being the quietest Vac.

Efficiency, speed and durability!



1000 Bushels in 6 minutes


VR12 GRAIN VAC

9,000-10,000 BU with a 130 HP tractor.



CLEAN-OUT DOOR

The clean-out door is a little thing that can make a big difference. The VRX design is leak-proof and opens fully by hand to let you clean debris out of the bottom of the body.



Dust collector, Hose & Accessories, Nozzles & Sweeps, Re-Direct your exhaust hose kits



Reduce dust with the VRX Dust Collector

REM's VRX Dust Collector keeps the dust where it should be... away from you! Don't let a little dust get in your way of moving grain when and wherever you need. REM's Dust Collectors are easy to attach and give you flexibility to collect or direct the debris.



This product may be available to rent in your area

NECO

Mixed Flow Grain Dryer



Unequalled energy efficiency, save 20-30% or more on fuel costs.

- Mixed flow drying process preserves grain quality
- Even heating & cooling provides kernel to kernel consistency
- Dries all grains including specialty beans
- COMMANDER CONTROL with DRYERMASTER moisture control system
- COMMAND NET offers remote management from your smartphone or computer





The NECO mixed flow dryer is one of the most efficient dryers on the market, that maximizes test weight of dried grain and lowers your energy bill.

AVAILABLE DRYER SIZES:

16', 24', 32'

COMMANDnet

Allows remote access to your dryer to monitor it's performance





NO SCREENS TO CLEAN, UNPLUG OR CHANGE.

QUIET & EFFICIENT FANS

- Consistent, high volume air flow at lower speeds with forward curved blades
- Fans produce just 80-90 dB compared to competitors at 120 dB

SAFETY


Flame safety relay
Accuracy of
ignition
Safety for you &
your grain

FLEXIBLE OPERATION CAPABILITY

- Allows dryer to run in full heat or heat and cool modes on single burner dryers
- For multiple burner dryers:

Individual temperature settings for each burner adds unrivaled flexibility

Multiple options for drying include full heat, heat and cool, steeping or sweating



DRYER MODEL	Tiers	Holding Capacity	Wheat 5 pts All Heat 210°F	Wheat 5 pts Dry & Cool 210°F	Canola All Heat 15% -10%	Number of Blowers	Total CFM of Blowers	Max Burner Output	Max Unload Capacity	Total HP of Blowers	Total HP All Motors	Fill Height	Total Length
16'													
D1680	6	770	714	561	348	1	27,500	6.0	982	20	24	23.2	24
D1690	7	866	833	691	404	1	32,000	6.0	982	25	29	25.2	24
D16106	8	962	1003	863	461	2	36,000	12.0	1527	30	34	27.2	27
D16120	10	1155	1240	1017	588	2	47,000	12.0	1527	40	46	31.2	27
D16140	12	1347	1426	1233	689	2	55,000	12.0	1527	40	46	35.2	27
D16160	14	1539	1740	1454	813	3	65,300	18.0	2250	55	61	39.2	27
24'													
D24108	6	1155	1084	851	521	2	41,200	12.0	1473	30	36	25.9	35
D24150	8	1443	1427	1230	693	2	55,000	12.0	1473	40	50	27.9	35
D24180	10	1732	1667	1369	793	2	62,000	15.0	2291	50	65	33.9	35
D24210	12	2020	2139	1850	1034	3	82,500	18.0	2291	60	75	37.9	35
D24240	14	2309	2380	2002	1141	3	89,500	21.0	3382	70	85	41.9	35
D24260	16	2597	2851	2470	1376	4	110,000	24.0	6000	80	100	45.9	35
D24330	20	3174	3382	2893	1717	5	124,000	30.0	6000	100	120	53.9	35
D24380	24	3750	4045	3524	2058	6	151,500	36.0	6000	120	150	61.9	35


HOW IT WORKS

Heated air travels through the column of moving grain via the internal heat ducts, making the drying process more efficient as well as conserving the quality of grain. The heated air then exits through the outer exhaust ducts.









PACKAGE YOUR DRYER

With some great handling options:









You can also package your NECO Grain Dryer with Galvanized Hopper Combo bins, Galvanized Flat Bottom bins, or Meridian Smoothwall bins.



MOVE YOUR GRAIN SAFER AND EASIER, WITHOUT ELEVATOR LEGS OR PORTABLE AUGERS.



ECONOMIC & AFFORDABLE SOLUTION FOR LONG DISTANCE CONVEYANCE








ALL THE WORKING COMPONENTS
ON THE GROUND!

HOW IT WORKS: Your ultimate bulk transfer system



CAPACITY

Capacity in Dry Corn / Deduct 30% if conveying wheat or beans

MOD	EL	5510 5" TUBING SIZE				5614 5" TUBING SIZE			6614 6" TUBING SIZE			
МОТС	PR*	15HP	20HP	30HP	40HP	30HP	40HP	50HP	40HP	50HP	60HP	75HP
15 Z	100	750	1000	1300	1600	1250	1675	1725	1800	1900	2100	2300
CONVEYING DISTANCE IN FEET	200	638	850	1105	1360	1063	1424	1466	1530	1615	1785	1955
ANG	300	542	723	939	1156	903	1210	1246	1301	1373	1517	1662
SON	400	461	614	798	983	768	1029	1059	1105	1167	1290	1412
	500	392	522	679	835	653	874	900	940	992	1096	1201

grain damage the housing is precision machined from a cast iron shell for unequaled performance.

^{*}Single phase option available up to 40 HP





ELECTRIC MOTOR DRIVE



Electric Drive Augers


5 different drive options

Lengths from 41' to 76' 8" or 10" tube diameter five different drive options

Drive Options

- MD Motor Drive
- EMD Electric Motor Drive
- PTO-SD Shaft Drive
- PTO-BD Belt Drive
- Hydraulic Drive

AGI UTILITY



Utility Augers

4", 6", 8", 10", 13" sizes available

For semi-permanent or permanent auger installations

Ideal Uses

At your grain bins or bulk tanks
In drying set-ups

Around the dairy barn

In feedlots

At feedmills or elevators



MODEL	7614 DLX
CAPACITY*	5000 BU/HR
HP	130-150
WEIGHT	3302 lbs



MODEL	6614 DLX
CAPACITY*	3200 BU/HR
HP	110-130
WEIGHT	3014 lbs

WALINGA AGRI-VAC

Grain handling has never been simpler, safer or healthier

AGRI-VAC 6614DLX & 7614DLX FEATURE:

- Self contained hydraulics
- > Dual inlets
- Hose carrier
- > Precleaner
- ➤ Super hardened Walinga sound reduction positive displacement blower
- Hydraulic-rotating truck loading kit with cyclone
- ➤ Rhino liner covering high wear areas in receiver tank and boom cyclone
- > Stainless Steel Hoses
- > Stainless steel delivery line
- > Suction nozzle
- > Rubber clean-up hose with swivel coupling
- Suction nozzle with clean-up attachment floor sweep with wheels



Super hardened positive displacement blower



Heavy duty discharge cyclone



Secondary Precleaner reduces wear

J&M GRAIN CARTS

Greater outward, upward & forward reach



J&M IFARM™ BY AGRIMATICS™

A single device plugs in to load cell junction box and via bluetooth communicates scale info to either your cell phone or tablet.



V-TRUSS AXLE

Unlike a tubular or a I-Beam axle the J&M exclusive V-Truss Axle design is not prone to bending or twisting





OPTIONS:

- Green
- Blue
- Red







60 GAL FIRE FIGHTER c/w pump & foam induction 60 gal tank / 3 gal foam tank

100 feet of 3/4 hose on a hose reel

60 GAL FIRE FIGHTER c/w pump & hose

60 gal tank / 60 feet of 3/4 hose



35 GAL H20 FIRE PRO 25' of hose with fire nozzle 12 volt pump / 5 GPM HWG119620

NEW! 32 SERIES

X-TENDED REACH DUAL AUGER GRAIN CARTS

All the advantages of a single auger front folding design with the low profile of a dual auger grain cart.

MODEL	CAPACITY*	UNLOAD TIME**	AUGER DIAMETER
2032	2050 BU	2.0 min.	22"
2332	2300 BU	2.3 min.	22"

^{*} Bushel capacity measured with #2 corn at 15% moisture content

NEW! STABILIZER TRAX SYSTEM

New design features rubber springs and oscillating bogies to significantly reduce tank shock loads and vibration, while providing uniform ground contact over uneven terrain.

^{**} Time varies with RPM and moisture content of grain



The rigid upper auger has been X-Tended for even greater outward, upward and forward reach, all while folding diagonally along the front of the cart for compact storage.

New Leaner tank design on the 22 series. Your combine auger just gained two feet of side reach, making harvesting easier, especially with wider headers.



No PTO on your large tractor? J&M Carts can run hydraulically

Popular J&M Grain Cart Sizes

MODEL	CAPACITY*	UNLOAD TIME**	AUGER DIAMETER
750-18	750 BU	2.1 min.	18"
812-18	875 BU	1.8 min.	18"
1012-20	1025 BU	1.8 min.	20"
1112-20	1150 BU	1.9 min.	20"
1312-20D	1300 BU	2.2 min.	20"
1412-20D	1375 BU	2.3 min.	20"
1522-20S	1500 BU	2.5 min.	20"
1522-20T	1500 BU	2.5 min.	20"

* Bushel capacity measured with #2 corn at 15% moisture content

^{**} Time varies with RPM and moisture content of grain



Storage Position





Field Position



Unload Position

BULLET AUGER

875 to 1,500 Bushels

with 18" or 20" Diameter **Bullet Auger**



3 WHEEL OPTIONS:

Single Wheel **Dual Walking Wheels** Tracks

Reduce compaction with a J&M tracked cart. Track options are now also available for mid-sized grain carts.

Inner Spout



Maximize side reach or unloading height

TELESCOPING SPOUT

Each of the three sections can be easily removed or added to offer multiple combinations of height and reach



MODEL LC390

J&M SEED DELIVERY SYSTEM

- 390 Seed Units
- 22' Tube Convevor
- 8" Diameter Tube
- Conveyor with V-Belt
- 30 Bushels / Min
- Three 7.000 lb. Torsion-Flex Axles
- with Electric Brakes



Luxury controls are standard with all J&M Speed Tenders,

allowing the operator to easily place the conveyor into the unload or self-fill positions and gives greater flexibility when using the conveyor as a stand alone unit to unload adjacent gravity wagons.

MODEL	LC 390
Capacity	390 Seed Units
Weight empty	7,500 lbs.
Tongue Wt. loaded	1,380 lbs.
Conveyor	22' Long 8" Tube Conveyor
Unload Rate	30 Bushels/Min
Conveyor Reach	49' (front to rear swing)
Axles	7,000 lb. Torsion-Flex w/ Electric Brakes (3x)
Engine	11 HP Honda w/ Electric Start

No Hassle Alignment

Grooved end roller, V-Belt and skirting keeps the belt centered, reducing seed damage and premature wear



Wireless remote and scales makes loading the planter evenly so much easier.



Lower Center Of Gravity

Provides more stability when transporting over uneven ground

Bigger Tank

A large capacity tank with lower overall height will quickly and safely carry more seed



MICHEL'S INDUSTRIES

ROLL-UP TARP

Superior Quality Michel's Tarps are installed on all our farm wagons 600 BU - 20 TONNE RUNNING GEAR:

16 x 22.5 Truck tires

J&M GRAIN WAGON

Built to last year after year

540 BU - 16 TONNE RUNNING GEAR:

Michel's roll-up tarp 16.5 x 22.5 Truck tires Safety chains 680 BU - 24 TONNE RUNNING GEAR:

Michel's roll-up tarp 18 x 22.5 Truck tires Safety chains 760 BU - 24 TONNE RUNNING GEAR:


Michel's roll-up tarp 18 x 22.5 Truck tires Safety chains

An economical alternative to a grain cart for smaller operations or rugged terrain.





Store as much grain as you want for just pennies a bushel.



PRO GRAIN B-2010

GRAIN BAGGER

32,000 BU/HR 20" Auger 100 HP required 2 Year Limited Warranty

LOADING OPTIONS INCLUDE:

- ➤ Loading hopper 8' x 8' big mouth loading hopper UP TO 32,000 BU/HR
- ➤ Telescoping, Hydraulic swing drive, 14" transfer auger UP TO 11,500 BU/HR
- ➤ Telescoping, Hydraulic 24' swing drive, 24" conveyor UP TO 6,000 BU/HR



Telescoping swing drive 14" auger


- Greater capacity 11,500 BU/HR
- Greater efficiency when handling oilseed crops
- Greater ease of handling with heavy duty castor wheels and aggressive radial move kit for tough terrain.

Model	B-1610	B-2010	B-2010N	B-2012	B-2010H
COMPATIBLE WITH Transfer Auger	YES	YES	YES'	YES	NO
TUNNEL	10'	10'	10'	12'	10'
AUGER DIAMETER	16" AUGER	20" AUGER	20" AUGER	20" AUGER	20" AUGER
CAPACITY	24,000 BU / HR	32,000 BU / HR	32,000 BU / HR	32,000 BU / HR	32,000 BU / HR
TRAVEL WIDTH	14'3"	14'3"	12'	14'6"	7' 8"
TIRE SIZE	16" ALL TERRAIN	16" ALL TERRAIN	16" ALL TERRAIN	16" DUAL ALL TERRAIN	16" ALL TERRAIN
PT0	RPM 540 / 80 HP	RPM 540 / 100 HP	RPM 540 / 100 HP	RPM 540 / 120 HP	RPM 540 / 100 HP



GRAIN EXTRACTORS

Easily transfer your grains from the bags to a transport truck.








AgFlex bags are made in North America using superior quality control. These bags have been continuously monitored during and after manufacturing to ensure a high quality bag.

IN STOCK SIZES		
BU	BAG SIZE	
8000	9 x 250	
12500	10 x 250	
15000	10 x 300	
20000	10 x 400	
38000	12 x 500	

AGFLEX BAGS

Gain the advantage of 7 layers of prime polymer

- 50% greater tear and puncture strength compared to previous generation 3 layer bags
- 40% more resistant to "slumping"
- All-weather design: field tested and proven performance for use in North America's harsh winter climate as well as high heat situations
- Guaranteed to withstand 24 months of ultraviolet exposure under normal circumstances
- Improved oxygen-limiting properties to protect silage and grains from spoilage



MODEL RM80-90

5' low profile collapsible intake hopper

Electric clutch

Heavy duty undercarriage with hydraulic life and mover "A",

Joy stick power steering and drive control

Removable drawbar hitch

Round steel fixed spout

Optional gas or diesel motor

MERIDIAN CONVEYOR

HIGH CAPACITY
BELT CONVEYOR
UP TO 10,000 BU/HR
CAPACITY



MASSLOAD AXLE PAD SCALE

Accurate weighing during seeding and harvest



EASY TO SET-UP, EASY TO USE

Weigh your B Train in 90 seconds!

Easy to mount with 6" low profile platform
Can be used on gravel surfaces
Fully automatic - Single operator system
Fork lift portable for use in multiple locations
Made for temperature extremes -40° to +80°
Rugged Canadian made 26" super duty load cells
2 year load warranty / 4 year frame warranty

Wireless or remote solar power display options are available

ALL WEATHER DISPLAY



AERATION SOLUTIONS

We offer a wide range of fans, heaters and aeration systems





TURBO FAN



INLINE FAN

FULL CENTRIFUGAL FAN

AERATION FANS

3 Year Warranty and CSA Approved



Sizes 18", 24" & 28"

FULL CENTRIFUGAL FAN 3 HP - 10 HP

SUMMER 2020 15, 20, 25, 30 AND 40 HP AVAILABLE

Suited for Grain Guard Rocket Larger sizes available Max. airflow at higher static pressures



Protect it from the elements

FAN COVERS

TRANSITIONS & ADAPTORS

Grain Guard

Easily adapt aeration fans and heaters to multiple aeration systems.

INLINE FAN

3 HP - 10 HP SUMMER 2020 15 HP AVAILABLE

Suited for round duct Full floor air systems



TURBO FAN

3 HP - 7 HP

Suited for round duct Full floor air systems Excellent airflow at high static pressure







Sukup Stir System **INCREASES AIR FLOW UP TO 33%** Loosens grain & reduces static pressure



Three variations for hopper or flat floor bins



Easily move your fans from bin to bin

GRAIN GUARD

Aeration Systems



NEXT GENERATION ROCKET

Designed for hopper bins.

Increases aeration fan efficiency by forcing air into the center of the bin where air is the most difficult to move.

LASER CUT INTERNAL RING

More robust design withstands increased side loads due to irregular grain flow during unloading of the bin



STRAIGHT DUCT

Replace older corrugated pipe 18" & 24" models available Can be made to any length



RETRO ROCKET

Retrofit exsisting bins

No need to buy a new bin this rocket system lets you quickly and easily retrofit existing hopper bottom and smooth wall bins with Grain Guard aeration.

MAX. 5 HP FAN FOR 4' RETRO ROCKET UP TO 5000 BU

MAX. 7 HP FAN FOR 6' RETRO ROCKET UP TO 7000 BU

> SIZES FOR BINS UP TO 25,000 BU



200,000 - 700,000 BTU

Spring 2020 AGI HIGH TEMPERATURE **DOWNSTREAM HEATERS**



BIN ANCHORS

4"X 43" BAC300100

CABLE KIT BAC300200





INLINE HEATERS

Maintain the quality of your grain


Low temperature propane or natural gas







Available at all **FLAMAN** locations



3 IN 1 AERATION: DRYING, COOLING & NATURAL CONVECTION ONCE FAN IS SHUT OFF

RETROFITTABLE TO ANY

SIZE AND TYPE OF BIN





GRAINAIR TUBE & VENT-A-LID

POWERLESS AERATION

Maximize existing aeration systems, by increasing airflow with an aeration booster.

Remove heat from your grain using Natural Convection. Can be used in flat and hopper bottom bins, sheds, quonsets & grain piles.

- Designed to work with natural convection, the perforated GrainAir Tube allows heat and moisture to escape the bin quickly.
- Also quonset, shed and grain pile options.



Innovative & Effective Solutions For Your Farm

www.gatcomfg.com

BIN LEVEL INDICTATORS



SAF-T-FILL BIN LEVEL INDICATOR BAC100010



Lev ALERT BIN LEVEL INDICATOR Sidewall mount BAC110010

AUGER LIGHT OPTIONS

lluminate the engine, head-end and intake with our auger 3 light kits or LED light kits.



POLY AUGER HOPPERS

VARIOUS SIZES & MODELS AVAILABLE



STANDARD AUGER HOPPER IAA002020



BIG DADDY HOPPER IAA002030



8" AND 10" FLAMAN HOPPER 8 INCH IAA002055 10 INCH IAA002056



THE BIG BOOT IAA002040

DOWNSPOUTS

POLY AUGER DOWNSPOUTS

8" ROUND IAA004008

10" ROUND IAA004010

10" OVAL IAA004011

13" ROUND IAA004113



NO SNAG AUGER DOWNSPOUT

Stays in line with bin opening. Won't snag on bin

10 INCH IAA004310

13 INCH

16 INCH IAA004016



No checking, No overfilling, No plugging augers!

ALARM SYSTEM INDICATES A FULL BIN.

10" W/ ALARM IAA004210

13" W/ ALARM

16" W/ ALARM





NUMBERS FOR YOUR BINS ARE ALSO AVAILABLE





REPLACEMENT BIN LIDS **RETROFIT YOUR OLDER BINS WITH A REMOTE LID OPENER**

ONE SIZE FITS ALL 36" BIN LID



43 L **FUEL TANK**

IAA003001 - RED IAA003002 - YELLOW

OPTIONAL MOUNTING KIT IAA003000

SPRINGLAND AUGERS

Unload your bins fast - New! 11" x 45' U-trough truck loading auger.





CANVAS HOPPER W/ LID

MODEL	SIZE	ENGINE
UTL-40 EFI	11" x 40'	38 HP EFI
UTL-45 EFI	11" x 45'	38 HP EFI

SPRINGLAND TRUCK LOADING AUGER

Get the benefits of an auger and a conveyor. Springland truck loading auger available in 40' and 45' sizes.

The unigue U-Trough design means there is less chance of grain damage or plugging.

Standard Features

Fully Enclosed Belt Guard Reversible Gearbox Hydraulic Mover Console Hydraulic Lift Removable Tow Hitch One Piece Flighting Light Kit



TRUCK LOADING AUGER



REVERSIBLE GEARBOX



MERIDIAN HEAVY DUTY AUGER

A fast loading auger that puts safety first with it's innovative design

The axle design results in better weight distribution and the self-leveling motor mount ensures consistent belt tension regardless of the height of the auger.

Standard Features

Mover kit
Winter kit
4 Light kit
Shovel & shovel holder
Reversible gearbox
Super edge flighting



SHOVEL & HOLDER



4 LIGHT KIT



REVERSIBLE GEARBOX

MERIDIAN SWING AWAY AUGER

Perfect for low profile trailers. Available in 10", 12", 13" and 14" sizes and lengths from 72' to 105'

A longer and wider design maximizes reach, increases handling capacities and reduces overflow and spillage.

Standard Features

Remote control electric swing Hydraulic winch 3 light kit Poly flex downspout



X160 16"AUGER

85', 105' AND 125' LENGTHS Capacity up to 23,000 BU/HR

1000 RPM gearbox drive
Remote electric power swing
HD "A" frame lift w/ 22.5 tires

AVAILABLE WITH X-TEND

X130 13"AUGER

74', 84', 94' AND 114 LENGTHS Capacity up to 11,000 BU/HR

Bigger boot & larger spout
Easy to maintain hopper
Conveniently mounted
hydraulic winch
Top truss added on 84' & 94' augers

AVAILABLE WITH X-TEND


X100 10"AUGER

63', 73' AND 83' LENGTHS Capacity up to 6600 BU/HR

Improved low profile hopper with access points for easier maintenance Square connection points for flighting

AGI X-SERIES AUGERS

X160 - Move up to 23,000 BU/HR!



LOW PROFILE HOPPER 10.5" HEIGHT FROM THE GROUND TO THE TOP OF THE METAL

SQUARE FLIGHT CONNECTION SQUARE, ONE-BOLT FLIGHT CONNECTIONS **GREASE ZERKS** PROVIDES IMPROVED PERFORMANCE **EXTERNAL GREASE ZERKS ON ALL U-JOINTS** FOR EASE-OF-MAINTENANCE. The AGI X Series Auger features a precision engineered, commercial strength frame and redesigned hopper. Wear edge technology is **WEAR EDGE** TECHNOLOGY standard on all AGI X Series Auger which means 10 GA steel reinforces the flighting edges where **Extend the life** most of the wear occurs. of the flighting



The **X-Tend Retracting Swing Auger** offers the convenience of being able to extend, swing side-to-side and retract, without having to move or reposition the truck.



PICTURED EXTENDED

X-TEND	X130	X160
Stroke	9'	9'
Working Retraction	20"	20"
Main Flight Thickness	0.25"	0.25"
Core Diameter 2.375"	OD	OD
Transition Flight Thickness	0.25"	0.25"
Tube Length	17'	17'
Hydraulic Controls	3-way, mounted on swing tube	3-way, mounted on swing tube
Power Extend	YES	YES
Mechanical Drive	Yes	Yes







CONTROLLER STATION





CYCLINDER WIPER

STORM FX reduces user exposure, making in-the-yard seed treating safe, simple and convenient, while giving you total control over the seed treating process.







INCREASED FRAME STRENGTH HEAVY DUTY MOVER KIT **HIGH-PERFORMANCE GRIP TIRES**

Optional heavy duty mover kit features rugged tires and 4-wheel steering



DOUBLE BANDED BELTS

Molded together for maximum strength and dependability, these double banded belts maintain speed by providing better tension with less slippage.

To ensure optimal performance is achieved with longer units, the 10" in 46' and 51' lengths use triple banded belts.

AGI **XTA TRUCK AUGER**

Wear edge technology - Extend the life of the flighting

The 10" Augers feature long lasting 12 GA tubing and a large easily accessible fuel tank

FEATURES

- Self propelled mover kit
- Electric clutch
- 45 L. fuel tank
- Downspout Included
- Reversible gearbox
- ➤ Light Kit

OPTIONS

- > 8" or 10" Intake hopper
- > EFI Engines available



Optional 8" or 10" intake hopper



REVERSIBLE GEARBOX







VANGUARD



ELECTRIC CLUTCH



LIGHT KIT

AGI XTA U-TROUGH AUGER

Designed to withstand the harshest physical demands.

The AGI UTX U-Trough unique design reduces the chance of grain damage or plugging and has a capacity of up to 9,000 BPH.

FEATURES

- ➤ Light kit
- ➤ Triple groove electric clutch
- ➤ 4 Wheel HD mover with joystick
- > Reversing gearbox

ENGINE OPTIONS

➤ Vanguard 37 HP EFI



HEAVY DUTY MOVER KIT

Heavy-duty self-propelled mover kit with joystick hydraulic steering



REVERSIBLE GEARBOX

Comes with shifting linkage and lockout, allowing the operator to safely reverse the auger at all angles.



MODEL SHOWN

BCX² FIELD LOADERS STANDARD OR UNDERMOUNT

32 HP Vanguard Engine EFI options available

10" Diameter tube 15" Wide belt 49' Length Soft start electric clutch

NARROWER HOPPER CLEARANCE AT THE TRANSITION, SO YOU CAN GET INTO TIGHTER SPACES



BATCO 1500 SERIES

Capacity up to 6,000 BU/HR

10" Tube & 15" Belt Lengths from 30' to 100' 10" Diameter, 14-gauge tube

BATCO 2000 SERIES

Capacity up to 9,000 BU/HR

14" Tube & 20" Belt Lengths from 35' to 120' 14" Diameter, 12-gauge tube


BATCO

2400 SERIES

Capacity up to 14,000 BU/HR

14" Tube & 23.5" Belt Lengths from 65' to 120' 14" Diameter, 12-gauge tube





BCX² SERIES

- 1. Large intake for increased capacity
- 2. Collapsible hopper constructed with a stronger round tubing
- **3.** Removable skid plate under intake hopper to protect the belt from damage and to stop debris from getting onto the belt and into your truck or air seeder!
- **4.** Angle indicator for positioning
- **5.** S-drive tension indicators for easy adjustment
- 6. High-performance grip tires on BCX² 1549 FMD

GRAIN ANALYSIS

Gain the advantage of knowing what your grain has to offer before sending it to market



farm conditions



Test high temperature grain straight off the dryer.



Designed for Farm Use

PROTEIN TESTERS

PERTEN INFRAMATIC 8800 Portable Grain Protein & Moisture Analyzer

Near-infrared (NIR) portable grain analyzer designed specifically for on-farm use. This rugged meter is ideal for testing grain for protein, moisture and oil content.

Can be operated using battery power and has GPS capability for field mapping.

MOISTURE TESTERS

PERTEN AQUAMATIC 5200-FARM UGMA Moisture Meter SAMPLE RANGE -25°C TO 65°C (MOISTURE<18%)

The most accurate and repeatable moisture

meter available. Easy to use with a large full colour screen for operation and presentation of results.

Fast and accurate can display moisture, test weight and temperature in 25 seconds.

LABTRONICS 919 Moisture Meter

Comes as a complete kit with digital scale, celsius thermometer & set of charts.







Grain Handling & Cleaning

From Start to Finish we have it handled.



SPOUTING, ELBOWS, CLAMPS, FLANGES, VALVES & DISTRIBUTORS



Galvanized

Products Available



Flaman provides the components required for Grain Handling Setup & Maintenance. We will take care of any or all of the elements including:

- Design & Layout
- **Equipment & Parts**
- Setup & Installation
- Maintenance & Service



DURASPLICE FASTENER



GRIPWELL SPLICERS



www.flamangraincleaning.com

We can help you find the best solution. Saskatoon, SK 306.700.3823 / Southey, SK 306.993.9688



BUCKET ELEVATOR TOWERS

Our team of consultants and industry experts, purchasers, service specialists and support staff can help with any aspect of business related to your Grain Handling Equipment. We can provide, install and service:

Horizontal, Incline & Overhead Conveyors Flow Systems & Accessories Support Towers, Safety Structures & Catwalks



Largest Supplier of Bucket Elevator Cups & Accessories in Western Canada



BUCKET ELEVATOR CUPS



CAPACITIES RANGE FROM 200 BU/HR - 20,000 BU/HR



OVERHEAD CHAIN CONVEYORS & CATWALKS Catwalk structures & safety platforms







WALINGA PNEUMATIC CONVEYANCE SYSTEM Ideal for connecting grain dryers

Plant Installation

Complete Cleaning & Processing

We specialize in Grain Cleaners and Grain Sorters of various capacities and function too. Give us a call and tell us how we can help.

- 1. Custom Built Hoppers
- 2. Gjesdal M2500
- 3. Extra Screens
- 4. Mez & Work Platforms
- 5. Bucket Elevators



Plant Installs Cleaner Overhauls **Equipment Maintenance Elevator Repairs Custom Retrofits Equipment Training Certified Technicians**



CLEANING AND PROCESSING PLANTS



PLANT DESIGN & LAYOUT





SCREEN TYPES

Round, Slot, Double Cut Triangle Special Order: Wire Mesh, Stainless Steel Material, Stop Perforated, Bulk Perforated



SCREEN

WOOD & ALUMINUM FRAMES

Bench, Clipper, Crippen, Garratt, Northland Superior, Westrup, Cimbria, BM & M, Forever, Gjesdal and custom built to your specifications



(BUCKWHEAT)

36" WIDE SHEETS

4/64 - 32/64 Round Hole Screen sq.ft. 4/64 - 14/64 Slotted Screen sq.ft.

48" WIDE SHEETS

4/64 - 32/64 Round Hole Screen sq.ft. 3/64 - 16/64 Slotted Screen sq.ft Buckwheat screen sq.ft.

HAND SIEVES

Many Sizes Available

Durable hand sieves designed for excessive use in tough environments.

WOOD HAND TESTERS

Assorted Kits Available

Economical hand tester kits. Changeable screen inserts available



GRADER SHELLS, SCALPER REELS AND INDENT SHELLS AVAILABLE

SCREENS ARE AVAILABLE FOR MOST MAKES OR MODELS

SUGGESTED SCREEN SIZES FOR VARIOUS COMMODITIES



Spring Wheat scalping: 12-14/64 round hole sifting: 5.5-6/64 slot



Durum Wheat

scalping: 15-16/64 round hole sifting: 5.5-6/64 slot



scalping: 12-13 round hole sifting: 5-5.5 slot



Barley

scalping: 16-18/64 round hole scalping: 10-12/64 slot sifting: 5.5-6/64 slot



scalping: 18-20/64 round hole scalping: 9-10/64 slot sifting: 5-6/64 slot



Eston Lentils

scalping: 15-16/64 round hole sifting: 8-10/64 round hole (fines) sifting: 5/64 slot (splits)



Laird Lentils

scalping: 18-22/64 round hole sifting: 12-13/64 round hole sifting: 5/64 slot (splits)



Flax scalping: 3.5-4.5/64 slot or 4x14 wire mesh sifting: 5.5/64 round hole



Canary Seed scalping: 5/64 slot sifting: 4.5-5/64 round hole sifting: 3/64 slot



scalping: 20-24/64 round hole sifting: 10-14/64 slot



Chick Peas

scalping: 26-32/64 round hole sifting: 12-16/64 slot



Soy Beans

scalping: 20/64 round hole sifting: 10/64 slot



Kidney Beans

scalping: 28/64 round hole sifting: 14/64 slot



scalping: 26-28 round hole sifting: 16-18 round hole



Alfalfa

scalping: 4.5/64 round hole sifting: 6x22 or 24 wire



Canola

scalping: 6.5-8/64 round hole sifting: 3-3.5/64 slot



Mustard

scalping: 6-8/64 round hole sifting: 3.5-4/64 slot



Hemo

scalping: 12-14 round hole sifting: 5.5-6 slot





QUICK & EASY CLEAN OUT



DURABLE CHAINS & SPROCKETS

Used for sizing barley & removing small seeds and other dockage.

All models are available with electric or hydraulic drive mechanisms, and feature easily changeable screens. More than 20 screen sizes are available to accommodate many commodities and are great for sizing malt barley or removing canola from lentils and soybeans.

Kwik Kleen	572	772
LENGTH	108"	108"
WIDTH	58"	72"
NUMBER OF AUGERS	5	7
THROUGHPUT CAPACITY	7"- 8" AUGER	10" AUGER
HYDRAULIC DRIVE	12-13 GPM	14-15 GPM
ELECTRIC DRIVE	5 HP	7.5 HP
TUBES	5	7
CLEANOUT FEATURE	YES	YES
SCREENING AUGER	4"	4"

MODEL 572 SHOWN


GCS Grain Cleaner

Gentle, Fan Powered Grain Cleaning

No screens required


Fan Powered
Simple to run
Low initial cost
Low energy consumption
Easy transition between crops

- Air Flow
- → Dust & Light Impurities
- Clean Product
- Rocks & Debris
- Light Impurities



ISM Separator

Fractionating Aspirator





MODEL ISM 50 SHOWN

The ISM separator is designed to separate various fractions of homogeneous material from each other. The Impeller forms an airflow pattern that separates various fractions while maintaining an aerodynamic shape.

Com Service Community of the Community o

CYCLONE SEDIMENTARY CHAMBER (CSC)

The closed circuit system of the CSC significantly reduces the amount of dust and chaff outside the machine.



Clean All Types of Seed and Grain

Model	ISM 10	ISM 30	ISM 50
BU/HR	180-360	550-1100	900-1800
LENGTH	11' 1"	15' 8"	17'
WIDTH	3' 4"	3' 8"	5' 4"
HEIGHT	6' 8"	9' 1"	9' 1"
MOTOR SIZE	1 HP	6 HP	8 HP
WEIGHT	440 LBS	1543 LBS	2138 LBS

NO SCREENS REQUIRED

Increase seed quality & remove dockage

Separates out high quality heavy, plump seeds from low quality light dockage

CSA approved

Baffle + VFD controlled parameters

Low power consumption

Gentle seed handling (padded baffles)



The GCS is a farmer friendly grain cleaning machine that utilizes fans to gently clean your crop.

GCS	200	450	1000	1400	Scalper
CAPACITY	UP TO 200 BU/HR	UP TO 450 BU/HR	UP TO 1000 BU/HR	UP TO 1400 BU/HR	1000 BU/HR
MOTOR	3/4 HP	1.5 HP	3 HP (2 X 1.5 HP)	10 HP (2 X 5 HP)	1/3 HP
DIMENSIONS (LxWxH)	81" X 19" X 90"	94" X 30" X 94"	94" X 51" X 94"	91" X 55" X 95"	65" X 58" X 65"
WEIGHT	400 LBS.	800 LBS.	1800 LBS.	1900 LBS.	500 LBS.

Fan speed and air flow are controlled by a VFD (Variable Frequency Drive) to allow for adjustments depending on weather conditions, grain type and desired capacity.

GCS SCALPER




Gjesdal	M1000
CAPACITY	100 BU/HR
WEIGHT	2200 LBS.
HEIGHT	9'2"
WIDTH	4'8"
LENGTH	9'

- 1) 10 x 36 and (1) 18 x 36 scalping / sifting sieves & ball rack system
- (3) 45" grader shells
- (1) 90" full length large pocket indent
- (1) 90" full length small pocket indent
- (2) 2HP 110/220V 1 or 3 phase motor

Gjesdal	M2500
CAPACITY	250 BU/HR
WEIGHT	4400 LBS.
HEIGHT	9'5"
WIDTH	7'
LENGTH	9'8"

- (3) 18 x 60 scalping / sifting sieves & ball rack system
- (4) 62" grader shells
- (2) 90" full length large pocket indent
- (2) 90" full length small pocket indent
- (1) 5HP 110/220V 1 or 3 phase motor
- (1) 2HP 110/220V 1 or 3 phase motor



GJESDAL M2500

GJESDAL SEED CLEANER

The Original 5 in 1 Grain Cleaner

- 1 Aspiration Pre & Final Air
- **2.** Scalp Deck removal of large material (Scalping)
- **3.** Grader Shells removal of small material (Sifting)
- 4. Small Pocket indent buckwheat and broken cereal kernel removal (Short Removal)
- **5.** Large Pocket Indent wild oat & long grain removal

The Gjesdal 5-in-1 grain cleaner was developed in Saskatchewan as a solution that encompasses all of the elements necessary to clean common grain into clean seed that can be put back into the ground or sold to market.



Scalp Deck Grade Deck Sift Deck

Air Lifted Screenings

Fine ScreeningsLarge Screenings

Clean Product

Wild Oats



BENCH / PREMIER

All-in-one seed cleaners take the proven Bench air screen modular cleaner and combine its technology with multiple 17"x90" indents.

The Bench air screen utilizes scalping and sifting screens mixed with aspiration. The large pocket indents provide the length separation for wild oat removal.

- Pre Aspiration
- Scalp Screen
- Sift Screen
- Large Pocket Indent
- Final Aspiration

BENCH	Premier
CAPACITY	250 BU/HR
HORSEPOWER	2 HP MACHINE 5 HP ON FAN 3 HP INDENT
SCREEN SIZE	54 X 36 (6)
DECK SIZE	54 X 72
INDENT	(3) 17" X 90"



Mobile Unit comes equipped with:

- Cyclone air system
- 16' Screening auger
- · Screen storage bank
- Electric package including four VFD's and hopper sensor

Bench Modular Air Screen

Gentle feeder will not damage your crop.

A1 A2 B1 B2 C1 C2 A1 A2

B1 B2 C1 C2

change screens.



BENCH DOUBLE SHOE



BENCH MID SIZE




BENCH MINI

Bench	Market not shown	Double Shoe	Full Size Mobile unit shown	Mid Size	Mini
CAPACITY	1500 BU/HR dockage removal	500 BU/HR for cereals	300 BU/HR for cereals	100 BU/HR for cereals	30 BU/HR for cereals
SCREEN SIZE	54 X 36 (6)	54" X 36" (12)	54" X 36" (6)	36" X 54" (2)	27" X 36" (2)
DECK SIZE	54 X 108	54" X 72"	54" X 72"	36" X 54"	27" X 36"
HORSEPOWER	5 HP ON FAN; 2 HP ON SHOE	10 HP ON FAN; 3 HP ON SHOE	5 HP ON FAN; 2 HP ON SHOE	3 HP ON FAN; 1 HP ON SHOE	2 HP ON FAN; ½ HP ON SHOE
WEIGHT	PLEASE CALL	4500 lbs.	2400 lbs.	1780 lbs.	580 lbs.
WIDTH	PLEASE CALL	8'1"	6'8"	4'	3'
HEIGHT	PLEASE CALL	8'	5'6"	4'10"	4'



The debearder helps to improve the flow-ability of products and improves test weight. It breaks up hard to thrash commodities and polishes grain, oats and wheat. Available with 7 ½-20 HP TEFC or TEXP motor, which can clean up to 400 bu/hr. 16 hard surfaced blades and 16 stationary blades assist with the product flow and movement in the drum. The Bench debearder has an 18" diameter drum, which features a heavy duty drop down door for easy clean-out.

Bench	Debearder
CAPACITY	UP TO 400 BU/HR
HP REQ.	7 ½ - 20 HP



SATAKE

VERTICAL PULSE & CEREAL DEHULLER

5-10 TONS / HR

Lentils, Barley, Wheat, Millet & Sorghum: Dehuller

Peas: Dehuller & splitter when equipped with special coated rolls

The Satake pulse and cereal dehuller type VTA is a high capacity machine designed for the removal of hulls and husks from a range of commodities including lentils, chickpeas, soy and barley. The machine is exceptionally hard wearing for a trouble free 24 hour operation.

Satake	VTA10	VTA20
CAPACITY	UP TO 5 TONS/HR 180 BU/HR	UP TO 10 TONS/HR 360 BU/HR
POWER REQ.	45-55 KW (6P)	90-110 KW (6P)
AIR VOLUME	55 M³ /MIN	80 M³ /MIN
STATIC PRESSURE	120-150 mmAq	120-150 mmAq





BoMill TriQ Quality Sorting Technology Visit flamangraincleaning.com/video



BOMILL

PROTEIN, FUSARIUM & VITREOUS SORTER

Sorts Each Individual Kernel - 25000 kernels/second

BoMill - TriQ Technology

The TriQ technology can be used to sort durum wheat, soft wheat, malting barley, spelt and oat on fusarium, protein, vitreousness, seed quality and falling number with a speed of 25000 kernels per second.

BoMill	TriQ
CAPACITY	118 BU/HR average grain
HEIGHT	70.87"
WIDTH	47.25"
DEPTH	68.90"
WEIGHT	2,205 LBS
SORTING CHANNELS	96


Technology that looks beyond the surface

Near Infrared Transmission Technology (NIT)





Removes unwanted kernels using specially designed (grain specific) drum, near infrared detectors, and air ejection. Sorts product into one to three separate distributions or quality fractions using a transmission style analyses.



Specialty Analysis Equipment



CARTER-DAY

DOCKAGE TESTER

Accurate and uniform tests of grain samples for dockage

The Carter-Day Dockage Tester was designed to provide more consistent results than hand testing, and can use one riddle and three sieves simultaneously while aspirating at the same time.



HULLERMATIC

Self-contained easy to use machine

This compact lab sized impact dehuller, can hull oats at a rate of 5-10 BU/HR. The machine has a manual tensioner and no air. The motor is ¾ HP and wired for 110 volts.

Colour Sorting & Processing





RGBR 5401

Satake Optical Colour Sorters

RNEZX SERIES


The next step in the RNEZ series. This model is upgraded with higher camera resolution, larger touch screen, option for 6 or 10 chutes, as well as shape sorting capability.

Satake's high capacity, cost-effective, **full colour** precision optical sorter series is ideal for bulk agricultural products such as wheat, lentils, peas and other small grains. The RNEZX Series sorter is able to consistently and effectively sort these product types at high capacity - up to 3.5 tons per hour per chute - for common grains. Secondary and/or tertiary resort capability is also optional if desired.

The RNEZX is powered by patent-pending Satake software assuring quick set-up and hassle-free operation. A simple user interface, similar to a smart phone or tablet with touch and flick operation, offers the operator quick adjustments to a number of settings and sensitivities.

RGBR SERIES

Impurities such as glass, plastic and stone which are invisible or have the same colour as the material cannot be detected with only a full colour CCD camera. The RGBR series has the ability to detect and sort these impurities with a high technology NIR camera inside.



We See Your Grain Differently



Full Colour	FMS 2000	Evolution 400	Evolution 800	RNEZS 2500	RNEZS 6500	RNEZX 4500	RNEZX 7500	RGBR 3401 IR Capabilities	RGBR 5401 IR Capabilities
CAPACITY*	60 BU/HR	200-400 BU/HR	400-800 BU/HR	75-200 BU/HR	225-600 BU/HR	~600 BU/HR	~1000 BU/HR	~500 BU/HR	~900 BU/HR
HEIGHT	81.1"	80.9"	80.9"	68.4"	68.4"	68.4"	68.4"	74.9"	74.9"
WIDTH	18.9"	52.2"	64.5"	54.2"	109"	81.7"	114.2"	62.2"	89.7"
DEPTH	49.6"	62.8"	62.8"	64"	64"	64"	64"	61"	61"
NUMBER OF EJECTORS	48	92	184	136	409	273	455	252	420
CHUTES	1	4	8	3	9	6	10	3	5
CHUTE WIDTH	240 mm	100 mm	100 mm	220 mm	220 mm	224 mm	224 mm	336 mm	336 mm
SHAPE Capabilities	INCLUDED	OPTION	OPTION	N/A	N/A	INCLUDED	INCLUDED	INCLUDED	INCLUDED

^{*}Capacities are based on 60lb/bu product. Capacity is highly variable.

KQ-XRN



Achieve a higher plant population with liquid starter.







Kugler LS624s is 85% ortho phosphate giving young plants a jump start in cold soils

SLOW RELEASE NUTRIENTS

The Perfect Delivery System

- > Faster & better weed control
- Tank mix with crop protection chemicals
- > Plants get a nutrient boost

KQ-XRN

Application
of Kugler
KQ-XRN on
soybeans
illustrating
its shiny, sticky
attributes that keep
nitrogen available to the
plant for the longterm.

Nitrogen stays in place

KQ-XRN sticks to the leaf and stays on the leaf for up to 30 days allowing the plant to easily absorb nitrogen during critical growth stages.

Non-Burning Formulation

Fertilizers with Kugler KQ-XRN technology are extremely safe for your plants and equipment. There is no burning and no phytotoxicity even at high application rates.



FUNGICIDE OR KS 178C?

Over 1 Million acres & counting have switched from fungicides to KS 178c

1.5 GALLON KS 178C

FUNGICIDE

UNTREATED

KS 178c combines the advantage of Kugler's slow release nitrogen with the disease suppresion of Chloride. Plants get a nutrient boost while being protected at a much lower cost

KUGLER PROGRAM

Raymore, SK

Utility Wheat

KQ-XRN 2530

2 gallons KQ-XRN 2530 applied at soft dough

- ➤ 4.8% protein bump
- ➤ Difference from feed wheat to #2 Grade \$2.10/bu@ 55bu/ac
- ➤ Gain of \$115/acre



Kugler KQ 2530 with **XRN** Technology gives you the ability to integrate soil-applied nitrogen with a supplemental post emergence, foliar application.

Benefits of Liquid Starter:

- > Plant available in cooler soils
- > Salt index is lower
- > Early seedling vigor
- ➤ 100% water soluble
- > Non-corrosive

LS 624s LIQUID STARTER



22 bu. gain per ac. 4 gallons LS624 Starter

Resistant Kochia Sprayed with **XRN & Roundup**

KUGLER

Gets To The

Plant Quicker





Arborg, MB.

Liberty Canola

2 gallons KS 2075 1Pt. Max.

➤ 72% slow release N with Potassium & Sulfur



Kugler KS 2075

Kugler KS 2075 with **XRN** Technology provides a balance of quick release nitrogen for initial green up and 72% Slow Release Nitrogen for continuous steady feeding.


ACF-SR

5 beneficial bacteria species to rapidly enhance your soil and plant health





ACF-SR PROGRAM



Plant Growth Promoting Bacteria

- ➤ Blend of 5 of the most effective PGPB
- Specific traits to benefit crops
- ➤ More root hairs so plant can absorb water & nutrients from deeper soil
- > Make amendments to soil structure to allow water to go deeper






TK-10

COMPLETE ALL-IN-ONE GRANULE

Granular Starter Fertilizer

- > Complete all-in-one granule
- Even distribution
- Soluble & 100% plant usable
- Low salt
- > Truly seed safe
- Zero nutrient segregation



COMPLETE **ALL-IN-ONE GRANULE**

N 8%

P 29%

K 5%

S 10%

Ca 10%

Mg 0.4%

Zn 0.4%

Fe 0.3%

B 0.04%

Cu 0.025%

Excellent Root Interception





LIMITATIONS OF



Minimal Root Interception

TK-10 PROGRAM

TOP KROP

www.topkrop.ca

306.763.5507







Add life to your soil with ACF-SR

See how the 5 bacteria in ACF-SR can increase yields.

1. Rhodopseudomonas palustris:

Enhances soil bioactivity & nitrogen fixation

- 2. Bacillus licheniformis: Enhances soil bio activity & provides plant growth hormones
- 3. Nitrosomonas europaea: Converts ammonia to nitrate & solubilizes phosphates
- **4. Nitrobacter winogradskyi:**Converts nitrite to nitrate & solubilizes phosphates
- 5. Bacillus subtilis: Solubilizes phosphates & siderophore production

SE of Regina, SK


Chickpeas

TK10 & ACF-SR applied with no fungicide

➤ TK-10 & ACF-SR: Brix level 12 Check: Brix level 4



TK10 & ACF-SR







10 Nutrients in Every Granule




HUMIC

Black Earth's dry and liquid products are made from the highest quality humic material in North America.

This high quality humalite is found only in Alberta.




*Black Earth
ACTIV80
products
can increase
phosphorous
availability by
up to 40%



Calcium binds Phosphorus in alkaline conditions

HUMALITE WHY IT WORKS?



Humic acts interstitially displacing phosphorus for root uptake



For Rapid Response at Planting

Use in top dressing, through irrigation, or in foliar sprays, **Activ12** is the choice for liquid applications. Improve the efficiency of your fertility program while getting the soil amending benefits of a highly active humic acid.



The Workhorse of a Good Soil Health Program.

Whether you're planning a fall broadcast application as part of a long-term soil program or a targeted in furrow application for the current season, **Activ80 AG** is the most economic means of getting high rates of humic acid into your soils.

ACTIV12


Martinsville, IL

1 gallon ACTIV12

Treatment Details

 Sprayed on corn stubble post harvest to digest residue







BLACK EARTH PROGRAM

Benefits of Humalite

- > Buffer soil pH
- ➤ Chelate nutrients that are tied up in the soil, making them available to plants
- ➤ Carbon food source for microorganisms
- Improve soil texture and water retention – holds up to 7X it's weight in water



Your Growth Partners







The unique properties of humalite in a durable, fertilizer-compatible granule

50% humic acid | 3% fulvic acid

- > Compatible with dry fertilizers including urea
- > Durable in blending and handling
- > Effective at low rates to minimize handling and loading
- ➤ Suitable as a stand-alone soil amendment or in blends with fertilizers or other dry inputs
- Certified organic in order to provide versatility in any operation

Designed for convenience and efficiency in any farm operation.

3.5% humic acid | 1.5% fulvic acid

- ➤ Compatible with a wide range of liquid fertilizers* including phosphoric acid-based starters
- ➤ Multiple packaging options to suit any size farm
- ➤ Multiple application options to work in different cropping systems
- ➤ Low rates for ease of handling & on-farm logistics
- ➤ Not suitable for blends containing calcium nitrate


Chamberlain, SK.

40 lbs Activ80 Ag

Planting & Treatment Details

- > Seedrow Placed
- ➤ Shaw Hard Red Spring Wheat
- ➤ 100 lbs 46-0-0
- > 30 lbs 11-52-0 (seedrow)







1995. Wang, X. J. et al. The Effects of Humic Acids on the Availability of Phosphorous Fertilizers in Alkaline Soils. Soil Use and Management. 11: 99 - 102.



HEAVY DUTY CRUMBLER ROLLERS

COME STANDARD ON ALL K-LINE TILLERS

Other Roller Options:

- » Harrow
- » Rubber
- » Spring

K-LINE AG HIGH SPEED DISCS

Save time, fuel and labour

Excellent seedbed preparation
Increase organic matter in your soil
Proven ability to mulch and breakdown
trash residue
Reclaim land

Effective weed control



31' MODEL SHOWN PROVEN ABILITY TO BREAKDOWN TRASH RESIDUE

ALSO AVAILABLE Rubber Packer Rollers



SPRING ROLLERS SHOWN



CRUMBLER ROLLERS SHOWN

POWERFLEX

MODEL	SIZE	HP/min
2962P	21' Powerflex	225 - 300
2912P	31' Powerflex	300 - 425
2912P	41' Powerflex	425 - 600



ON POWERFLEX UNITS BOTH ROLLERS & FRAME CAN BE PUT IN FLOAT MODE

For exceptional ground working ability in uneven terrain





WISHEK

One Pass Breaking Disc

- > 30" Blades
- ➤ Spool & bearing scrapers
- ➤ Hydraulic leveler
- Single point depth control
- > Offset from 10' to 18'
- ➤ Tandem from 22' to 38'



We customize our Wishek discs to best fit the needs of the farmer. Our standard FLAMAN features are what others might call extra options.

Cutting widths from 10 to 38 feet available with truck tires and adjustable leveling system.

You can also choose from various scraper options that are best suited for your field conditions.

NEW! Wishek Disc Model 612F

- ➤ Available in 12', 14', 16' and 18' widths.
- ➤ 4.5 mph working speed
- > 26" Blades
- > 8-10 HP/ft required
- Heavy duty wear components



WISHEK DISC

842N OFFSET 842NT TANDEM

This machine digs!

Spring cushioned gangs

11" Spacing

Approx. 1000 lb/ft

*12-15 HP/ft required

RECLAIM LAND
USE IT ON STUBBLE
AND SLOUGHS

RITE WAY LANDROLLERS

Heaviest rollers on the market.

Pair that with the heaviest, most durable frame, and you have years of dependable service.



Go from transport mode to field mode in minutes.

SIMPLY DRIVE FORWARD TO UNFOLD.



The F3-NT model folds to a mere 12 feet, making tight quarters and maneuvering a breeze.

LAND ROLLERS

Large 42" diameter drum

- Floating rollers for constant ground pressure
- ➤ Lengths from 32' to 89'
- Narrow transport available (NT – 11'6" width)
- Requires less horsepower








3, 5 and 7 Sections Available




SHORT DRUM SECTIONS FLOAT INDEPENDENTLY, ENSURING YOU ROLL EVERY INCH OF YOUR LAND EVENLY.



RITE WAY HARROWS

Made to Work. Built to last.



ROTARY HARROW

RH 9200 Series


- **>** 45', 60', 75'
- ➤ Transport width 14'6"
- ➤ Hydraulically adjust tine angle from your tractor cab from 20° to 40°

HEAVY HARROW

8200 and 8200NT Series

- > Sizes from 40' to 90'
- > Floating harrow sections
- Hydraulic tine angle adjustment & light kits standard
- ➤ Narrow transport models 50' 62', 73'







RH 9200 SERIES 45', 60', 75'

Transport width 14'6"

8200 SERIES

45', 55', 68', 78', 90' Transport width 14'7"

8200- NT SERIES

50', 62', 73' Narrow Transport width 9'6"

SCHULTE DISC HARROW

The evolution of the heavy harrow, providing the next level of performance for post harvest and pre-seeding.





MODEL	DHX-600		
WORKING WIDTH	60'		
TRANSPORT WIDTH	15.25'		
TRANSPORT HEIGHT	14.5'		
TRANSPORT LENGTH	45'		
WEIGHT	32,000 lbs		
NUMBER OF DISC/HARROW SECTIONS	5		
SIZE OF DISCS	20"		
DISC SPACING	7.2"		
HARROW TYNE	5/8" x 26" with tip		
DISC ANGLE	4° fixed		



STEERABLE WING WHEELS ALLOW THE UNIT TO EASILY GO IN OR OUT OF TRANSPORT MODE.

SOILSTAR DHX-600

Manage increased straw and chaff loads post-harvest, increase water penetration, quicken soil warming and promote weed seed germination.





Featuring a double row of wavy coulters followed by a five bar heavy harrow allows it to efficiently chop straw and mix residue with the ground while spreading and levelling.



SINGLE POINT DEPTH CONTROL

STONE CRUSHER, FORESTRY TILLER & MULCHER

With Fixed Tooth Rotor



STONE CRUSHER, FORESTRY TILLER AND MULCHER

With Fixed Tooth Rotor

- Forged and hardened interchangeable counter-blades
- > PTO shaft with cam clutch
- ➤ Transmission with side gearbox
- > Hydraulic rear hood
- Inner anti wear clad plates FCP
- Adjustable extended 3 point linkage
- ➤ Maximum Shredding Diameter: 7.5" Stones, 13.5" Trees, 17.5" Stumps



MODEL SFM 250

180-300 HP 1000 PTO 2.5 Meters wide 11.5" Working depth - max

S. HOULE BOX SCRAPER

Equipment built to last!



S. HOULE BOX SCRAPER

HLL Series

- ➤ 30" Blade height
- > 8',10',12' widths
- ➤ 40 to 110 HP
- ➤ left+right hand tilt

LN Series

- > 42" Blade height
- > 14', 16', 18' widths
- ➤ 100 to 250 HP



OPTIONS

left or right hand tilt Hyd. activated scarifier teeth Laser or GPS mast Light kit depends on terrain and field conditions

0

FARM KING DISCS 7 year warranty on Bearings T2–215

TANDEM DISC 6650

Sizes from 25' - 35'

10.5" Spacing / Weight 635 lb/ft *6 HP / ft required Stone flex hangers / Floating hitch HD Tires

OFFSET DISC 1225-15'

Sizes from 10' - 20'

10.5" Spacing / Weight 550 lb/ft Automatic self-leveling hitch *7 HP / ft required / 26" Notched blades

OFFSET DISC 1275-15'

Sizes from 10' - 20'

12" Spacing / Weight 651 lb/ft
Automatic self-leveling hitch
*7 HP / ft required / 28" Notched blades
Interlocking ½ spools

HAY RAKES Save time and fuel **CROPMASTER** 10 12 14 WEIGHT 3252 LBS 3564 LBS 4136 LBS **RAKING WIDTH** 21' 6" 25' 28' 6" TRANSPORT WIDTH 8' 3" 8' 3" 8' 3"

SOVEMA

HAY RAKES

Available in 10, 12 & 14 wheel models

Speed up drying time Ideal for uneven hay land

Optional tandem rear walking wheels



SWATH ROLLERS



BERG'S

Pull Behind Swath Roller

14 GAUGE 11 FOOT STEEL DRUM

High Clearance





KOENDER

Pull Behind or Direct Mount Roller

ROLLER IS MADE FROM HEAVY DUTY POLYETHYLENE - WILL NOT RUST

Ribbed design packs and tucks swath preventing bunching



Rotating drum allows snow to be ejected out left or right side or center chute Double chute deflector reduces snow blowback Cutting blade made with high-grade steel

MODEL	SNOW DRY / WET Tons / HR	PTO RPM	HP	WEIGHT
RDX-117	762 / 2633	1000	140-220	3085 lbs
SDX-117	762 / 2394	1000	140-220	2705 lbs
RDX-102	426 / 1343	540	85-140	2050 lbs
SDX-102	388 / 1222	540	85-140	1675 lbs
SDX-840	258 / 810	540	55-85	1000 lbs

NOTE: On hydro-statically driven tractors, less HP is required than the 140-220 HP recommended for conventional tractors



SCHULTE SDX-840 SNOW BLOWER

For 55-85 HP tractors

84" wide cut / 300° rotating chute



SCHULTE FOLDING V PLOW BLADE

10', 12' and 14' Available

Mount this blade to the Schulte FM-350, or onto the rear 3pt of your tractor.

FARM KING



FARM KING SNOW BLADE
Widths 60" to 108"
Skid Steer & Euro Mount



FARM KING SKID STEER
Available in 60", 72" & 84"

Minimum 17 GPM



FARM KING SNOW BLOWERS Available Sizes 50" to 120"

Adjustable Hitch
Adjustable spout deflector
Manual or hydraulic
New Pull Type Model Also Available

SCHULTE MOWERS TOUGH & DEPENDABLE





XH 1500 SERIES 4

COMMERCIAL SERIES

Heavy duty Bondioli G8 drive lines

High-torque wing clutches

Larger gear box down shafts

7 Gauge domed deck, 13 5/8" deep for maximum material flow and cutting speed

Cuts material up to 4"



Designed for farm and ranch cutting

FX 1800 & FX 318

FARM SERIES

15' and 18' cutting width 85 HP tractor recommended Continuously welded dome deck for easy clean up Narrow transport of only 93"



Heavy duty units wih all the options

FX 107

HD FARM SERIES

7' and 9' cutting width

Available in 3PT hitch or pull style

SCHULTE ROCK REMOVAL SOLUTIONS



GIANT 2500 ROCK PICKER

Durable grate eliminates jamming and lets soil sift through

Large 2.5 cubic yard hopper

TITAN ROCK PICKER



Huge 5 cu. yd. bucket 6.5 foot tall dump height for larger piles and truck loading

Super wide 7' grate with wide or narrow spacing options

HIGH RISE 8000 ROCK PICKER



Durable grate eliminates jamming and lets soil sift through Build larger stone piles or dump directly into tandem truck

SMR-800 SKID STEER MULTI RAKE WINDROWER



6' and 8' sizes
The perfect tool for your Skid
Steer

SRW 1400 ROCK WINDROWER



Windrows 2" to 25" rocks into uniform rows / Drum width 14 ft. Narrow transport width (93")



RS320 JUMBO ROCK PICKER

Removes surface rock from 2 to 28 inches diameter

Durable grate eliminates jamming and lets soil sift through



RITE WAY BALE CART



MOVE 1000 BALES / DAY

Frame made of 8 x 4 steel (4) 20" custom designed HD hydraulics Comes with steel twine guards to protect wheel bearings from bale twine

TRAILTECH BALE CART



MOVE BALES FASTER WITH THE CONVENIENCE OF USING A TRUCK RATHER THAN A TRACTOR.

15" Radial tires



Steel or plastic hopper Spread fertilizer, sand & salt





WALLENSTEIN **WOOD CHIPPERS**

- > 3", 5", 7" & 10" Diameter Wood Chipper
- Self Feeding Hopper
- > PTO Driven Wood Chipper

Easily fold up the hopper for compact transportation.

HWR500225 24"W X 42"H X 48"L

BARN STORAGE BIN

- Rodent and rain proof
- Other colours available





WIL-RICH VERTICAL TILLAGE ATTACHMENT

Warms & Aerates Wet Soil

440/SHANK

No need to buy extra, expensive equipment! Convert your chisel plow into a vertical tillage tool. Double way coulter blades 17" diameter

Dry out your fields easily and economically



MOLE HILL LEVELLER

Adds easily to any cultivator

43° AND 50° SIZES

Shovels only come in contact with the ground when hitting a mole hill

Low power requirements





660 lb hammer weight

Pounds posts up to 11'11" tall Outlaw Plus model: Pounds posts up to 14'5" tall 720 lb hammer weight



SHERIFF

SKID STEER CENTER MAST MODEL

660 lb hammer weight

Pounds posts up to 11'3" tall shown with optional pilot auger



LEVEL WIND WIRE SPOOLER

Uses existing tractor hydraulics Receiver mounts to tractor drawbar or front end loader Optional 3 pt. hitch mount available HWE150002



NOTE: Plus models offer an extra 2 feet of hitting height, heavier hammer weight and a stabilizer leg.



POST HUGGER

Standard on all models. Helps align posts for added convenience and safety



OPTIONAL PILOT AUGER

Drills through all soil conditions and most rock obstructions up to 40" depth

WATER & STORAGE TANKS



UPRIGHT TANK

25 US gal WAT160025

○ WAI160029 18"D X 29"H

50 US gal WAT160050

18"D X 53"H

65 US gal WAT160065

23"D X 39"H



PCO TANK

50 US gal

○ WAT180050 19"W X 22"H X 38"L

100 US gal

○ WAT180100 30"W X 28"H X 38"L



SMALL LEG TANK

35 US gal

○ WAT170035 20"D X 29"L

55 US gal

○ WAT170055 23"D X 33"L

125 US gal

○ WAT160125 23"D X 33"L



UPRIGHT TANK

150 IMP gal

○ WAT000153 29"D X 66"H

200 IMP gal

○ WAT000200 29"W X 51"H X 48"L

300 IMP gal

○ WAT000310 29"W X 75"H X 48"L

500 IMP gal

○ WAT000500 48"D X 84"H

750 IMP gal

○ WAT000750 48"D X 116"H



○ WAT000160 47"W X 16"H X 81"L

230 IMP gal

○ WAT000230 47"W X 21"H X 81"L

420 IMP gal

○ WAT100420 56"W X 32"H X 72"L

895 IMP gal

○ WAT000800 89"W X 31"H X 100"L

LARGE SELECTION OF TRANSPORT TANKS IN STOCK



LOAF TANK

100 IMP gal

○ WAT100100 24"W X 29"H X 49"L

200 IMP gal

○ WAT100200 30"W X 37"H X 60"L



WATER HAULING TANKS

WILL FIT IN 6.6 FT TRUCK BOX

300 IMP gal

WAT100307 48"W X 40"H X 60"L

600 IMP gal



TURTLE TANK

185 IMP gal

○ WAT100185 60"W X 28"H X 48"L

275 IMP gal

○ WAT100275 65"W X 32"H X 49"L

350 IMP gal

○ WAT100350 65"W X 37"H X 49"L



HIPPO LEG TANK

950 imp gal

● WAT000951

74"W X 48"H X 105"L

○ WAT000950 74"W X 48"H X 105"L



TRANSPORT TANK

1075 imp gal

OWAT001075

84"W X 36"H X 126"L

• WAT001076

84"W X 36"H X 126"L

1325 imp gal

O WAT001325

84"W X 42"H X 136"L

WAT001326

84"W X 42"H X 136"L

2100 imp gal

● WAT002120

90"W X 51"H X 157"L • WAT002122

90"W X 51"H X 157"L



● WAT100503

LEG TANKS

300 IMP gal

● WAT100301

38" D X 78" L

● WAT100503 49"D X 83"L ○ WAT100500

49"D X 83"L



600 IMP galWAT000600 71"W X 32"H X 91"L



VERTICAL FERTILIZER

ENDURAPLAS

1350 US gal

○ WAT001353 / 85"D X 71"H **ENDURAPLAS**

1650 US gal

- WAT001651 / 90"W X 73"H
- WAT001652 / 90"W X 73"H
- WAT001653 / 90"W X 73"H





VERTICAL TANK FERT. RATED

1250 imp gal

15 LBS. RATING 3" BULKHEAD

● WAT001251 87"D X 69"H ○ WAT001252

87"D X 69"H

3400 imp gal

14 LBS. RATING WATER ONLY

● WAT003400

120"D X 98"H



SPECIAL
ORDER TANKS
LOW PROFILE, NARROW
UPRIGHT, CONE BOTTOM,
SPRAYER TANKS
AND LOBE TANKS

LOBE TANKS

NARROW ENOUGH TO FIT THROUGH MOST DOORWAY

600 IMP gal

○ WAT000603 30"W X 78"H X 97"L





VERTICAL TANK

1650 imp gal

● WAT001650 88"W X 103"L X 69"H

1700 imp gal

● WAT001701

95"D X 75"H



COMES WITH TWO 3" BULK HEADS BUILT IN TIE DOWNS

ENDURAPLAS

10,000 US gal

● WAT010005 / 144" D X 178" H

TRANSPORT FERTILIZER
RATED TANKS

TANKS



VERTICAL FERTILIZER

8300 IMP gal

• WAT008301 149"D X 163" H



FERTILIZER RATED TRANSPORT TANK

3180 US gal

● WAT103181 92"W X 76"H X 145"L

○ WAT103180 92"W X 76"H X 145"L

4200 US gal

● WAT104201 96"W X 84"H X 180"L

○ WAT104200 96"W X 84"H X 180"L



891/2"W X 721/2"H X 150"L

FERTILIZER RATED

WITH BANDS

3122 US gal

● WAT103122

4500 US gal SPECIAL ORDER

● WAT104500 95"W X 84"H X 179"L



1350 imp gal

● WAT001354 80"W X 53"H X 126"L

○ WAT001350 80"W X 53"H X 126"L



TIE DOWNS STANDARD, BAFFLED, BANDED, FERTILIZER RATED

3750 imp gal

● WAT303750 88"W X 91"H X 146"L

WARTHOG FLOATING PUMPS



Warthog Floating Pump WAP000500 / Fuel Tank WAP000517 / 400' Warthog 6" hose WAP000540

Banjo Pump — Polypropylene pump with excellent durability, strength & resistance to chemicals.

High Volume Pump

HONDA 2" POLY PUMP

6.5 HP - 154 GPM WAP000054

WAP000055 With protec seal!



HONDA 3" POLY PUMP

6.5 HP - 265 GPM WAP000056

WAP000065 With protec seal!



Comes w/ a 2 year warranty B&E PUMPS

1" 2.5 HP - 42 GPM WAP000015 2" 7 HP - 158 GPM WAP000020 3" 7 HP - 264 GPM WAP000030 4" 15 HP - 422 GPM WAP000071





GAS POWERED WATER MASTER FLOATING PUMP

A high volume pump that comes with 400 feet of 6 inch hose

700 IMP gal / min 850 US gal / min 5.5 HP Kohler engine Hydraulic pumps are available by special order WAP000400

Cast aluminum pump for heavy duty applications.

Water or full trash available Up to 1" solids

4" HONDA WATER PUMP

13 HP - 580 GPM WAP000069



4" HONDA FULL TRASH PUMP13 HP - 580 GPM
WAP000066



1" HONDA BE PUMP 33 GPM WAP000017

HONDA 2" WATER PUMP 6.5 HP-158 GPM WAP000051

HONDA 3" WATER PUMP 6.5 HP - 264 GPM WAP000061



FILTER FLOAT

This easy to use product replaces the old "chemical jug and stone system" and can be deployed in multiple water sources. Whether it is a slough, ditch, pond, or dugout, the Filter Float keeps the filter submerged without sinking to the bottom. Allowing you to draw water from sources as low as 10" deep.

> Filter floats utilize either a sand screen or super flow filter, and come in 2 sizes.

> > No need for waders when setting up your pump.

SAND FILTER FOR WATER

FILTER FLOAT / SUPER FLO 2" SANDSCREEN WAP100500

2" WAP100462

3" WAP100463

4" WAP100464

AIR SEEDER SUCTION HOSE

1", 11/4", 11/2", 2", 21/2", 3"

5" & 6" available for custom order





SUPER-FLOW WATER FILTERS

2" WAP100420 **3**" WAP100430

SUPERFLOW ADAPTER

4" WAP100435

EPDM HOSE

1, 11/4, 2, 2½, 3, 4





FITTINGS

We have a Huge Selection of **Plastic & Aluminum Fittings**



MANIFOLD FITTINGS



CAM LOCKS



BALL VALVES



ELBOWS



FITTINGS



Y STRAINER

LAY FLAT **DISCHARGE HOSE**

1, 2, 3 & 6 inch

1" - 300' ROLL WAP100011

11/2" - 300' ROLL WAP100015

2" - 300' ROLL WAP100020

3" - 300' ROLL WAP100030

4" - 300' ROLL WAP100040

6" - 300' ROLL WAP100060



Blue PVC DC Hose with camlocks

2" - 50' ROLL WAP100025

2" - 100' ROLL WAP100026

3" - 50' ROLL WAP100035

3" - 100' ROLL WAP100036

4" - 50' ROLL WAP100045

4" - 100' ROLL WAP100046

6" - 100' ROLL WAP100062



5', 8' & 10' HORIZONTAL BURIAL TANK

Single & double compartment 1000 gal up to 34,000 gal Extensions Available



HOLDING & PUMPOUT BALL TANKS

Holding 750 & 1100 gal Pumpout 750 & 1000 gal





CHEM HANDLERS

POLYWEST HANDLER

2" TO 3" MODELS

Easily batch mix dry or liquid chemical

Load directly from bulk containers with double venturi system

Direct induction system avoids waste & spillage

HANDLER II

42 US gal

Handler II - 2"

Handler II - 2" with 5.5 pump

Handler II - 3"

Handler II - 3" with 6.5 pump

HANDLER III

70 US gal

Handler III - 2"

Handler III - 2" with 5.5 pump

Handler III - 3"

Handler III - 3" with 6.5 pump

Handler III - 3" HD

Handler III - 3" HD with 13HP pump





optional 6.5HP or 13HP pump COMES W/ VENTURI

& RECIRCULATION KIT

Weatherproof, UV resistant black hose throughout.



Dedicated, venturi powered bulk suction line.



Exclusive double venturi for easy emptying of bulk containers.



Fresh water rinse line for equipment cleanup and line rinsing.



NEW! CHEMBINE your operation!

CHEMICAL MIXER

Incorporates all the features of a typical chemical mixer while dramatically improving the following areas:

- New knife design empties jugs with speed
- increased agitation
- rotary rinse and drain
- · improved ergonomics and better stability
- Optional 6.5 HP or 13HP pump available

HOT TANK - 1680 US GAL

Reduce downtime by mixing your entire chemical ahead of time

- Simple Operation: With 2 three way valves to control all functions. Adds maximum speed and efficiency to
- Agitation: There are four agitators at the bottom of the tank that agitate and mix the tank.
- Rotary Rinse: There are two rotary rinse nozzles on the top of the tank that can be used to rinse the tank or mitigate foaming issues.

New portable fire fighting equipment designed for extreme conditions.



WILDLAND FIREFIGHTERS

1.5" Portable **High Pressure Pump**

Honda GX200 26' Suction Lift 120' Total Lift **78 GPM**

HWG119610

2" Fire Cart

comes w/ 50^t Hose Honda GX200

26' Suction Lift 120' Total Lift 78 GPM

HWG119615



120 FIRE PRO

SAFETY FIRST MOUNT A FIRE FIGHTER

ON YOUR GRAIN CART

H20 FIRE PRO 35 GAL Fire Fighter

25' of hose with fire nozzle 12 volt pump 5 GPM HWG119620



ENURAPLAS 250 GAL Fire Ranger

5.5HP Honda GX160 Pump 100' Hose 40' Spray distance 120 GPM 100 PSI HWG119250



ENURAPLAS 60 GAL Fire Fighter

c/w pump & foam induction 60 gal tank 3 gal foam tank 100 feet of 34 hose on a hose reel

60 GAL Fire Fighter

c/w pump & hose 60 Gal tank 60 feet of 34 hose

Outfit your service truck with this

versatile 3-in-1 self-contained unit

COMPRESSOR.

WELDER AND

30 GALLON

19 CFM @ 175 PSI 250 Amp DC welder

5500 Watt generator

Electric start Honda GX 390 engine WELDING CABLES AND AIR HOSE NOT INCLUDED

GENERATOR



LED Heavy Duty

Magnetic Tow Lights Comes with carrying case and a 30' cord

7' SPAN BETWEEN 2 LIGHTS PTE432925



Extension Cords

Triple Outlet

50 FOOT HWG800050 100 FOOT HWG800100

Single Outlet

50 FOOT HWG801050 100 FOOT HWG801100



Booster Cables

1-0TT 30 FEET HWG802000 1 GA 25 FEET HWG802001 2 GA 25 FEET HWG802002



2-stroke fuel oil Keeping your ice auger running smoothly.

QUALITY 2-STROKE OIL HWG000806 - 2 LITRES HWG000807 - 5 LITRES

4-stroke fuel oil

For 4-stroke powered machines such as lawn mowers

QUALITY 4-STROKE OIL HWG000808 - 2 LITRES HWG000809 - 5 LITRES

DURA-PUMP QUICK CADDY WITH METER

Has a built in handle for easy carrying and versatility.

The dura pump will pump up to 55 liters per minute.

DP-3000E Dura Meter

FOR USE WITH AGRICULTURAL CHEMICALS ABILITY TO HANDLE LOW & HIGH VISCOSITY LIQUIDS



PRESSURE WASHER

3500 PSI - 4 GPM 100 foot hose & reel



Hot water pressure washer 3500 PSI - 4 GPM



5 gal 12v Hand Sprayer HWG110005

25 gal ATV Sprayer HWG110126

25 gal Tow Behind Sprayer HWG110121

40 gal Tow Behind Sprayer HWG110140

NEW! 60 **qal** Tow Behind Sprayer HWG110169

NEW! 60 gal Utility Skid Mount HWG110171

NEW! 60 gal 3 Point Hitch HWG110

HWG110002

6 L Hand Sprayer

8 L Hand Sprayer HWG110008

16 L Lithium Ion Backpack Pull Type HWG110010

16 L Portable Sprayer HWG110014

HWG110015

2 L Hand Spraver

HWG110006

16 L Backpack Sprayer



HWG110161

HWG110133

100 gal 3PT Sprayer with

PTO and 20 foot Boom

We have a wide range of sprayers for all your chemical spraying needs.







PROFESSIONAL SPOT SPRAYER

Ground Keeper Lawn Fertilizer

Highest percentage of nutrients per resealable bag



How it works.

16% Nitrogen

your lawn's major growth and development.

3% Iron

photosynthesis.

necessary for chlorophyll reaction contributes to green coloration of lawn.

and shoots and critical for

10% Phosphate 3% Potassium essential for healthy roots

like a radiator, creates tolerance to climate conditions, grass hardiness.



17% Sulphur

aids in maintaining dark green color and correlates with Nitrogen addition.







Priced Right / Canadian Owned & made









8 GAL GX200 HONDA 13.8cfm@90psi

HWG136025

30 GAL 3HP 7CFM @ 40PSI HWG136030

60 GAL 5HP 18CFM@90PSI HWG136040 **80 GAL 7.5**HP **24**CFM @ **175**PSI HWG136050

GX390 HONDA 389cc 4000psi 4.0_{GPM} HWG134040





330,000 BTU GX390 HONDA 389cc 4000psi 4.0_{GPM} HWG134050



420 CC **POWEREASE** 4000psi 4.0_{GPM} HWG134030

GENERATORS DON'T BE LEFT IN THE DARK

A portable generator will provide recreational, job site or limited home standby power.

We have gas generators from 4200-12000 watts and a 3500 watt inverter generator that provides stable, clean power for sensitive equipment.



4200 WATT Gas Generator HWG135030

9000 WATT **Gas Generator** HWG135040

12000 WATT **Gas Generator** HWG135050



GAS INVERTER SHOWN

2100 WATT HWG135010

3500 WATT Gas Inverter Gas Inverter HWG135020

FUEL LOCK MONITOR YOUR FUEL, FROM ANYWHERE



Fuel Lock is a system that locks your fuel, and allows you to view usage right from the palm of your hand. You'll know every time your fuel is accessed, and by who in real time. Owners can eliminate worry and feel confident knowing their fuel storage is secured from

Chose the package that suits your operation best



Fuel Lock Personal uses a keypad lock to protect fuel from theft.



anywhere in the world.

Fuel Lock Business does the same thing as Personal but it also has an app that lets you control multiple PINs to who's using your fuel, and when.

FUEL LOCK

Fuel Lock Commercial does the same thing as Business but has a level sensor so you can track the fuel level inside the tank. Set up Fuel Lock to automatically notify your fuel supplier when the level runs low.

Fuel Lock is compatible with gasoline or diesel and either 1" or 1.5" fuel line.

GPI Fuel Pumps

Other models & sizes available

8 GPM 12 VOLT EZ-8 HWF260008 15 GPM 12 VOLT HWF260015 25 GPM 12 VOLT HWF260027 20 GPM 115 VOLT HWF260028 30 GPM 115 VOLT HWF260030

GPI Hand Pump HWFZ260005

GPI Fuel Pump METER 1" HWFZ260615



34" MPTX 1" FPT STEP UP BUSHING HWFZ260648

Diesel Fuel TANK FILTER HWF260530



10-30 micron 3/4" and 1" thread available

Fuel Tank VENT CAP

2" HWF264139 2½" HWF264140







ENDURAPLAS DIESEL TANKS

25 US GAL 10GPM PUMP
55 US GAL 10GPM COMPACT
55 US GAL 10GPM
75 US GAL NARROW
100 US GAL 10GPM
100 US GAL NARROW
100 US GAL 15GPM



ENDURAPLAS
DEF TANK

25 US GAL 55 US G *COMPACT* 75 US GAL 9GPM PUMP 100 US GAL 9GPM PUMP



BUNDED ULC/TC FUEL TANKS

- Can be legally used in both transportable and stationary applications
- ➤ Can be moved from one site to another while still full
- Tank does not need to be emptied or purged prior to removal or repositioning
- ➤ Available in sizes 950L, 2000L, 3000L, and 4500L



3 separate, fully welded & sealed components: Outer protection tank Main outer lid Primary tank





WESTEEL FUEL TANKS

ROAD VAULT

63 IMP GAL HWF262570J **121 IMP GAL** HWF262573J **150 IMP GAL** HWF262574J **183 IMP GAL** HWF262575J **227 IMP GAL** HWF264547 **500 IMP GAL** HWF264616WC

FARM DUTY

99 IMP GAL HWF262585 150 IMP GAL HWF262589

DOUBLE WALLTRAVELLER SERIES

100 IMP GAL HWF264606 150 IMP GAL HWF264608 180 IMP GAL HWF264609

TOWING ACCESSORIES



NYLON TOW ROPE

1" x 30'	40,000 lbs
1" X 50'	40,000 lbs
1¾" x 30'	160,000 lbs
1¾" x 50'	160,000 lbs
2" x 30'	200,000 lbs
2" x 50'	200,000 lbs
2½" x 50'	240,000lbs



TOW ROPES

20 mm x 30'	12,000 lb	30 HP rated
20 mm x 50'	12,000 lb	30 HP rated
30 mm x 30'	25,000 lb	70 HP rated
30 mm x 50'	25,000 lb	70 HP rated
40 mm x 30'	56,000 lb	160 HP rated
40 mm x 50'	56,000 lb	160 HP rated
50 mm x 30'	85,000 lb	250 HP rated
50 mm x 50'	85,000 lb	250 HP rated
60 mm x 30'	120,000 lb	350 HP rated
60 mm x 50'	120,000 lb	350 HP rated
70 mm x 30'	160,000 lb	450 HP rated
70 mm x 50'	160,000 lb	450 HP rated
80 mm x 50'	200,000 lb	500 HP rated
90 mm x 50'	250,000 lb	600 HP plus

SHACKLES

		4
5/8" Shackle	35.750 lbs	3 1/4 T
3/4" Shackle	52,250 lbs	4 3/4 T
1" Shackle	90,750 lbs	8 1/2 T
1 1/4" Shackle	130,000 lbs	12 T
1 ½" Shackle	187,000 lbs	17 T
1 ¾" Shackle	275,000 lbs	25 T
2" Shackle	385,000 lbs	35 T
21/2 Shackle	605,000 lbs	55T





SECURE YOUR LOAD

HWF220030



Ratchet Load Binder

5/16" - 3/8"

HWF220032



HD Ratchet Load Binder

HEAVY DUTY

3/8" HWF220034



Ratchet Strap

SECURE YOUR LOAD

2" x 20' HWG100220 2" x 27' HWG100227



FOR ADDED SAFETY

Safety chains 3/8" & 1/4" Transport chains 5/16" and 3/8"



Grab Hooks from 5/16"

COUPLING & NON-COUPLING



JOHN DEERE TOW BARS

20 series HWF220620

30 series HWF220630

R series HWF220640 R series with weight bar HWF220650

Save your tractor frame from damage



Ancra X-TREME Straps

THE ULTIMATE IN LOAD CONTROL TIEDOWN STRAPS

4" Winch Strap 20' - 50' / 2x Durability of Standard Web Straps



Ancra X-Treme Ratchet Strap

HEAVY DUTY

2" x 27' HWG100627



15' 3PT Recovery Strap Systemw/ snap hooks

GREAT FOR USE WITH SNOWMOBILES & ATV'S

1,000 lbs working load limit / 3,000 lbs breaking strength HWG100113



2" x 27' Tow Bridal FOR SPRAYERS/COMBINES

Break strength 240,000lbs. Fastens to frame HWF230830



Recovery System FITS ANY 2" RECEIVER

19,000lbs. Load strength 20" strap HWF230325



DIAMOND C Stake Pocket 4" Ratchet **EASY TO REMOVE & INSTALL** PTM401017



Portable Strap Winder HOOKS ONTO TRAILER RAIL

Works on 2", 3" & 4" Straps HWG100800

2-PLY TOW STRAPS

2-PLY COMES WITH RING

6" x 30'	120,000 lbs
6" x 50'	120,000 lbs
8" x 30'	160,000 lbs
8" x 50'	160,000 lbs
10" x 30'	200,000 lbs
10" x 50'	200,000 lbs
12" x 30'	240,000 lbs
12" x 50'	240,000 lbs

NEW! 4-PLY 4-PLY TOW STRAPS

8" x 30'	280,000 lbs
8" x 50'	280,000 lbs
10" x 30'	350,000 lbs
10" x 50'	350,000 lbs
12" x 30'	420,000 lbs
12" x 50'	420,000 lbs



TOW CTDADO

IUW S	IKAP5	
2" x 20'	30,000 lb	2-ply
2" x 30'	30,000 lb	2-ply
3" x 30'	48,000 lb	2-ply
3" x 50'	48,000 lb	2-ply
4" x 30'	64,000 lb	2-ply
4" x 50'	64,000 lb	2-ply
5" x 30'	80,000 lb	2-ply
5" x 50'	80,000 lb	2-ply
6" x 30'	100,000 lb	2-ply
6" x 50'	100,000 lb	2-ply
8" x 30'	128,000 lb	2-ply
8" x 50'	128,000 lb	2-ply
12" x 30'	160,000 lb	2-ply
12" x 30'	200,000 lb	2-ply
12" x 50'	160,000 lb	2-ply
12" x 50'	200,000 lb	2-ply

OUR STORES OFFER A FULL-LINE SERVICE DEPARTMENT FOR ALL YOUR TRAILER MAINTENANCE.

WE ALSO CARRY A LARGE INVENTORY OF PARTS AND ACCESSORIES.



ELECTRIC JACK

3,500 lb, built-in level LED work light PTJ140735

PARTS & SERVICE

Our knowledgeable and experienced team can help you find the right axles, brakes, or hubs you need for your trailer. Some stores offer specialized services such as tractor repair, agricultural equipment service and SGI certification.

SERVICES INCLUDE:

Hitch install

Wheel bearing service

Welding repairs

Wiring

Deck installs

Replace axles

Safety inspections

Trailer deck repairs

Brake service (brake shoes, brake adjusters)

Installation of air helper springs on most models of trucks

Insurance claims on most makes and models of cargo, utility, and flat deck trailers



JACKS

2,000 – 10,000 lb capacity
Replacement jacks available for any make & model.

5TH WHEEL COUPLER

Inserts square & round tubes
Ball & king pin available



Protect your trailer with a hitch mounted rock guard PTT377816



FENDERS

Make your trailer look brand new again Size available for 10"-16" wheels



225/75 R15 Tire **ON A 5 BOLT SPOKE RIM** PTW344280



205/75 R15 Tire ON A 5 BOLT ALUM, RIM PTW344356



235/80 R16 Tire ON A 6 BOLT MOD RIM PTW344676



235/80 R16 Tire **ON A 8 BOLT MOD RIM** PTW344705

235/80 R16 Tire ON A 6 BOLT SPOKE RIM



175/80 R13 Tire ON A 5 BOLT SPOKE RIM PTW344053



175/80 R13 Tire ON A 5 BOLT ALUM, RIM PTW344055



205/75 R14 Tire ON A 5 BOLT SPOKE RIM PTW344089



205/75 R14 Tire ON A 5 BOLT ALUM. RIM PTW344075

LARGE TIRE CHANGING SOLUTIONS

Handle all your large tire changes the easy way!



WHEEL WRANGLER Attaches to a front-end

loader or forklift

Optional Castor Wheels

HWF100004

MIN TIRE DIAMETER	42"
MAX TIRE DIAMETER	82"
MAX TIRE WIDTH	28 3/4"
MAX LOAD	1700 lbs



In combination with the Wheel Wrangler make tire changes quickly. 12,000 lb. load multiple height adjustments Optional Spacer for JD Sprayer HWF100002



REESE 5TH WHEEL HITCH

Double pivot, includes rail kit 15,000 lb PTT230128 20,000 lb PTT230132

REESE GOOSENECK HITCH

Replaceable Ball 25,000 lb PTT258079

REESE GOOSENECK HITCH PRO SERIES

Offset ball 25,000 lb PTT249080

REESE QUICK SLIDE 5TH WHEEL HITCH

Double pivot, includes rail kit 15,000 lb PTT230129 20,000 lb PTT230133



DRAW-TITE FOLDING BALL

Foldable for a smooth deck 25,000 lb PTT214610



AUTO SLIDE 5TH WHEEL HITCH

Automatically moves back as you turn 15,000 lb PTT230215



RAPID HITCH

Adjust the height of your hitch effortlessly / 10,000 GTVW



BALLS & BALL MOUNTS

6,000-16,000 lb capacity 2-8" available to fit any trailer



TORFLEX AXLES

Reduces vibration and dampens bumps. From 2,000 lb capacity



SPRING AXLES

Cost efficient and easy to replace. From 2,000 lb capacity



HD AXLES

Heavy duty axles for those heavy loads. 7,000 lb - 27,500 lb capacity



SUSPENSION PARTS

We carry a full line of suspension parts: shackles, springs and more.



BEARING KITS

Keep your trailer running smoothly with preventative maintenance.

2,000 - 7,000 lb capacity



BRAKE ASSEMBLIES

Save time and money with a complete brake assembly. 2,000 - 10,000 lb capacity



BRAKES & HUBS

2.000 to 10.000 capacity, for all makes and models of trailers.



COUPLERS

Huge selection of couplers, various types.

RECREATION SUMMER OR WINTER

Ice Fishing Shack - Keep Warm!





Molded sled bottom design, fits on the back of your truck. Extra room, height, four pre-cut fishing holes with covers and seats. Non-insulated and foam insulated models. Available in black or green.

Are you into hunting or fishing?

Flaman has a wide range of poly sleds for agricultural, industrial & recreation use.



23" incline makes deep snow

Available in 6' or 8' lengths

Spring loaded hitch for extreme

HUNTER SLED

travel easy

conditions





TRAPPER SLED

Enclosed hull protects your gear 24"H x 24"W x 76"L

Lid can be a separate sled Optional musher bar attachment

SNOW TRACKER SLED

Capacity of 26 cu feet Lid can be a separate sled Optional musher bar attachment



CATCH COVER SAFETY SCREEN

This safety cover rests in the catch cover ring and prevents objects from falling into the holes.





WOOD STOVE

Exceptional heat with little fuel, made of 20 gauge steel

PROPANE STOVE

12,000 BTU, variable heat range

NEW! Forsyth HUNTING SLED

6 foot sled comes with hitch. HWR500200



Electric or hand winch options

Optional canopy

VERTICAL BOAT LIFTS

Enjoy your time at the lake with a maintenance free dock.

Their aluminum construction will not splinter, rust or rot



PWC LIFT

1200 lb

67" Inside

71" Outside

72" Length

 4000 lb
 5000 lb
 6200 lb

 120" Inside
 120" Inside
 120" Inside

 126" Outside
 128" Outside
 128" Outside

 115" Length
 132" Length
 168" Length



C LIFT AQUA DOCK

Modular 4x10 sections Come w/ aqua deck panel top 5', 6', and 7' legs not included





QUICK DISCONNECT TIE DOWN ANCHOR

Mounts on a flat surface, 4000 lb straight pull strength. PTF512869 blue / PTF522869 black PTF532869 silver / PTF502869 red



COUPLER LOCK

Keep your trailer safe from theft. Will fit 1 7/8", 2" and 2 5/16" couplers. PTJ290200



WHEEL CHOCK

For transporting a motorbike safely in a trailer. Comes with all hardware PTF511017



WHEEL LOCK

Lock your wheel to prevent theft. It's security for: trailers, cars, trucks and boats. PTJ290901

TIE DOWN HANGERS

JUNIOR

Set of 2 - conveniently hang tie downs at the front & back of vour trailer, 8.5"L x 3"W x 3"H PTF500442

SENIOR

Keep all your tie downs together in one place. 17"L x 3"W x 3"H PTF500465

BROOM HANGER

Keep your broom out of the way! Also comes in silver. PTF500607



D-RINGS

Various types of D-rings available, such as swivel, recessed or weld-on. PTM404605



AIRLINE TRACK

Perfect for hauling motorcycles. Low profile so it stays clean and easy to use. PTF500004



SUPER CLAMP TIE DOWN

A more versatile way to lock your skis down during transport. Quick, easy and secure. PTF899100



E-TRACK

Makes a great adjustable hook up point. Gives you more options for tie downs. PTM398100



STAKE POCKET STEP

Easy to remove & install PTM401005



STAKE POCKET SPARE MOUNT

Easy to remove & install PTM401004



BOLT ON STEP

Bolts on to any trailer 36" wide / available in black PTM401018



BASE CABINET

Comes in many colours 40" H, 4' W, 18" D PTF577270

WALL MOUNT CABINET

Comes in many colours, wall mount, 18" H, 4' W, 16" D PTF577284

WESTCAN MOBILE STORAGE SOLUTIONS

Create a custom mobile storage solution Trade packages for 12' or 14' long trailers & cube vans.





HELMET HOOKS

Holds your helmets out of the way. Also comes in black Single 2.5"H x 2.5"W x 6"D PTF500282



FLIP OUT WORK TRAY

A great work bench for your trailer. Silver or black. 32"W x 14"D PTF500609



TOOL ORGANIZER

Multiple custom slots keep all of your tools handy! Also comes in black. 2.5"H x 24"W x 6"D PTF502670



ALL PURPOSE SHELF

For storing your cans and oils. Comes with notches to hold tools. Silver or black. 30"L x 5"W x 4"H PTF500456



GRIP GLIDES

Get extra grip when loading your sleds. The small pieces can make a track around a corner. PTF613351



EDGE GLIDES

Attach these to the bottom of the ramp door for a smooth transition from the ground to the ramp. PTF613361



LOW PRO GRIP GLIDES

Get extra traction and help keep your snowmobile straight when loading.

PTF613326 (20' total)



SUPER GLIDES

Protect the trailer deck from ski carbides and guide your sled when loading. PTF899105



LIGHTS

All makes and models



INCANDESCENT AND LED LIGHTS

Low power and high efficiency



LOAD LEVELLER

Transfers weight off the tongue & stabilizes the trailer..8K & 1K PTT249902



53' Step Deck Sprayer Trailer

8.5' transfer width means it's easy to move empty

- ➤ 13' 5th Wheel equipped with winch track and sliding winches
- > 3-25,000lb. air brake axles
- > 255/70R22.5 Tires
- Air ride suspension with dump valve
- Multi use beavertail and ramps, flip up side running boards
- Removable front wheel chocks with under-slung storage hangers
- > 13' Upper Deck
- Treated wood deck, LED & strobe lights
- > Water tank available

We will custom build to your request

BIG TRAILERS FOR BIG JOBS!

Behnke 53' semi sprayer trailers are available in spring or air ride suspensions. These sprayer trailers are engineered to handle the load of today's largest sprayers plus haul tanks on the upper deck.



BEHNKE FB SERIES

53' Step Deck Equipment Trailer

3-25,000lb Air BrakelAir Ride Axles

T1 - 100KSI Manufacturer Main Frame

Single & Two Stage Air Ramps

D-Rings every 4' or Rub Rail & Stake Pockets

255/70R 22.5 Low Profile Tires

Plank Decking



BEHNKE DETACHABLE

Low Bed Semi-Trailer

Non-Ground Detach Neck

- > 25,000 lb axles with Air Ride Suspension
- > 22" Front Loading Ramps
- > 24" Loaded Deck height
- > Extra Flip axle available
- Oak Decking
- > Slide Outs and Flips out available
- Powder coated





BEHNKE FB SERIES

Super Duty Equipment Trailer

24' Deck + 7' beavertail

(3) 22,500 lb axles

9.5' wide options

6' air assisted ramps

(3) 20,000lb Air brake axles Low arc spring suspension

235/75R17.5 Tires

Air bag tilt with air lock on the tilt deck

T-1 main frame

Oak decking

2 speed landing gear

Header Transports



TRAILTECH HEADER TRANSPORTS

7000 lb Torflex axle

4 Adjustable header arms will haul flex or draper headers For all rigid, flex & draper headers Can accommodate up to 36' header

J&M HEADER TRANSPORTS

Adjustable to fit larger headers and platforms 4-Wheel steering for sharper turning Designed for maximum support

ENCLOSEDTRAILERS



MODEL SHOWN: LTV SERIES 6' X 14' W/ V-NOSE

SOUTHLAND LTV Series Cargo

New V-Nose models!

Additional Features:

Includes all LT Series Standard Features 2' V-Nose (added to the length) Upgraded 3/4" Plywood Floor & Ramp 24" Checkerplate Front Guard



Xpress Aluminum Trailers are ideal for homeowners, as well as landscapers or those needing a light-weight option without losing out on quality.

The LT Series Cargo Trailer is a great economy-priced trailer that utilizes construction grade upgrades.



SOUTHLAND LT Series Cargo

New V-Nose models available!

Standard Features:

Rear Double Door or Ramp 3/8" Plywood Interior Walls .030 Smooth Aluminum Exterior 12" Checkerplate Front Guard HSS Tube Framework Spring Suspension Enclosed Wiring Including Brake Wire

ALCOM Xpress Series Cargo

All aluminum frame and rims

Standard Features:

6' x 12' + V-Nose
Rear Double Door or Ramp
16" Wall Studs
24" Roof & Floor Studs
Spring Suspension
LED Lights
Chrome Trim Package
Interior Lighting w/ Switch
Water Resistant Walls & Flooring
24" Checkerplate Front Guard

Custom Options:

Additional Height Available Upper and Lower Cabinets Extra Tie Downs Recessed E-Track Motorcycle Packages Ladder Racks Custom Flooring Available Finished Interior Packages

MAX RAMPS

FLAT DECK TRAILERS

Diamond CFlat Deck Trailers



EXTREME DUTY FLATDECK 19LPX

I-Beam frame for low profile design

2-7,000 lb or 3-7000 lb axle configurations

A-frame tool box

12K Jack

TANDEM DUAL FLAT DECK GOOSENECKS

Length includes 5' flip up centre

5' DOVE WITH SPRING-ASSISTED, FULL WIDTH MAX RAMPS, FLOATING RAMP HINGES MAKE FOR A SMOOTH TRANSITION FROM RAMP TO DOVE

Model	Axles	Length
FMAX 210	(2) 10,000 lb	30'
FMAX 210	(2) 10,000 lb	32'
FMAX 212	(2) 12,000 lb	32'



SOUTHLAND 16' STEEL CAR HAULER

(2) 3500 lb axles

16' deck & 84" deck width



DIAMOND C 13DEC

16' - 26' x 8'6"

(2) 7000lb axles

Spring Suspension

12" formed bumper

8" I beam frame construction

12K drop leg Jack

Spare mount

96" rear slide in ramps

Treated lumber



TILT TRAILERS \ 48HDT

(2) 7000 lb E-Z Lube axles

6 stake pockets and 4 D-rings

12k spring loaded jack

LED lights / 16' tilt deck / Bed width: 82"

4' and 6' stationary





20' HIGHBOY EQUIPMENT TRAILER

2) 7000 lb E-Z Lube axles

6' ramps / 7k drop leg jack

Rub rail and stake pockets / LED lights

DUMP TRAILERS







Diamond C Dumps

24' HEAVY DUTY LOW PROFILE DUMP

I-Beam main frame 3-way tailgate / Roll tarp (2) 7000lb E-Z lube axles 24" High sides

14' STANDARD

(2) 7000lb E-Z lube axles E-Z lube axles Slide in ramps Scissor lift Tarp

MEDIUM DUTY DUMP

12' x 77" Dump (2) 5200lb Electric braking axles 5 foot ramps Double rear doors 7,000 lb jack





Trailtech Dumps

Torsion axles Champion hoist Tarp All tubing frame

All tubing frame Complete wiring harness 12' DUMP

(2) 7,000 lb axles

14' GOOSENECK (2) 7,000 lb axles

14' DUMP

(2) 7,000 lb axles

16' GOOSENECK

(3) 7,000 lb axles

Southland Dumps

SL270

14' Dump (2) 7000 lb spring axles Scissor hoist

HEAVY DUTY 280HD

14' x 6.5' (2) 8,000 lb axles 9 tonne lift capacity Lockable toolbox 17,600 GVWR



2000 lbs flip jack

Rub rail and stake pockets



DIAMOND C
UTILITY TRAILER
WITH ATV PACKAGE

Steel Utility

6' W x 12' L

3500 lb EZ-Lube Axle

Top Wind Jack



2,000 lb spring suspension axle Expanded metal floor

Flat folding gate

13" Tires



MEDIUM DUTY UTILITY

2" Pine plank floor

Flat folding gate

3,500 lb spring suspension axle

5' x 10'

6' x 12'

6' x 14'

Aluminum Utility



548 UTILITY TRAILER

54" W x 96" L & Bi-fold gate All Alum. frame & floor

Alum. fenders w/vinyl gravel guard



8114 – 14' UTILITY TRAILER

Alum. frame & floor

Bed size: 81"w x 145"L

Alum. fenders w/guard

3000 lb rubber torsion axle



UTV - 12'

3,000 lb torsion axle

Curb weight: 760 lb

Bed size: 71"w x 150"L & 57"

Ramr

24" Alum. shield w/ storage box

SPECIALTY TRAILERS



Summit Series Auto Hauler

GREAT VALUE TO KEEP YOUR VEHICLE PROTECTED

Features include: 15" Tires, Roof vent, White interior, 24" Stone guard, 48", Side cargo door.

Options include: Smooth wall exterior, 54" escape door, Torsion axles.

MODEL AXLES

24' x 8.5' (2) 5200 lb

XR SLED SERIES

CLASSIC DECK OVER SLED TRAILERS YOUR CHOICE STEEL OR ALUMINIUM

CUSTOM ORDER ONLY

Job Shack

DO YOU NEED ON SITE SPACE FOR YOUR CREW?

ATC job shack trailers are an efficient solution to your job-site needs. Lunch room, meeting room and/or workspace with a desk or table. They can be heated/insulated and have air conditioning for year-round use.

Options include: Torflex axles, Partition wall with door, Benches, Table, Front air conditioning, Heated, 110v outlets



8.5 X 22 + 4.5 V-NOSE – SUMMIT 4 PLACE

A dressed up sled trailer at an entry level price!

SLED TRAILERS

Steel Sled Trailers

XR SERIES

XR 3 PLACE

 $8.5 \times 16 + v$ -nose / 2-3500 lbs axles

XR 4 PLACE

22' + v-nose / 2-3500 lb Torflex axles

SUMMIT SERIES

SUMMIT 3 PLACE

 $8.5 \times 16 + 4.5 \text{ v-nose} / 2-3500 \text{ lbs axles}$

SUMMIT 4 PLACE

8.5 x 16 + 4.5 v-nose / 2-3500 lbs axles

All Aluminium Sled Trailers

HIGH COUNTRY SLED TRAILERS

8.5 X 22+ 5 V-NOSE - HIGH COUNTRY 4 PL

Packed with options and features

HIGH COUNTRY 3 PLACE

8.5 x 22+ 5 v-nose / 2-3500 lbs Torsion Axles

HIGH COUNTRY 4 PL

8.5 x 22+ 5 v-nose / 2-3500 lbs Torsion Axles



CUSTOM ORDER ONLY

Concession Units

ALL UNITS ARE FULLY CUSTOMIZABLE

Custom Options:

Windows

Available in 12' to 32' Lengths Interior / Exterior Counters Lighting Signage Shelving **Bally Cloth**



POLAR TEMP Refrigerated Trailers

POLAR EXPRESS SUPER-SIZED 5' X 10'

PERFECT FOR DELIVERY OR BACKUP **COLD STORAGE!**

Standard Features:

MODEL SHOWN:

Total Steel Construction Polyurethane Insulation Heavy Duty Hinges & Door Latch Heavy Smooth Aluminum Floor Plate Front-Mounted Refrigeration Unit





HORSE & STOCK TRAILERS

Frontier Colt

2 HORSE COMBO/SLANT LOAD HORSE TRAILER

Interior Height: 7' (2) 3500lb Torsion Axles Slant Load/Step Up Model Front Tack Room with Options Drop Down Feed Window 1/2" Rubber Mats

Travalum Livestock

16' BUMPER PULL STOCK TRAILER

6' 8" W x 6'8" H x 16' L Easily Tows with 1/2 Ton Rubber Floor Mats

10" Tongue & Groove Extruded Floor 1 Solid Centre Gate 57" Double Wall Siding



Max Trainer M6 & M8

bikes out.


Tough on calories, easy on your joints.

Get a HIIT workout in iust 14 minutes.

deck the new BXT116 & BXT216 will help you acheive incredible results. focused burn rate console.



We are the largest supplier of Bowflex in Western Canada!



Accessories

From cross-training, agility, resistance and balance training, to aerobics and massage tools, we have accessories to support your fitness goals.







MD Buddy

Speed Rope

View Our Full Selection of Accessories at www.flamanfitness.com

Check out our monthly specials at www.flamanfitness.com







Home Gyms, Cages, Racks and More!

Work out from the comfort of home with strength equipment from X-plode by Progression Fitness, our in-house brand. From home gyms like the versatile PFX-9020 Smith Machine, to cages and racks like the PFX-230, we have quality strength equipment at a reasonable price.

Progression Fitness also carries cardio equipment!

Get a club quality workout in the comfort of your home!

We service what we sell.

We offer warranty on all of our products.

We make service calls.

We offer financing. Take it home for \$0. We can finance for up to 36 months OAC at most locations.

SASKATCHEWAN

Humbolt 306.682.2574

Maidstone 306.893.2631

Moosomin 306.435.4143

Yorkton 306.783.7229 Prince Albert 306.764.6004

Regina 306.790.9255

Saskatoon 306.978.1999

MANITOBA

Swan River 204.734.9999

Winnipeg 204.786.6957

Commercial Playgrounds

We sell commercial playgrounds that are great for your school, park or daycare. Many models are available for a custom fit. Call to get a quote today and discuss all the options.

and the state of the state of

KIDSTALE KP 1607





Swing Sets

We offer an extensive variety for a wide range of ages to accommodate the space you have. Our variety of frame options means there's something for every budget.



Challenge Ladder

Straight forward overhead challenge built with large rungs for easy gripping.

EXTREME

This standard playground playset comes with a slide and more for hours of fun. Encouraging outdoor play and physical activity will help keep your kids active and healthy.

Age Group: 2-12 Safety Use Zone: 24ft x 25ft Child Capacity: 16 ~ 20



Have you seen

the Flaman Fitness **Playgrounds** Catalogue?

Download the current version today by visiting our website.

www.flamanfitness.com



6' Standard Park **Bench with Back**

Take a rest or watch the sunset on the 6' standard park bench.

- Size: 18" x 72" x 39"
- · Weight: 124 lbs

TRAMPOLINES





VULY THUNDER PRO

Vuly Thunder & Thunder Pro Trampolines

Designed for fun and safety, Vuly's innovative trampolines will keep your kids on the go.

- Durable polyethylene UV-resistant safety net
- Gentle-edge compact leaf springs, designed for easy installation.
- Double-galvanized and heat-treated frame to last outdoors.

Size: Thunder starting at 9'10", Thunder Pro starting at 12' Weight limit: 330 lbs



11' Square Trainor Sports Trampoline

You'll score big with your kids with this trampoline. It features a fun Slam Board with Flash Zone - the board lights up when the ball is scored.

- 3" steel tubing for a super solid structure.
- Welded joints
- · Galvanized, powder coated legs for increased for rust resistance.

Size: 11' x 11' Weight limit: 220 lbs



AG EQUIPMENT

RENTALS



POST POUNDERS

Fencing made easier

- · No tractor needed / Easy operation
- Self-contained with a 13 HP Honda motor
- · For building new fences or making repairs



HAUKAAS BALE CARTS

Move up to 1000 bales/day!

- Gentle on bales and the hayfield
- · Quickly gather bales and place in semitrailer-sized groups



RITEWAY LAND ROLLERS

Convenient narrow transport

- Great for many applications like pulse crops or hay land.
- Increase germination every seed has good contact with soil.
- · Smooths fields for straight cutting



REM VRX GRAIN VACS

Quiet, fast and easy to use

- · Gentle seed handling
- Move up to 6,000 bu/hr during full bin load-out
- Great for clean-up and full bin situations

Prices subject to change without notice. Sizes may vary upon location, call your local Flaman dealer for available sizes.

JOIN OUR TEAM!
Looking to expand
your business?

Join our growing team of rental dealers in Western Canada. You can expect a supportive network of like-minded business people to help you grow your business and be successful. Last year we rented equipment to over **40,000 customers** in farming, oilfield, construction and more. Investment in equipment is required. Proudly serving Western Canada since 1959.



RATES START @ \$10.50/ACRE



K-LINE AG HIGH SPEED DISCS

Ideal for trash management & seed bed preparation

- 21' to 41' Widths
- Hydraulically raise or lower rollers on the go with the Powerflex model



WISHEK DISCS - 14' TO 26'

The heaviest disc on the market!

- 13 HP per foot of disc required
- Most effective way to break up land or improve drainage



SCHULTE ROUGH CUT MOWERS Tough and dependable

- Great for mowing crop residue, pastures, weeds or roadsides
- · Ultra narrow transport width for added safety
- . Designed to work in the toughest terrain



SCHULTE ROCK PICKERS Build larger stone piles

- Pick rocks faster
- · Good for spot picking in fields
- Tough & Dependable

Prices subject to change without notice. Sizes may vary upon location, call your local Flaman dealer for available sizes.

BECOME A FLAMAN RENTAL DEALER

Contact Carter Flaman 306.700.3823



TRAILER RENTALS

Moving? Need some temporary, mobile storage?

Various sizes of cargo trailers available Ramp or barn door options

ENCLOSED TRAILER RENTALS

Model 6' x 10' Trailer **\$75**/DAY

Model 6' x 12' Trailer **\$85**/DAY

Model 7' x 14' Trailer \$95/DAY

Model 8' x 20' Trailer **\$130**/DAY



Do you have leaves & branches to haul to the landfill?

Our utility trailers are perfect for the job.

UTILITY TRAILER RENTALS

4' x 8' Models Start@ **\$55**/DAY



7'X14' ENCLOSED SHOWN 5'X8' - 8.5'X23' SIZES AVAILABLE



Haul your cattle or horses in one of our easy pulling stock trailers.

We have 10' to 16' trailers available.

STOCK TRAILER RENTALS

Bumper or Gooseneck Hitch

14' Models Start@ \$100/DAY

CONSTRUCTION RENTALS



MINI EXCAVATORS

- two-speed tracking motor and 32 HP engine
- supurb stability thanks to 12" Bridgestone rubber tracks
- ISO servo controls
- 2330 mm boom and 1525 mm dipper



SKID STEERS

- vertical and radial lift options
- engines from 56 HP to 74 HP
- rated operating capacites from 1,753 lb to 3,296 lb



Roller supported deck extension for effortless extension even at height

SCISSOR LIFTS

- 26'6" platform height
- 550 lb load capacity
- unique gate handle for easy and safe access and egress



TELEHANDLERS

- lift heights range from 36.4' to 56' lb
- load capacity from 6,000 lb to 10,000 lb
- forward reach of 24' to 42'
- 74 HP engine

Flaman is your Compaction Headquarters. Whatever your project calls for, we have the machine to do the job!









FLATDECK TRAILER RENTALS

18' Lowboy Trailer \$90/DAY

20' Highboy Trailer **\$115**/DAY

6' x 12' Tilt Trailer **\$65**/DAY

2 Place (8.5' x 10') Sled Trailer **\$60**/DAY

4 Place (8.5' x 20') Sled Trailer **\$95**/DAY

DUMP TRAILER RENTALS

10' Models Start@ \$100/DAY

12' Models Start@ **\$130**/DAY

14' Models Start@ **\$135**/DAY

CONSTRUCTION RENTALS - Available Only In The Yorkton, Moosomin & Swan River Region

YOUR one stop construction and rental shop in Eastern Saskatchewan and Western Manitoba.

Yorkton, SK 306.994.0654

Moosomin, SK 306.802.4808

Swan River, MB 204.400.5621



CONCRETE TOOLS.

We rent quality HILTI tools at Flaman for all your hammer drilling and jack hammering needs.



HEATERS

These 350,000 BTU diesel or propane heaters will give you clean dry heat wherever you need it.

We rent out quality JCB skid steers, mini trackhoes, and aerial lifts plus a variety of attachments.

WE ALSO RENT:

Auger Bits, 6" - 30" **Grapple Forks Hyd Auger Drives** Pallet Forks **Auger Extensions Snow Blades** Frost Bits **Bale Spears** Hyd Jack Hammers **Brooms** Buckets Tooth & Smooth

Sweepers Tree Scoops **Trenchers**

FLAMAN

Store Locations Saskatchewan & Manitoba

Swan River, MB Hwy #83A

204.400.5621

Moosomin, SK

Hwy #1 West

306.802.4808

Yorkton, SK

Hwy #16 East

306.994.0654

Swift Current, SK

2500 South Service Road West

844.966.0962

Saskatoon, SK

Hwy #16 & 71st St

306.700.3823

Prince Albert, SK

Hwy #2 South

306.400.3361

Southey, SK

306.993.9688





Note: Construction equipment & tools are available to rent at our Yorkton, Moosomin and Swan River locations.



www.flaman.com/rentals EQUIPMENT FIND



Saskatchewan Rental Deale

UNITY 306.228.2172

Great West Agro

CUT KNIFE 306.398.8000

Great West Agro

ESTEVAN 306.421.0280

Johnson Brothers

HUMBOLDT 306.682.2574

Horizon Fertilizers

MAPLE CREEK 306.662.2262

B & A Petroleum

WYNYARD 306.554.2511

K4 Rentals

CANORA 306.563.6426

Brendonn Holdings

BRUN0 306.369.2830

Horizon Fertilizers

ASSINIBOIA 306.642.4621 B & A Petroleum

SWIFT CURRENT 306.773.8890

B & A Petroleum

CUDWORTH 306.256.2300 Horizon Fertilizers

ELROSE 306.378.7406

Bob & Chris MacDonald

SHAUNAVON 306.297.1400

B&A Petroleum

H00SIER 306.460.9650

C. Fischer Trucking Inc

LLOYDMINSTER (AB) 780.870.8900

Headon Rentals

Manitoba Rental Dealer

VIRDEN

204.748.2283

Mar-Dee Enterprises

RUSSELL 204.773.2268

Brendonn Holdings

RESTON 204.877.3729 Mar-Dee Enterprises

PORTAGE LA PRAIRIE 204.857.8764 Mar-Dee Enterprises

NEEPAWA 204.476.2348 Mar-Dee Enterprises

MELITA 204.522.3202 Mar-Dee Enterprises

DAUPHIN 204.638.4401 Brendonn Holdings

BRANDON 204.728.4554 Mar-Dee Enterprises

AUSTIN 204.637.2515 Mar-Dee Enterprises

CRYSTAL CITY 204.825.0170 Thiessen AgriVentures

DUNREA 204.776.2045 Mar-Dee Enterprises





Franchise Opportunities FLAMAN rental franchise

opportunities are available:

Carter Flaman (SK, MB) 306.700.3823



<u>FLAMAN</u>



SASKATCHEWAN

Saskatoon, SK 306.700.3823 Hwy #16 & 71st St

Prince Albert, SK 306.400.3361

Hwy #2 South

Southey, SK 306.993.9688

Hwy #6

Moosomin, SK 306.802.4808

Hwy #1 West

MANITOBA

Swan River, MB 204.400.5621 Hwy #83A

Swift Current, SK 844.966.0962 2500 South Service Rd West

Yorkton, SK

Hwy #16 East

306.994.0654







www.flaman.com