

WHERE FARMING STARTS Product Guide 2021 SASKATCHEWAN & MANITOBA



GRAIN STORAGE & HANDLING SOLUTIONS

04
09
11
12
14
16
17
18
19
19
20
21
22
23
24
25
25
26

GRAIN GUARD	2
GATCO	2
AUGER, CONVEYOR & BIN ACCESSORIES	2
AUGER ENGINES	3
MASSLOAD SCALE	3
GRAIN ANALYSIS / PERTEN	3
PLANT INSTALLS	3
CUSTOM SCREENS	3
KWIK KLEEN	3
GCS GRAIN CLEANERS	3
ISM SEPARATOR	3
BENCH CLEANERS	3
COLOUR SORTERS	3
TOPKROP FERTILIZER	

IUPKKUP FEKIILIZEK

KUGLER PROGRAM
ACF-SR PROGRAM
ELEVEN SUPERSTART
BLACKEARTH PROGRAM

FARM IMPLEMENTS

GRAIN VACS	46
GRAIN BAGGERS	47
EXTRACTORS	48
GRAIN BAGS	49
J&M GRAIN CARTS	50
SEED TENDERS	52
GRAIN WAGONS	53
KELLO-BILT	54
WISHEK HEAVY DISCS	55
KINZE MACH TILL	56
SCHULTE DISC HARROW	57
RITEWAY LANDROLLERS	58
RITEWAY HARROWS	59
STONE CRUSHER / TILLER	60
S.HOULE BOX SCRAPER	60
BRILLION GRASS SEEDER	61
SOVEMA HAY RAKES	61
SWATH ROLLERS	61
POST POUNDERS	62
BALE CARTS	62

Frank Flaman FOUNDATION

Flaman Group of Companies gives back through the Frank Flaman Foundation, which supports charities and projects locally & internationally. Flaman team members take part in development projects worldwide and are also active participants in their communities.



flaman.com/foundation

People together, doing what's right, making a difference.

7

8

9

0

0

1

2 3

4

4

5

6

9

40

42

42 44

It is not just a company you work for, it is a family you are a part of. Making things better is one of Flaman's three core values. Our family has a diverse group of people with the drive to improve their communities and we are happy to be a part of it.

Here are a few highlights:



Child Advocacy Centre

We are extremely fortunate to be able to partner with such an amazing organization like the Child Advocacy Centre of Kelowna. We've proudly sponsored their fundraising gala and auction and some of us volunteered to assist the front-line team maintain a healthy lifestyle during this

difficult time. We are very proud to continue the partnership with a donation \$20,000 to help the Child Advocacy Centre continue their dedication to ensuring a brighter future for vulnerable children.

www.flaman.com

WIRE SPOOLER	63
FERTILIZER SPREADER	63
WOOD CHIPPER	63
ROTARY CUTTERS	64
RICK PICKERS & WINDROWERS	64
SNOW BLOWERS	65

PARTS & HARDWARE

WATER & STORAGE TANKS	66
FERTILIZER TANKS	67
PUMPS & SUPPLIES	68
FLOATS, FILTERS & FITTINGS	69
CHEM HANDLERS	70
YARD SPRAYERS & FERTILIZER	71
CHEM PUMPS	71
PRESSURE WASHER TRAILER	72
FIRE SUPPRESSION	72
AIR COMPRESSORS, PRESSURE WASHERS, GENERATORS, HEATERS & SHOP SUPPLIES	73

FUEL TANKS & ACCESSORIES
DIESEL & DEF TANKS
TOWING & TIE-DOWNS
PARTS & SERVICE, AXLES, HUBS, TIRES. HITCHES & JACKS
TIRE CHANGING & HD JACKS
BOAT DOCKS & LIFTS
ICE SHACKS & SLEDS

TRAILERS

SLED TRAILER ACCESSORIES
AGRICULTURE TRANSPORT
SPRAYER & SEMI TRAILERS
ENCLOSED TRAILERS
FLAT DECK TRAILERS
DUMP TRAILERS
UTILITY TRAILERS
SPECIALTY TRAILERS

FITNESS & RECREATION

FITNESS EQUIPMENT	92
PLAYGROUNDS	94
PADDLEBOARDS	95

RENTALS

74

75

76

78

80 80

81

82

84

84

86

87

88

89 90

JOIN OUR EXTENDED FAMILY

AG EQUIPMENT RENTALS	96
HAY & LIVESTOCK RENTALS	98
LANDSCAPING RENTALS	98
CONSTRUCTION RENTALS	99
TRAILER RENTALS	100

ABOUT US

LOCATIONS & MAPS	102
------------------	-----

Boys & Girls Club

The Boys and Girls Club of Yorkton shared the following message: "We are beyond amazed and touched by the generosity of the staff at Flaman in Yorkton! Their

Social Committee made a donation, and a collection was taken amongst their staff with the purpose of providing Christmas gifts for some of our older Club youth and teens. Thank you for giving back to our community!"



5th on 5th Youth Services

We were fortunate enough to partner with Southland Trailer Corp to donate to a Lethbridge organization dedicated to serving Youth ages 15-30 years

old. 5th on 5th Youth Services helps youth with academic, social, and employment development.

Flaman is a group of individuals working together as a team to reach our #1 goal of Customer Responsibility. We call ourselves an "extended Family" and all value the support, team atmosphere, autonomy, and social interaction that are key to our culture and success.

www.flaman.com/careers





Grain Monitoring

Install, Support & Service

Wireless Grain Monitoring



Direct to you

Protect Your Investment Call one of our technology experts today. We can help you design a wireless system that fits your farm best.

Flat Bottom Bins

4" Corrugated sheets, 30° Roof 40" Diameter filler cap 64" x 30" Entrance door

OPTIONS:

Stiffened and Unstiffened Bins Inside and Outside ladder packages Temperature & moisture cables Aeration floor and unload systems

Hopper Bins

WANTER

40" Lid with remote Manholes in roof & hopper cone

OPTIONS:

Temp. & moisture cables Aeration – Straight duct OR Grain Guard Rocket Spiral staircase OR ladder w/ safety cage Steel skid foundation Roof vents

Grain Storage Customized For Your Farm

Stress Free Bin Buying. From the Concrete Pad to the Monitoring Systems we can help.





Timely Builds



In partnership with Corr Grain professionally managed bin builds are available. Experienced planning and scheduling includes setup crews and concrete installation. Grain Cleaning & Handling Systems



We specialize in setups for Grain Dryer Systems, Grain Cleaning & Processing Plants, Automated Bin Sites, and Producer Loading Sites.



STRESS FREE BIN BUYING From the concrete pad to monitoring systems, we can help.



UNSTIFFENED BINS FROM 15' TO 48' DIAMETER

SIZE	BU	HEIGHT
15'	2300-5100	19'-37'
18'	3400-9800	20'-49'
21'	4800-13,400	21'-50'
24'	6300-17,600	21'-51'
27'	8000-22,500	22'-52'
30'	10,000-28,000	23'-53'
33'	14,900-39,800	24'-54'
36'	15,000-40,000	25'-55'
42'	21,000-56,000	26'-56'
48'	28,000-73,000	28'-58'

FLAT BOTTOM Stiffened and Unstiffened Bins FEATURES

- > 4" corrugated sheets
- > Roof manhole
- > 30° roof corrugated with 3" ribs
- Roof ladder
- Spiral staircase
- > 40" filler cap remote opener
- > Large walk through door, 64" x 30"

COMMERCIAL SERIES CAPACITY UP TO 684,240 BU FARM SERIES CAPACITY UP TO 73,790 BU

OPTIONS

- > Temperature & moisture cables
- U-Trough unload
- > Full floor aeration systems
- Round or goose-neck vents
- > Exterior stiffeners
- > 9" bin sweep





FULL FLOOR AERATION CLEAN SWEEP UNLOADING



SPIRAL STAIRCASE



We can help you with: Hopper Cones, Bucket Elevators, Cat Walks, Ladders, Custom Fabrication, Grain Cleaning, Grain Processing & Seed Treating

HOPPER BOTTOM Available in 15' – 27' diameter FEATURES

- > 24" ground clearance varies by manufacturer
- > 40" lid with remote
- > Manholes in roof & hopper cone
- > Set up crews available

AVAILABLE IN SIZES UP TO 17,020 BU

OPTIONS

- Temperature cables, moisture cables, and remote monitoring
- Aeration straight duct, Grain Guard rocket or Gatco cross flow
- > Saf-T-Fill OR LevALERT bin level indicator
- Spiral staircase OR ladder with safety cage
- Steel skid foundation
- Roof vents
- Leg extensions
- Rack & pinion gates



SAFETY CAGE



ROOF VENTS

HOPPER PACKAGES

SIZE	BU	HEIGHT	AUGER
1805	4900	33'10"	61'
1806	5679	37'6"	66'
2105	6893	35'11"	61'
2106	7953	39'7"	70'
2406	10437	42'4"	71'
2407	11710	43'11"	84'
2707	15250	46'	84'
2708	17020	49'8"	94'

BU capacity may vary depending on cone manufacturer **OTHER SIZES AVAILABLE**



CUSTOM CONCRETE FOUNDATIONS



AERATION SOLUTIONS

MERIDIAN GALVANIZED BINS AND HOPPER COMBOS

Available in sizes up to 56,000 bushels





FLAT BOTTOM BINS				
BU RANGE				
2,876 - 4,006				
4,195 – 9,893				
5,781 – 13,527				
7,643 - 17,772				
9,798 - 22,613				
12,242 - 28,069				
14,988 – 34,154				
18,044 - 40,822				
25,133 - 56,143				



HOPPER BINS					
COMBO SIZE	BU				
18' 5 Ring	4,870				
18' 6 Ring	5,684				
21' 5 Ring	6,759				
21' 6 Ring	7,869				
24' 5 Ring	9,049				
24' 6 Ring	10,498				
24' 7 Ring	12,025				

FLAT BOTTOM BINS Available in sizes up to 56,000 bushels

FEATURES

Heavy Galvanized Sheets for Superior Strength Vertical Seams Double Bolted Roof Slope 30° & Large Bin Lid Exterior Side Wall & Roof Ladder 3 Panel Walk-in Door

OPTIONS

Full Floor Aeration (.050 perf.) Welded Truss Supports 11" U-Trough Unload & 7.25" Bin Sweep Roof Vents (18" rd.) & Fans Interior Sidewall Ladder Spiral Staircase (single or dual platform)

HOPPER COMBOS

Available in sizes up to 12,025 bushels

FEATURES

35° Hopper Cone HSS Tubing - Legs & Supports Heavy Galvanized Sheets for Superior Strength Rack & Pinion Unload Gate Quality Paint Finish 27" Bin Lid c/w Remote Opener Exterior Side Wall & Roof Ladder Vertical Seams Double Bolted Roof Slope 30° and LevAlert Manhole and Manway

OPTIONS

Double, Triple or Quad Skids Vertical or Horizontal Aeration LevAlert Bin Level Indicator Spiral Staircase Temperature monitoring Moisture monitoring Aeration Fan

GRAIN STORAGE & HANDLING SOLUTIONS

MERIDIAN

MERIDIAN BINS Ask us about custom site builds.

BOOK WITH FLAMAN SIMPLIFY YOUR BIN BUYING LEASING AVAILABLE

GRAIN MAX BINS

Meridian Grain Max hopper bins offer top quality grain and seed storage at prices comparable to corrugated hopper combos.

1

Without bolts and ribs, the Grain Max seamless interior allows for safe and easy unloading ensuring seed or contaminants are not trapped on walls or joints.

MODEL	BU	BIN HEIGHT	MIN. AUGER				
GM2300	2301	26'3"	46'				
GM3000	3264	28'11"	51'				
GM4000	4119	33'11"	61'				
GM5000	4973	38'11"	71'				
GM5300	5324	35'6"	61'				
GM6400	6405	40'6"	71'				
GM7500	7488	45'6"	76'				
Other sizes available							

AVAILABLE OPTIONS



SKID FOUNDATION



AUGER BOOT



MERIDIAND

These tough bins are completely pre-welded, inspected and then treated with Meridian's premium powder coating inside and out.

The special powder coat paint allows for many years of corrosion and abrasion resistance even with fertilizer storage.

MODEL	METRIC TONS	BIN HEIGHT	MIN. AUGER			
1412	69	25'3"	46'			
1612	91	25'11"	46'			
1615	108	28'11"	51'			
1620	136	33'11"	61'			
1625	165	38'11"	71'			
1630	193	43'11"	71'			
1820	176	35'6"	61'			
1825	212	40'6"	71'			
Other sizes available						



LADDER CAGE & HANDRAILS



GRAIN BINS

Westeel Magnum-G Smoothwall Bins store grain, seed or feed safely with easy clean-out and corrosion protection.

- Sight Glasses
- Bottom Inspection Hatch
- Sidewall & Roof Ladders
- > 24" Vented top lid
- ► 19" Discharge with R&P Slide Gate

MODEL	BU	BIN HEIGHT	MIN. AUGER
1208G	1140	19.1 ft	36'
1412G	2050	23.7 ft	41'
1612G	2850	25.9 ft	46'
1616G	3500	29.9 ft	51'
1620G	4200	33.9 ft	61'
1624G	4900	37.9 ft	61'
1628G	5400	40.9 ft	71'
1630G	5730	42.9 ft	71'
1632G	6070	44.9 ft	71'

AVAILABLE OPTIONS



LADDER CAGE & HANDRAILS



HD SKID FOUNDATION



Westeel Magnum-F Smoothwall Bins are hopper bottom bins ideal for the long term storage of fertilizer, grain or seed.

- ➤ Sight Glasses
- Bottom Inspection Hatch
- > Stainless Steel Rack & Pinion Slide Gate
- > Poke Hole

MODEL	METRIC TONS	BIN HEIGHT	MIN. AUGER
1208F	42	19.1 ft	36'
1408F	54	19.7 ft	36'
1412F	73	23.7 ft	41'
1416F	92	27.7 ft	51'
1612F	100	25.9 ft	46'
1616F	125	29.9 ft	51'
1620F	147	33.9 ft	61'
1624F	170	37.9 ft	61'
1628F	198	40.9 ft	71'



REMOTE VENTED TOP LID

Install, Support & Service WIRELESS GRAIN MONITORING

We have over 20 years experience installing temperature cables & grain monitoring systems.



STARE .



Monitor your grain bins at anytime from anywhere.



Make smart decisions to manage your grain remotely and avoid spoilage

BIN SENSE 2.0

- > Monitor grain levels in the bin and know your inventory
- Measure moisture & temperature values
- Control your aeration fans while setting timers and alerts to optimize performance
- Know what's happening in your bin over a period of time and proactively manage changing conditions









Fan controlled automation







AGI Suretrack BinManager®

AGI Suretrack BinCheck®

AGI SURETRACK

Manage your entire farm

"Your data in one spot" - turn your data into usable information Monitor Dryer Master status in real time on your grain dryer

Monitor automation & performance of:

- Bins & Storage moisture, temperature, aeration fan control
- Grain Dryers temperature and discharge rate
- Fuel Tanks levels of gasoline, diesel, propane & water
- Grain Testers moisture, oil content, proteins, starches

Features

- Solar options, fan control
- Monitor moisture & temperature in your bins
- Control your aeration fans
- **NEW** CO2 detection Monitor elevated CO2 levels for early detection of insect & fungi infestation

NECO – MIXED FLOW GRAIN DRYER

Unequaled energy efficiency, save 20-30% Available in 16' & 24', and 32'

The NECO mixed flow dryer is one of the most efficient dryers on the market, maximizing the test weight of dried grain and lowering your energy bill.

Benefits

- Mixed flow drying process preserves grain quality
- Even heating & cooling provides kernel to kernel consistency
- Dries all grains including specialty beans
- COMMANDER CONTROL with DRYERMASTER
 moisture control system
- AGI SURETRACK offers remote management from your smartphone or computer



NECO – MIXED FLOW GRAIN DRYER No screens to clean, unplug, or change.



The NECO mixed flow dryer is one of the most efficient dryers on the market, maximizing the test weight of dried grain and lowering your energy bill.

FLEXIBLE OPERATION CAPABILITY

- Allows dryer to run in full heat or heat and cool modes on single burner dryers
- For multiple burner dryers:

Individual temperature settings for each burner adds unrivaled flexibility

Multiple options for drying include full heat, heat and cool, steeping, or sweating

QUIET & EFFICIENT FANS

- Consistent, high volume air flow at lower speeds with forward curved blades
- Fans produce just 80-90 dB compared to competitors at 120 dB

SAFETY

- · Flame safety relay
- Accuracy of ignition
- Safety for you & your grain

HOW IT WORKS

Heated air travels through the column of moving grain via the internal heat ducts, making the drying process more efficient as well as conserving the quality of grain. The heated air then exits through the outer exhaust ducts.



DRYER MODEL	Tiers	BU - Holding Capacity	BU/HR Wheat 5 pts All Heat 210°F	BU/HR Wheat 5 pts Dry & Cool 210°F	Canola All Heat 15% -10%	Number of Blowers	Total CFM of Blowers	Max Burner Output million BTU	Max Unload Capacity	Total HP of Blowers	Total HP All Motors	Fill Height	Total Length
16'													
D1680	6	770	714	561	348	1	27,500	6.0	982	20	24	23.2	24
D1690	7	866	833	691	404	1	32,000	6.0	982	25	29	25.2	24
D16106	8	962	1003	863	461	2	36,000	12.0	1527	30	34	27.2	27
D16120	10	1155	1240	1017	588	2	47,000	12.0	1527	40	46	31.2	27
D16140	12	1347	1426	1233	689	2	55,000	12.0	1527	40	46	35.2	27
D16160	14	1539	1740	1454	813	3	65,300	18.0	2250	55	61	39.2	27
24'													
D24108	6	1155	1084	851	521	2	41,200	12.0	1473	30	36	25.9	35
D24150	8	1443	1427	1230	693	2	55,000	12.0	1473	40	50	27.9	35
D24180	10	1732	1667	1369	793	2	62,000	15.0	2291	50	65	33.9	35
D24210	12	2020	2139	1850	1034	3	82,500	18.0	2291	60	75	37.9	35
D24240	14	2309	2380	2002	1141	3	89,500	21.0	3382	70	85	41.9	35
D24260	16	2597	2851	2470	1376	4	110,000	24.0	6000	80	100	45.9	35
D24330	20	3174	3382	2893	1717	5	124,000	30.0	6000	100	120	53.9	35
D24380	24	3750	4045	3524	2058	6	151,500	36.0	6000	120	150	61.9	35









DESIGN & LAYOUT



SETUP & INSTALLATION



GRAIN HANDLING Professionally managed bin builds

Grain Handling Setup & Maintenance.

We specialize in setups for Grain Dryer Systems, Grain Cleaning & Processing Plants, Automated Bin Sites, and Producer Loading Sites.

We will take care of any or all of the elements including:

- Design & Layout
- Equipment & Parts
- Setup & Installation
- Maintenance & Service

Our team of consultants and industry experts, purchasers, service specialists and support staff can help with any aspect of business related to your Grain Handling Equipment.

We can provide, install and service:

- Horizontal, Incline & Overhead Conveyors
- Flow Systems & Accessories
- Support Towers, Safety Structures & Catwalks

Capacities range from 200 BU/HR - 20,000 BU/HR www.flamangrainsystems.com



We offer all the necessary components required for, handling systems, plant set ups and maintenance including: Bucket Elevators, Screw Conveyors, Belt Conveyors, Incline Chain Conveyors, Horizontal Chain Conveyors, Install Crews.



SPOUTING, ELBOWS, CLAMPS, FLANGES, VALVES & DISTRIBUTORS







GRIPWELL SPLICERS



BELTING Available in 4" to 20" belting



SPACERS



All bolts come with nuts NORWAY & FANGED BOLTS

INCLINE DRAG CONVEYORS



Walinga Pneumatic Conveyance System Ideal for connecting grain dryers



Largest Supplier of Bucket Elevator Cups & Accessories in Western Canada

WALINGA ULTRA-VEYOR

MOVE YOUR GRAIN SAFER AND EASIER, WITHOUT ELEVATOR LEGS OR PORTABLE AUGERS.



ECONOMIC & AFFORDABLE SOLUTION FOR LONG DISTANCE CONVEYANCE







ALL THE WORKING COMPONENTS ON THE GROUND!

HOW IT WORKS: Your ultimate bulk transfer system

SMART-FLO Smart-Flo Variable Frequency Drive Systems monitor and automatically adjust motor speeds, optimizing performance while reducing energy costs and bulk damage. AIR INTAKE BULK SUPER HARDENED Variable Frequency Drive SRT BLOWER Experienced in the 2 Blower manufacturing of feed and grain handling equipment, Walinga is first for quality. Walinga blowers 3 Airlock are fabricated from special alloy castings that facilitate hardening. **AIRLOCK PACKAGE** Designed for maximum efficiency and minimal grain damage the housing is precision machined from a cast iron shell for unequaled performance.

CAPACITY

Capacity in Dry Corn / Deduct 30% if conveying wheat or beans

MOD	EL	5510 5" TUBING SIZE				561 4 UBING		e	66 TUBII		E	
мотс	DR*	15HP	20HP	30HP	40HP	30HP	40HP	50HP	40HP	50HP	60HP	75HP
·5 7	100	750	1000	1300	1600	1250	1675	1725	1800	1900	2100	2300
CONVEYING DISTANCE IN FEET	200	638	850	1105	1360	1063	1424	1466	1530	1615	1785	1955
ANC EET	300	542	723	939	1156	903	1210	1246	1301	1373	1517	1662
	400	461	614	798	983	768	1029	1059	1105	1167	1290	1412
	500	392	522	679	835	653	874	900	940	992	1096	1201

*Single phase option available up to 40 HP

AGI HUTCHINSON

Chain & Paddle Conveyors Available in 6", 8", 10", and 12"

The AGI Hutchinson chain and paddle conveyors are gentler, more durable, and require less horsepower then an auger system.



Portable Grain Pump







ELECTRIC MOTOR DRIVE



Electric Drive Augers Sizes commonly in stock 8" diameter, lengths 41' to 71'

Lengths from 31' to 76' 8" or 10" tube diameter Five different drive options

Drive Options

- MD Motor Drive
- EMD Electric Motor Drive
- PTO-SD Shaft Drive
- PTO-BD Belt Drive
- Hydraulic Drive

AGI UTILITY



Utility Augers 4", 6", 8", 10", 13" sizes available For semi-permanent or permanent auger installations

Ideal Uses

At your grain bins or bulk tanks In drying set-ups Around the dairy barn In feedlots At feedmills or elevators

AGI X-SERIES AUGERS X160 - Move up to 23,000 BU/HR!



X160 16" AUGER Capacity up to 23,000 BU/HR

85', 105', and 125' lengths 1000 RPM gearbox drive Remote electric power swing HD "A" frame lift w/ 22.5 tires Available with X-tend

X130 13" AUGER Capacity up to 11,000 BU/HR

74', 84', 94', and 114 lengths Bigger boot & larger spout Easy to maintain hopper Conveniently mounted hydraulic winch Steel top truss added on 84', 94', and 114' augers Available with X-tend

X100 10" AUGER Capacity up to 6600 BU/HR

63', 73', and 83' lengths Improved low profile hopper with access points for easier maintenance

Square connection points for flighting

AGI X SERIES AUGER

The AGI X Series Auger features a precision engineered, commercial strength frame and redesigned hopper. Wear edge technology is standard on all AGI X Series Auger which means 10 GA steel reinforces the flighting edges where most of the wear occurs.

FEATURES

- > Wear edge technology
- > Powder coat paint
- Tapered boat
- > Square flight connection

Fully loaded package options include: down spout. electric

mover, hydraulic winch, reducer- reverser, and light kit.



HYDRAULIC MOVER



ELECTRIC SWING MOVER





The **X-Tend Retracting Swing Auger** offers the convenience of being able to extend, swing side-to-side and retract, without having to move or reposition the truck.



PICTURED EXTENDED

X-TEND	X130	X160
Stroke	9'	9'
Working Retraction	20"	20"
Main Flight Thickness	0.25"	0.25"
Core Diameter 2.375"	OD	OD
Transition Flight Thickness	0.25"	0.25"
Tube Length	17'	17'
Hydraulic Controls	3-way, mounted on swing tube	3-way, mounted on swing tube
Power Extend	Yes	Yes
Mechanical Drive	Yes	Yes



PICTURED RETRACTED

STORM Seed Treater No more over or under treating.



The Storm makes it safe and easy to apply multiple products.



CONTROLLER STATION



RUGGED MOVER KIT

CYCLINDER WIPER

STORM FX reduces user exposure, making in-the-yard seed treating safe, simple, and convenient, while giving you total control over the seed

treating process.



AGI XTA AUGERS

Optional Self-Propelled Heavy-Duty Mover Kit Available

XTA 80 | 8" DIAMETER | 36' - 51' | UP TO 3,600 BPH XTA 100 | 10" DIAMETER | 36' - 51' | UP TO 5,000 BPH

LED WORKING LIGHTS



DOUBLE BANDED BELTS

Molded together for maximum strength and dependability, these double banded belts maintain speed by providing better tension with less slippage. To ensure optimal performance is achieved with longer units, the 10" in 46' and 51' lengths use triple banded belts.



REVERSIBLE GEARBOX

AGI XTA TRUCK AUGER

Optional heavy duty mover kit features rugged tires and 4-wheel steering.

The 10" augers feature long lasting 12 GA tubing and a large easily accessible fuel tank.

FEATURES

- > Self-propelled mover kit
- Electric clutch ≻
- 45 L. fuel tank >
- > Downspout Included
- Reversible gearbox ≻
- ► Light Kit

OPTIONS

- > 8" or 10" Intake hopper
- Heavy Duty Mover Kit with > Hydraulic Steering
- > EFI Engines available



OPTIONAL 8" OR 10" INTAKE HOPPER



OPTIONAL HEAVY DUTY MOVER KIT

The Self-Propelled Heavy-Duty Mover Kit features all-wheel drive, hydraulic steering, and rugged all-terrain tires. The narrow. compact design allows better access to larger diameter hopper bins and offers a sharper turning radius. The drive controls are situated closer to the motor to further increase reach.



AGI XTA U-TROUGH AUGER

Designed to withstand the harshest physical demands.

The AGI UTX U-Trough unique design reduces the chance of grain damage or plugging and has a capacity of up to 9,000 BPH.

FEATURES

- > Light kit
- > Triple groove electric clutch
- > 4-wheel HD mover with joystick
- > Reversing gearbox
- > Vanguard 40 HP EFI



HEAVY DUTY MOVER KIT

Heavy-duty self-propelled mover kit with joystick hydraulic steering



REVERSIBLE GEARBOX

Comes with shifting linkage and lockout, allowing the operator to safely reverse the auger at all angles.



VANGUARD 40 HP EFI



ELECTRIC CLUTCH



LIGHT KIT

SPRINGLAND U-TROUGH AUGERS

Unload your bins fast – 11" x 45' U-trough truck loading auger. Rated Capacity 120-150 BU/MIN





CANVAS HOPPER W/ LID

MODEL	SIZE	ENGINE
UTL-40 EFI	11" x 40'	38 HP EFI
UTL-45 EFI	11" x 45'	38 HP EFI

SPRINGLAND TRUCK LOADING AUGER

Get the benefits of an auger and a conveyor. Springland truck loading auger available in 40' and 45' sizes.

The unique U-Trough design means there is less chance of grain damage or plugging.

Standard Features

Fully Enclosed Belt Guard Reversible Gearbox Hydraulic Mover Console Hydraulic Lift Removable Tow Hitch One Piece Flighting Light Kit **Optional Add-ons** Heavy Duty Spout



Kohler Engines 38 EFI HP



TRUCK LOADING AUGER



REVERSIBLE GEARBOX

MERIDIAN AUGERS

Heavy Duty Conventional Augers and Swing Away Augers

MERIDIAN HEAVY DUTY AUGER

A fast loading auger that puts safety first with it's innovative design.

The axle design results in better weight distribution and the self-leveling motor mount ensures consistent belt tension regardless of the height of the auger.

Standard Features

Mover kit Winter kit 4 Light kit Shovel & shovel holder Reversible gearbox Super edge flighting



SHOVEL & HOLDER



4 LIGHT KIT



REVERSIBLE GEARBOX

MERIDIAN SWING AWAY AUGER

Perfect for low profile trailers. Available in 10", 12", 13", and 14" sizes and lengths from 72' to 105'

A longer and wider design maximizes reach, increases handling capacities and reduces overflow and spillage.

Standard Features

Remote control electric swing Hydraulic winch 3 light kit Poly flex downspout



BATCO CONVEYORS

New BCX³ All-farm Commodity Field Loader

Featuring improved traction, drop and go wheel system, powerful motor and built-in braking system.



A low-profile transfer conveyor/swing away with collapsible hopper is available on the 1500, 2000 and 2400 series conveyors for the 65' – 120' models.

1500 SERIES Capacity up to 6,000 BU/HR

10" Tube & 15" Belt Lengths from 30' to 100' 10" Diameter, 14-gauge tube

2000 SERIES Capacity up to 9,000 BU/HR

14" Tube & 20" Belt Lengths from 35' to 120' 14" Diameter, 12-gauge tube

2400 SERIES Capacity up to 14,000 BU/HR

14" Tube & 23.5" BeltLengths from 65' to 120'14" Diameter, 12-gauge tube

AGI BCX³ BATCO CONVEYOR

Moves cereals, pulses, canola & fertilizers

The new Batco BCX³ all-farm commodity field loader is equipped to tackle tough jobs with the help of its two belt scrapers, belt brush, and a turbo clean wash system. This conveyor confidently moves it all cereals, pulses, canola & other oilseeds and fertilizers reducing the need to have multiple portable handling solutions on your farm.

FEATURES

- > HD mover kit
- > 32" Wide hopper
- > 35 HP Vanguard engine
- > 10" Diameter tube
- > 15" Wide belt
- > 49' Length
- > Soft start electric clutch
- ➤ Light Kit

OPTIONS

 33 HP EFI Vanguard Engine Under mount or Top mount



32" WIDE HOPPER



CONTROLS IN ONE LOCATION



HEAVY DUTY MOVER KIT

CONVEY-ALL CONVEYOR Optional Self-Propelled Heavy-Duty Mover Kit Available

MODEL SHOWN

commun.

Self-contained conveyor with a hydraulic belt drive and moving kits mounted low for increased stability.

The TCSNH is equipped with a 16" wide belt for a fuller tube and increased capacity.



CONVEY-ALL CONVEYOR MODEL TCSNH 1600 SERIES

FEATURES

- ► Large 10" drive roller
- ▶ 16" Belt
- Working lights
- Adjustable spout
- > Heavy duty under-carriage

OPTIONS

- Stainless steel
- Rail car hopper
- frac sand specialty units

TRANSFER AUGERS & CONVEYORS





AGI GAS DRIVE TRANSFER AUGER 8", 10", 13" diameter 8" – 6.5 HP 10" – 9 HP 10" Diameter w/ 9 H

AGI HYDRAULIC TRANSFER AUGER

8", 10" diameter 10-12 GPM oil requirement Max 2500 p.s.i. diameter 10" Diameter



BATCO 1800 & 2400 PITSTOP Hydraulic & electric drive options Model 1800 & 2400



BATCO 1515 TRANSFER CONVEYORS 9 HP Gas Motor 10" Diameter

AERATION SOLUTIONS

We offer a wide range of fans, heaters and aeration systems.



FULL CENTRIFUGAL FAN



TURBO FAN

AERATION FANS

3 Year Warranty and CSA Approved

Full Centrifugal Fan

Suited for Grain Guard Rocket Maximum airflow at higher static pressures 20% more air flow than an in-line fan

9" X 14" JET AIR 3 HP AFA103120 9" X 14" JET AIR 5 HP AFA105120 9" X 14" JET AIR 7.5 HP AFA107120 12" X 17" JET AIR 10 HP AFA110120

Inline Fan

Suited for round duct, 1/2 round systems **18" INLINE FAN 3 HP AFA318312** 24" INLINE FAN 5 HP AFA324512 24" INLINE FAN 7.5 HP AFA324712 28" INLINE FAN 10 HP AFA328112 28" INLINE FAN 15 HP AFA328151

Turbo Fan

Suited for round duct, 1/2 round systems Excellent airflow at high static pressures 20% more air flow than an in-line fan **18" TURBO FAN 3 HP AFA218312** 24" TURBO FAN 5 HP AFA224512 24" TURBO FAN 7.5 HP AFA224712



Sukup Stir System **INCREASES AIR FLOW UP TO 33%** Loosens grain & reduces static pressure



INLINE FAN



FAN COVERS Protect your fans from the elements

18" AAC00180 24" AAC000240 28" AAC000280



18" AAC001180

24" AAC001240 28" AAC001280



Easily move your fans from bin to bin

18" AAC401820 24" AAC402420 28" AAC402820



Three variations for hopper or flat floor bins





Canvas and metal adapters available in various sizes



Sizes 18", 24" & 28"



NEXT GENERATION ROCKET Designed for hopper bins

Increases aeration fan efficiency by forcing air into the center of the bin where air is the most difficult to move.

LASER CUT INTERNAL RING

More robust design withstands increased side loads due to irregular grain flow during unloading of the bin



GRAIN GUARD

Aeration Systems

Easy, two person "do-it-yourself" installation

RETRO ROCKET Retrofit existing bins

No need to buy a new bin – this rocket system lets you quickly and easily retrofit existing hopper bottom and smooth wall bins with Grain Guard aeration.

MAX. 5 HP FAN FOR 4' RETRO ROCKET UP TO 5000 BU

MAX. 7 HP FAN FOR 6' RETRO ROCKET UP TO 7000 BU

> SIZES FOR BINS UP TO 25,000 BU





STRAIGHT DUCT Replace older corrugated pipe 18" & 24" models available Can be made to any length





BIN ANCHORS 4"X 43" BAC300100

CABLE KIT BAC300200



INLINE HEATERS Maintain the quality of your grain Low temperature propane or natural gas





Available at all **FLAMAN** locations



3 IN 1 AERATION: DRYING, COOLING & NATURAL CONVECTION ONCE FAN IS SHUT OFF

AUGER HOG

Increase your auger capacity 20-30%

The only quick detach, adjustable hopper that supercharges auger capacity and totally eliminates grain spitting & spraying.

OPTIONAL FERTILIZER SCREEN.

> AVAILABLE FOR 8/10" AND 12/13" AUGERS

8/10" AUGER HOG IAA002045 12/13" AUGER HOG IAA002042 **TRY THE AUGER HOG RISK-FREE.** We offer a full refund within 30 days



STOP YOUR GRAIN FROM HEATING

GRAINAIR TUBE & VENT-A-LID

POWERLESS AERATION

Maximize existing aeration systems, by increasing airflow with an aeration booster.

Remove heat from your grain using Natural Convection. Can be used in flat and hopper bottom bins, sheds, quonsets & grain piles.

- Designed to work with natural convection, the perforated GrainAir Tube allows heat and moisture to escape the bin quickly.
- Also quonset, shed and grain pile options.



Innovative & Effective Solutions For Your Farm www.gatcomfg.com

BIN LEVEL POLY AUGER HOPPERS INDICATORS Various sizes & models available STANDARD AUGER HOPPER IAA002002 Lev ALERT **BIN LEVEL INDICATOR** Sidewall mount BAC110010 **BIG DADDY HOPPER** IAA002030 SAF-T-FILL **BIN LEVEL INDICATOR** BAC100010 AUGER LIGHT OPTIONS 8" AND 10" AGRI-HOPPER Illuminate the engine, head-end 8 INCH IAA002055 and intake with our auger 3 light 10 INCH IAA002056 kits or LED light kits. IAA012016 THE BIG BOOT IAA002040

DOWNSPOUTS

POLY AUGER DOWNSPOUTS 8 INCH ROUND IAA004008 10 INCH ROUND IAA004010 10 INCH OVAL IAA004011 13 INCH ROUND IAA004113

NO SNAG AUGER DOWNSPOUT

Stays in line with bin opening. Won't snag on bin 10 INCH NO SNAG

IAA004310

13 INCH NO SNAG IAA004313

16 INCH NO SNAG IAA004016

NEVER SPILL AUGER DOWNSPOUT

No checking, No overfilling, No plugging augers!

ALARM SYSTEM INDICATES A FULL BIN.

10 INCH W/ ALARM IAA004210

13 INCH W/ ALARM IAA004211 16 INCH W/ ALARM IAA004216

1,100

BAINMAX



REPLACEMENT BIN LIDS Retrofit your older bins with a remote lid opener. One size fits all 36" bin lid BAC011

43 L RED FUEL TANK IAA003001 OPTIONAL MOUNTING KIT IAA003000



MAGNETIC BIN LABELS Organize your bin yard with magnetic bin labels. Bin labels are available for over 30 commodities BAC60

in labels. Inmodities







HOPPER HOG Spill-Proof Canvas Hopper Bag IAA002000

WHEAT

12



ENGINE COVERS Small IAA001100 Large IAA001101



TACHOMETER WITH HOUR METER PAE000900

ELECTRIC STICK ON HEATER For conveyor & auger engines IAA001107



ENGINES Engines range from 25 to 40 HP

> 37 HP EFI VANGUARD IAA000237

VANGUARD ENGINES

35 HP CARB IAA000235 **33 HP EFI** IAA000233 **37 HP EFI** IAA000237



35 HP VANGUARD IAA000235



GX 390 HONDA IAA000413

HONDA ENGINES

GX200 IAA000407 / Manual start GX270 IAA000409 / Manual start GX390 IAA000413 / Electric start GX390 IAA000414 / Manual start GX630 IAA000420 / Electric start with muffler GX690 IAA000424 / Electric start with muffler

MASSLOAD AXLE PAD SCALE Accurate portable weighing during seeding and harvest

SAVE MONEY



EASY TO SET-UP, EASY TO USE Weigh your B Train in 90 seconds!

Easy to mount with 6" low profile platform Can be used on gravel surfaces Fully automatic - Single operator system Fork lift portable for use in multiple locations Made for temperature extremes -40° to +80° Rugged Canadian made 26" super duty load cells 2 year load warranty / 4 year frame warranty

Wireless or remote solar power display options are available

ALL WEATHER DISPLAY

GRAIN ANALYSIS

Gain the advantage of knowing what your grain has to offer before sending it to market



5200-FARM DESIGNED FOR ON FARM USE



5200-A **DESIGNED FOR COMMERCIAL USE** Optional flow-through drawer available

PERTEN AQUAMATIC 5200

UGMA Moisture Meter

SAMPLE RANGE -25°C TO 65°C (MOISTURE<18%)

Test high temperature grain straight off the dryer. The most accurate and repeatable moisture

meter available. Easy to use with a large full colour screen for operation and presentation of results.

Fast and accurate can display moisture, test weight and temperature in 25 seconds.



PERTEN 8800

PERTEN INFRAMATIC 8800

Portable Grain Protein & Moisture Analyzer **Rugged meter designed for farm conditions**

Near-infrared (NIR) portable grain analyzer designed specifically for onfarm use. This rugged meter is ideal for testing grain for protein, moisture and oil content.

Can be operated using battery power and has GPS capability for field mapping



PERTEN INFRAMATIC 9500

Commercial Grain Protein & Moisture Analyzer

The Perten Inframatic 9500 Protein Tester is reliable, robust, and built to meet the requirements of commercial grain handling operations. Optional test weight is available.

The IM 9500 analyzes a wide range of grains and oilseeds for moisture, protein. and oil in less than 30 seconds.



PLASTIC ROLLER WITH WOODEN HANDLE HWF120053

BUSHEL WEIGHT SET HWF1200 STRIKER HWF120037 COX FUNNEL HWF120036 0.5L CUP HWF120034 DIGITAL CELCIUS THERMOMETER HWF120027

SAMPLE

SCOOP

HWF120081



ACCESSORIES

CANOLA ROLLER KIT Use this handy canola

roller kit to check your canola green counts.

100 COUNT KIT HWF120060

500 COUNT KIT HWF120067



HWF120160

8 FOOT HWF120180

10 FOOT HWF120190



A+D COMPACT **DIGITAL SCALE** 500g x 0.1 g HWF120024



A+D EJ1500 **DIGITAL SCALE Counting & Percentage** function / 1500g x 0.1 g HWF120032



Use with your bin or grain bag to quickly check temperature.



LABTRONICS 919 Moisture Meter **Designed for Farm Use**

Comes as a complete kit with digital scale, Celsius thermometer & set of charts.



SAMPLE MASTER

Automatically collect samples from your swing augers, grain baggers & driers without getting dirty or sticking your hands where they don't belong.

- Install in minutes with the supplied adapter plate
- Optional remote control
- 2 year warranty

Plant Installation Complete Cleaning & Processing

We specialize in Grain Cleaners and Grain Sorters of various capacities and function too. Give us a call and tell us how we can help.

- 1. Custom Built Hoppers
- 2. Gjesdal M2500
- 3. Extra Screens
- 4. Mez & Work Platforms
- 5. Bucket Elevators
- 6. Transfer Conveyors
- 7. Gravity Table

Plant Installs Cleaner Overhauls Equipment Maintenance Elevator Repairs Custom Retrofits Equipment Training Certified Technicians



CLEANING AND PROCESSING PLANTS



5

PLANT DESIGN & LAYOUT

Custom Screens

Shipping available to anywhere in North America

SCREEN TYPES

Round, Slot, Double Cut Triangle Special Order: Wire Mesh, Stainless Steel Material, Stop Perforated, Bulk Perforated

WOOD & ALUMINUM FRAMES

Bench, Clipper, Crippen, Garratt, Northland Superior, Westrup, Cimbria, BM & M, Forever, Gjesdal and custom built to your specifications



ROUND HOLE

36" WIDE SHEETS

4/64 - 32/64 Round Hole Screen sg.ft. 4/64 - 14/64 Slotted Screen sq.ft.

48" WIDE SHEETS

4/64 - 32/64 Round Hole Screen sq.ft. 3/64 - 16/64 Slotted Screen sq.ft Buckwheat screen sq.ft.

HAND SIEVES

Many Sizes Available

Durable hand sieves designed for excessive use in tough environments.



WOOD HAND TESTERS

Assorted Kits Available Economical hand tester kits. Changeable screen inserts available



GRADER SHELLS, SCALPER REELS, AND INDENT SHELLS AVAILABLE

SCREENS ARE AVAILABLE FOR MOST MAKES OR MODELS



SUGGESTED SCREEN SIZES

FOR VARIOUS COMMODITIES

Screens available for most makes or models

Dockage Cleaners

Kwik Kleen

Reduce your dockage and chances of overheating by pre-cleaning your grain before shipping or storing.

Used for sizing barley and removing small seeds and other dockage.

All models are available with electric or hydraulic drive mechanisms, and feature easily removable screens. More than 20 screen sizes are available to accommodate many commodities. HYDRAULIC 772 MODEL SHOW HYDRAULIC MODEL 572 SHOWN

Model	572	772
LENGTH	108"	108"
WIDTH	58"	72"
NUMBER OF AUGERS	5 X 72"	7 X 72"
THROUGHPUT CAPACITY	7"– 8" AUGER	10" AUGER
HYDRAULIC DRIVE	12-13 GPM	14-15 GPM
ELECTRIC DRIVE	5 HP	7.5 HP
SCREENS / TUBES	5	7
CLEANOUT FEATURE	YES	YES
SCREENING AUGER	4"	4"

GCS Grain Cleaner Gentle, Fan Powered Grain Cleaning

No screens required

Fan Powered Simple to run Low initial cost

Low energy consumption

Easy transition between crops



GCS 1000 MOBILE UNIT Gentle, fan-powered grain cleaning



GCS SCALPER COMES WITH 3 SCREENS:

Remove pods, white caps, trash & large dockage

GCS	200	450	750	1000	1400	2200	Scalper
CAPACITY	UP TO 200 BU/HR	UP TO 450 BU/HR	UP TO 750 BU/HR	UP TO 1000 BU/HR	UP TO 1400 BU/HR	UP TO 2200 BU/HR	1000 BU/HR
MOTOR	3/4 HP	1.5 HP	6 HP (2 X 3 HP)	3 HP (2 X 1.5 HP)	10 HP (2 X 5 HP)	4.5 HP (3 X 1.5 HP)	1/3 HP
DIMENSIONS (LxWxH)	81" X 19" X 90"	94" X 30" X 94"	71" X 47" X 95"	94" X 51" X 94"	91" X 55" X 95"	95" X 74" X 108"	65" X 58" X 65"
WEIGHT	400 LBS.	800 LBS.	1600 LBS.	1800 LBS.	1900 LBS.	2500 LBS.	500 LBS.

ISM Separator Fractionating Aspirator

MOBILE UNIT:

16' Car Hauler Trailer 1200 kW Generator 2 Discharge Augers

ISM SEPARATOR FRACTIONATING ASPIRATOR MOBILE UNIT SHOWN

Clean All Types of Seed and Grain No screens required

Increase seed quality & remove dockage

Separates out high quality heavy, plump seeds from low quality light dockage

CSA approved

Baffle + VFD controlled parameters

Low power consumption

Gentle seed handling (padded baffles)

Model	ISM 10	ISM 30	ISM 50
BU/HR	150-200	400-500	500-700
LENGTH	1 X 1 HP	2 X 3 HP	2 X 4 HP
WIDTH	11' 1"	15' 8"	17'
HEIGHT	3' 4"	3' 8"	5' 4"
MOTOR SIZE	6' 8"	9' 1"	9' 1"
WEIGHT	440 LBS	1,543 LBS	2,138 LBS





CYCLONE SEDIMENTARY CHAMBER (CSC)

The closed-circuit system of the Cyclone Sedimentary Chamber significantly reduces the amount of dust and chaff outside the machine and lowers power and air consumption.

Bench Industries Air and Screen Machines

Bench Air and Screen grain separators are an affordable way to clean your grain. Counterbalanced shaker shoe, large air settling chambers with precise adjustments, and a heavy-duty frame allow for accurate cleaning and a long lasting life expectancy. Low HP requirements and easy to change screens.

BENCH MOBILE UNIT WITH FULL SIZE CLEANER <u>A1</u> <u>A2</u> <u>B1</u> <u>B2</u> <u>C1</u> <u>C2</u>

Bench Modular Air Screen Gentle feeder will not damage your crop.



BENCH DOUBLE SHOE





BENCH MINI

Bench	Market not shown	Double Shoe	Full Size Mobile unit shown	Mid Size	Mini
CAPACITY	1500 BU/HR dockage removal	500 BU/HR for cereals	300 BU/HR for cereals	100 BU/HR for cereals	30 BU/HR for cereals
SCREEN SIZE	54 X 36 (6)	54" X 36" (12)	54" X 36" (6)	36" X 54" (2)	27" X 36" (2)
DECK SIZE	54 X 108	54" X 72"	54" X 72"	36" X 54"	27" X 36"
HORSEPOWER	5 HP ON FAN; 2 HP ON SHOE	10 HP ON FAN; 3 HP ON SHOE	5 HP ON FAN; 2 HP ON SHOE	3 HP ON FAN; 1 HP ON SHOE	2 HP ON FAN; ½ HP ON SHOE
WEIGHT	PLEASE CALL	4500 lbs.	2400 lbs.	1780 lbs.	580 lbs.
WIDTH	PLEASE CALL	8'1"	6'8"	4'	3'
HEIGHT	PLEASE CALL	8'	5'6"	4'10"	4'
Air Lifted Screenings

- Fine Screenings
- ▲ Large Screenings
- Clean Product





BENCH / PREMIER

All-in-one seed cleaners take the proven Bench air screen modular cleaner and combine its technology with multiple 17"x90" indents.

The Bench air screen utilizes scalping and sifting screens mixed with aspiration. The large pocket indents provide the length separation for wild oat removal.

- Pre Aspiration
- Scalp Screen
- Sift Screen

A1 A2 B1 B2 C1 C2

- Large Pocket Indent
- Final Aspiration

BENCH	Premier
CAPACITY	250 BU/HR
HORSEPOWER	2 HP MACHINE 5 HP ON FAN 3 HP INDENT
SCREEN SIZE	54 X 36 (6)
DECK SIZE	54 X 72
INDENT	(3) 17" X 90"

Screens are available for almost all commodities including wheat, barley, canola, soy beans, peas, sunflowers, flax, and more.

Colour Sorting & Processing

If white caps are your problem the Bench Debearder is your solution



BENCH DEBEARDER

Improve the test weight of your grain

The debearder helps to improve the flow-ability of products and improves test weight. It breaks up hard to thrash commodities and polishes grain, oats and wheat. Available with 7 ½-20 HP TEFC or TEXP motor, which can clean up to 400 bu/hr. 16 hard surfaced blades and 16 stationary blades assist with the product flow and movement in the drum. The Bench debearder has an 18" diameter drum, which features a heavy duty drop down door for easy clean-out.

Bench	Debearder
CAPACITY	UP TO 400 BU/HR
HP REQ.	7 ½ - 20 HP



\$47362

SATAKE VERTICAL PULSE & CEREAL DEHULLER

5-10 TONS / HR

Lentils, Barley, Wheat, Millet & Sorghum: Dehuller

Peas: Dehuller & splitter when equipped with special coated rolls

The Satake pulse and cereal dehuller type VTA is a high capacity machine designed for the removal of hulls and husks from a range of commodities including lentils, chickpeas, soy and barley. The machine is exceptionally hard wearing for a trouble free 24 hour operation.

Satake	VTA10	VTA20
CAPACITY	UP TO 5 TONS/HR 180 BU/HR	UP TO 10 TONS/HR 360 BU/HR
POWER REQ.	45-55 KW (6P)	90-110 KW (6P)
AIR VOLUME	55 M ³ /MIN	80 M ³ /MIN
STATIC PRESSURE	120-150 mmAq	120-150 mmAq



Satake Optical Colour Sorters

RNEZX SERIES

RNEZX 7500

The next step in the RNEZ series. This model is upgraded with higher camera resolution, larger touch screen, option for 6 or 10 chutes, as well as shape sorting capability.

Satake's high capacity, cost-effective, **full colour** precision optical sorter series is ideal for bulk agricultural products such as wheat, lentils, peas and other small grains. The RNEZX Series sorter is able to consistently and effectively sort these product types at high capacity - up to 3.5 tons per hour per chute for common grains. Secondary and/or tertiary resort capability is also optional if desired.

The RNEZX is powered by patent-pending Satake software assuring quick set-up and hassle-free operation. A simple user interface, similar to a smart phone or tablet with touch and flick operation, offers the operator quick adjustments to a number of settings and sensitivities.

RGBR SERIES

Impurities such as glass, plastic and stone which are invisible or have the same colour as the material cannot be detected with only a full colour CCD camera. The RGBR series has the ability to detect and sort these impurities with a high technology NIR camera inside.

Ejector Ejector Rejects Accepts

We See Your Grain Differently



DURUM

MUSTARD

PEAS

Full Colour	FMS 2000	Evolution 400	Evolution 800	RNEZS 2500	RNEZS 6500	RNEZX 4500	RNEZX 750P	Capabilities IR	RGBR 5401 Capabilities
CAPACITY*	60 BU/HR	200-400 BU/HR	400-800 BU/HR	75-200 BU/HR	225-600 BU/HR	~600 BU/HR	~1000 bu/hr	~500 BU/HR	~900 BU/HR
HEIGHT	81.1"	80.9"	80.9"	68.4"	68.4"	68.4"	68.4"	74.9"	74.9"
WIDTH	18.9"	52.2"	64.5"	54.2"	109"	81.7"	114.2"	62.2"	89.7"
DEPTH	49.6"	62.8"	62.8"	64"	64"	64"	64"	61"	61"
NUMBER OF Ejectors	48	92	184	136	409	273	455	252	420
CHUTES	1	4	8	3	9	6	10	3	5
CHUTE WIDTH	240 mm	100 mm	100 mm	220 mm	220 mm	224 mm	224 mm	336 mm	336 mm
SHAPE Capabilities	INCLUDED	OPTION	OPTION	N/A	N/A	INCLUDED	INCLUDED	INCLUDED	INCLUDED

*Capacities are based on 60lb/bu product. Capacity is highly variable.

KUGLER

LS 624 Low Salt Liquid Starter

6% Nitrogen | 24% Phosphate

- > 100% water soluble, non-corrosive, low salt index & seed safe
- Helps get crops up & out of the ground quicker
- > Plant-available in cooler soils
- Applied in-furrow at seeding, but can also be used with XRN products as a foliar to bump up phos levels









KQ-XRN

Application of Kugler KQ-XRN on soybeans. The shiny, sticky solution keeps nitrogen available to the plant for the long term.



```
KUGLER PROGRAM
```

KQ-XRN Kugler Quality Extended Release Nitrogen

28% Nitrogen (72% slow release)

- ► KQ-XRN is the base of all Kugler foliar products
- > Low salt, non-corrosive polymer solution that contains no water
- > Sticks on the leaf & stays on the leaf for up to 30 days
- > Can be tank mixed with herbicide, fungicide & humic foliars
- ► The Perfect Delivery System[™] for providing a powerful combination of crop protection & fertility in one application

How does foliar nutrition work?

- Increases chlorophyll concentration
- Increases photosynthesis rate
- Increases water & soil nutrient uptake
- Increases biomass



www.topkrop.ca 306.518.7691

KQ-XRN 2530 Protein Bump

25% Nitrogen (30% slow release)

- > XRN product that adds quality & protein to wheat to increase grade
- > Foliar sprayed at soft dough stage



KS 2075 with XRN Technology

20% Nitrogen (50% slow release) | 7.5% Potassium | 5% Sulphur

- > Provides a balance of quick release nitrogen for initial green up & 50% slow release nitrogen for continuous steady feeding
- Mixes readily with liquid fertilizers, insecticides & herbicides

KS 178C Plant Health Product

17% Nitrogen (61% slow release) | 8% Chloride

- > Formulated with XRN as its nitrogen source & ammonium chloride as its chloride (plant health) source
- Economical & beneficial plant health product
- > Not registered as a fungicide but has all the same qualities as a fungicide with 8x more chloride, plus it is a foliar feed

KS 153C Plant Health Product

15% Nitrogen (72% slow release) | 3% Phosphate | 3% Potassium | **4% Chloride**

Same properties as KS 178C but has added phosphate

KS MicroMax Micronutrient Package

Copper | Iron | Manganese | Zinc | Boron

- Effective, readily-available source of vital micronutrients for soil & foliar application
- Can be added to any Kugler XRN product



Gets To The **Plant Quicker**





Estimated Volume (Dry) Bushels per Acre Acres <= 53.1 (20.5)53.1 - 57.4 (20.5)(20.5) 57.4 - 60.8 60.8 - 64.5 (20.4)> 64.5 (19.5)

KS 178C

Clearfield, UT

Canola

Planting & Treatment Details

- > 5 litres KS 178C plant health product applied as a foliar
- 12 bushel/acre increase when compared > to Lance fungicide
- 13 bushel/acre increase when compared control field



ACF-SR

Five beneficial bacteria species that rapidly enhance your soil & plant health.





ACF-SR PROGRAM

ELEVEN Superstart

Eleven Superstart is the successor to TK-10 starter fertilizer and now includes one extra nutrient: **manganese.**

S Zn_KB FeP_NCu Ca_{Mn}Mg



ELEVEN PROGRAM



Plant Growth Promoting Bacteria

- Each individual species has built-in plant growth functions to perform efficiently & economically
- Enhance plant & root growth while improving soil structure & health
- Applied in-furrow at seeding at 2 gallons per acre for best results with annual crops
- Can also be sprayed post-seeding with a 2nd foliar application 3-4 weeks after crop emergence





Granular Starter Fertilizer

- > Complete all-in-one granule
- > Built for Canadian prairie farmers
- Low salt & seed safe
- ► 100% water soluble
 - Maximum root interception
 - Zero nutrient segregation
 - Low pH solution maximizes nutrient availability



Macronutrients N 8% P 29% K 5% S 10% Micronutrients Ca 10% Mg 0.4% Mn 0.15% Zn 0.4% Fe 0.3% B 0.04% Cu 0.025%

11 Nutrients in Each Prill

ELEVEN Superstart is designed to be put in-furrow with the seed at a rate of **40 lbs/acre for pulses**, **50 lbs/acre for cereals** & **60 lbs/acre for canola**.

www.topkrop.ca 306.518.7691





Add life to your soil with ACF-SR



What are the five species of bacteria & their functions?

- **1. Rhodopseudomonas palustris:** Enhances soil bioactivity & nitrogen fixation
- **2. Bacillus licheniformis:** Enhances soil bioactivity & provides plant growth hormones
- **3. Nitrosomonas europaea:** Converts ammonia to nitrate & solubilizes phosphates
- **4. Nitrobacter winogradskyi:** Converts nitrite to nitrate & solubilizes phosphates
- **5. Bacillus subtilis:** Solubilizes phosphates & siderophore production

Milestone, SK

Straight Cut Canola

Planting & Treatment Details

- Treatment #1: TK-10 in-furrow at 80 lbs per acre
- Treatment #2: TSP in-furrow at 65 lbs per acre
- Additional P added to each treatment via sideband
- 10% more viable pods observed in TK-10 plots





11 Nutrients in Every Granule





HUMIC

Black Earth's dry and liquid products are made from the highest quality humic material in North America.

This high-grade humalite is found only in Alberta and is used exclusively for Black Earth products.

Improve soil health, create stronger plants & increase crop yields.



BLACK EARTH PROGRAM

humiZen

High-value humates for high-value results

Liquid humic designed for convenience and efficiency in any farming operation

3.5% humic acid | 1.5% fulvic acid

- Compatible with a wide range of liquid fertilizers including phosphoric acid-based starters (not suitable for blends containing calcium nitrate)
- > Applied in-furrow at seeding or as a foliar spray after plant emergence
- Low rates for ease of handling & on-farm logistics

The unique properties of humalite in a durable, fertilizer-compatible granule

50% humic acid | 3% fulvic acid

- > Compatible with dry fertilizers including urea
- Suitable as a stand-alone soil amendment or in blends with fertilizers or other dry inputs
- > Applied in-furrow at seeding or broadcasted with a fertilizer spreader
- > Effective at low rates to minimize handling & loading

Liquid Carbon

Formerly Activ12

For rapid response at planting

7.65% humic acid | 1.79% fulvic acid

- > Ready-to-use extracted liquid humic acid
- > Limited blending capabilities with certain fertilizers
- Ideal for use in starter fertilizer applications, top dressings & foliar applications
- ➤ High concentration Liquid Carbon HC is also available (contains 15.3% humic acid & 3.58% fulvic acid)





www.topkrop.ca 306.518.7691

Benefits of Humics

- > Increased nutrient efficiency & availability
- Increased nutrient holding capacity (CEC)
- > Increased water moisture retention
- > Higher germination & emergence
- Assisted pH balancing
- > Increased microbial populations
- > Crop residue breakdown

HUMALITE AG 4

Chamberlain, SK 40 lbs Humalite AG 4

Planting & Treatment Details

- ► Seedrow Placed
- ► Shaw Hard Red Spring Wheat
- ► 100 lbs 46-0-0
- > 30 lbs 11-52-0 (seedrow)

Humalite AG 4

Formerly Activ80 AG

The workhorse of a good soil health program

70

60

50 40

30

20

10

0

37

BUSHELS PER ACRE

CHECK

43

HUMALITE AG 4

64% humic acid | 3.04% fulvic acid

- ► AG = Agriculture Grade product
- The most cost-effective solution for getting high-rates of humic acid into your soil
- Large, coarse granule allows for easy handling & provides a slow release of nutrients into the soil
- Ideal for broadcast or in-furrow applications



HUMIC TREATED ON THE RIGHT

40 lbs Humalite AG 4 applied in-furrow



Your Growth Partners



Humalite GG 16

Formerly Activ80 GG

Organic, fine-grade humic granule

64% humic acid | 3.04% fulvic acid

- ► GG = Golf Grade product
- Fine-grade particle allows for increased surface area, which allows the particles to degrade quickly & creates greater nutrient availability to the plant
- > Ideal for broadcast or in-furrow applications

Humic Substances: Characteristics & Functionality

	FULVIC	HUMIC	HUMIN]
Soil	Decreasing	Colour Intensity	Increasing	Soil
Chemistry	Increasing	Solubility	Decreasing	Structure
Chelation	Decreasing [1,000]	Molecular Weight	Increasing [10,000,000]	H2O Capacity
Ion	Increasing	CEC	Decreasing	A
Exchange	48%	Oxygen Content	30%	Aggregation
Reactivity				Structure

MODEL	7614 DLX			
CAPACITY*	5000 BU/HR			
HP	130-150			
WEIGHT	3302 lbs			



WALINGA AGRI-VAC

Grain handling has never been simpler, safer or healthier

>

>

>

>

≻

AGRI-VAC 6614DLX & 7614DLX FEATURE:

- > Self contained hydraulics
- > Dual inlets
- Hose carrier
- Precleaner
- Super hardened Walinga sound reduction positive displacement blower
- Hydraulic-rotating truck loading kit with cyclone

Super hardened positive displacement blower



Heavy duty discharge cyclone



 Rhino liner covering high wear areas in receiver tank and boom cyclone

Rubber clean-up hose with swivel coupling

Suction nozzle with clean-up attachment

Stainless Steel Hoses

Suction nozzle

Stainless steel delivery line

floor sweep with wheels

Secondary Precleaner reduces wear

Wheat capacity based on using 12' (3.65 m) suction line and truck loading kit. Capacity will vary with condition of product.





AGI VR12 1000 Bushels in 6 minutes 9.000-10.000 BU with

9,000-10,000 BU with a 130 HP tractor.

AGI VRX GRAIN VAC Quiet, fast, and easy to use

AGI VRX grain vac is a proven machine from top to bottom, every piece has been examined, questioned, and tested. The AGI VRX sets all new standards on being one of the **quietest vacs on the market**.

Features

- Air throttle also allows you to manually set your suction to suit the grain type.
- Air lock is a spring-loaded two flap dumper designed to be pushed as far as needed for the grain to exit the grain vac fast.
- Clean-out door opens easily and is leak-proof
- Updated VRX bearing cartridge will provide 2.5 times more longevity than the old model



Optional VRX Dust Collector

Don't let a little dust get in your way of moving grain when and wherever you need. The VRX dust collector is easy to attach and gives you flexibility to collect or direct the debris.

NEW! Auger System Design

self aligns

≻

>

>

>

New drive dogs are part of a

floating, spring-loaded design that

New self-contained gearbox design

means you can remove and replace the bottom auger in 4 minutes flat.

Chromed augers for increased

The core pipe thickness has been

The thickness of the flighting has

smoothness and durability

increased by 120%

increased by 20%

PRO GRAIN EQUIPMENT BAGGER

Store as much grain as you want for just pennies a bushel.





T-1425 TRANSFER AUGER

- 11,500 BU/HR capacity
- 14" Auger
- · Greater efficiency when handling oilseed crops
- Greater ease of handling with heavy duty castor wheels and aggressive radial move kit for tough terrain.

PRO GRAIN B-1610 24,000 BU/HR

- ➤ 16" Auger
- > 80 HP required
- > 2 Year Limited Warranty

PRO GRAIN B-2010H 32,000 BU/HR

- > 20" Auger
- > 100 HP required
- 2 Year Limited Warranty

Loading options include:

Loading hopper 8' x 8' big mouth loading hopper UP TO 32,000 BU/HR Telescoping, Hydraulic swing drive, 14" transfer auger UP TO 11,500 BU/HR Telescoping, Hydraulic 24' swing drive, 24" conveyor

MODEL	B-1610	B-2012	B-2010H
COMPATIBLE W/ TRANSFER AUGER	YES	YES	NO
TUNNEL	10'	12'	10'
AUGER DIAMETER	16" Auger	20" Auger	20" Auger
CAPACITY	24,000 BU / HR	32,000 BU / HR	32,000 BU / HR
TRAVEL WIDTH	14'3"	14'6"	7' 8"
TIRE SIZE	16" All terrain	16" Dual All terrain	16" All terrain
PTO	RPM 540 / 80 HP	RPM 540 / 120 HP	RPM 540 / 100 HP



GRAIN BOSS GB13 EXTRACTOR 12000 BU/HR

- > 120 HP required
- > Steerable rear wheels
- ➤ Turret auger that rotates 360°
- Direct drive for less bag stress

PRO GRAIN E-1610 EXTRACTOR 16" Auger

- > 80 HP required
- > 15 GPM @ 2,200 PSI
- ➤ 2 Year limited warranty
- Hydraulic spout for positioning











Large spaced flighting guard for high flow of grain





GRAIN BAGS



AgFlex bags are made
in North America using
superior quality control.
To ensure a high quality
bag these bags are
monitored during and
after manufacturing.

(CD AIN

IN STOCK SIZES				
BU BAG SIZE				
8000	9 x 250			
12500	10 x 250			
15000	10 x 300			
20000	10 x 400			
38000	12 x 500			

AGFLEX BAGS Gain the advantage of 7 layers of prime polymer

- 50% greater tear and puncture strength compared to previous generation 3 layer bags
- > 40% more resistant to "slumping"
- All-weather design: field tested and proven performance for use in North America's harsh winter climate as well as high heat situations
- Guaranteed to withstand 24 months of ultraviolet exposure under normal circumstances
- Improved oxygen-limiting properties to protect silage and grains from spoilage
- > Made in North America 9' Mil

UPNORTH BAGS

Ideal for colder temperatures

- > Superior resins and resin formulations
- > 2 x puncture resistance (hail damage)
- > 3 x tear resistance (pliable in cold weather)
- > 12' diameter sizes available
- > Made in North America 10' 8.0 Mil / 9' 7.5 Mil

BAG ROLLER R-5

Clean up used grain bags with ease

- Featuring a hydraulic spear, high torque hydraulic drive motor, and a hydraulic bale kick.
- Bale size 3'10" wide x 6' high

J&M GRAIN CARTS Harvest Heavy Weights

J&M IFARM™ BY AGRIMATICS™

A single device plugs in to load cell junction box and via Bluetooth communicates scale info to either your cell phone or tablet.

SAFETY FIRST Mount a fire fighter on your grain cart



oam vs Water) gal vs 600 gal 50 lbs vs 6600 lbs



60 US GAL FOAM RANGER c/w pump & foam induction

60 USG tank / 4 USG foam tank 100' Hose w/ foam nozzle Honda GX160 5.5 HP c/w metal skid with forklift pockets HWG119625

35 GAL H20 FIRE PRO 25' of hose with fire nozzle 12 volt pump / 5 GPM HWG119620

32 SERIES

X-Tended Reach Dual Auger Grain Carts

COLOUR OPTIONS: Green Blue Red Black

All the advantages of a single auger front folding design with the low profile of a dual auger grain cart.

MODEL	BU UNLOAD TIME		AUGER DIAMETER
1432-22S	1450 BU	2.0 min.	22"
2032-22	2050 BU	2.0 min.	22"
2332-22	2260 BU	2.2 min.	22"

* Bushel capacity measured with #2 corn at 15% moisture content

** Time varies with RPM and moisture content of grain







Storage Position

Field Position

Unload Position



12 & 22 SERIES X-Tended Reach J&M Grain Carts

The rigid upper auger has been X-Tended for even greater outward, upward and forward reach, all while folding diagonally along the front of the cart for compact storage.

MODEL	BU	UNLOAD TIME	AUGER DIAMETER
750-18	750 BU	2.1 min.	18"
812-18S	875 BU	1.8 min.	18"
1012-20S	1025 BU	1.8 min.	20"
1112-20S	1150 BU	1.9 min.	20"
1222-20S	1225 BU	2.0 min.	20"
1412-20S	1375 BU	2.3 min.	20"
1522-20S	1500 BU	2.5 min.	20"
1522-20T	1500 BU	2.5 min.	20"

* Bushel capacity measured with #2 corn at 15% moisture content ** Time varies with RPM and moisture content of grain

No PTO on your large tractor?

The 12 Series J&M Carts can run hydraulically

Maximize side reach or unloading height

SIDE-SHOOTER SPOUT

The unloading auger is turned to throw grain perpendicular to the semi-trailer, maximizing auger side reach and throw for a complete fill every time.



TELESCOPING SPOUT

Each of the three sections can be easily removed or added to offer multiple combinations of height and reach



Leaner series offers 2' feet of side reach your combine auger just gained two feet of side reach

CONVEY-ALL SEED TENDERS Load in one third of the time!





NEW SIDE MOUNTED CONVEYOR All new discharge conveyor is mounted on the side for transport, freeing up overhead space

Optional Scale Kit Available



6 COMPARTMENTS Provide versatility & flexibility to haul and use multiple products such as seed & fertilizer with one machine

CONVEY-ALL CST1550 Commercial Seed Tender

Use the CST 1500 or 1550 year round for transporting seed in spring, receive grain from a combine in autumn, and to haul product to storage or to market any time.

(IIIIIIIIII)

STANDARD FEATURES

- > Tier 4, diesel engine
- > 6 compartments
- > 1550 ft³ capacity
- Electric roll tarp
- > Aluminum outside rims
- > Stainless side mounted conveyor
- Wireless remote



BRUNS GRAIN WAGONS 400 BU and 600 BU Sizes Available



Optional two compartment divider available on both models

BRUNS **Available with Scales**

400 BU - 12 TONNE **RUNNING GEAR:** 385 Used Truck tires

600 BU - 20 TONNE **RUNNING GEAR:** 425 Used Truck tires

Roll-up tarp

MICHEL'S INDUSTRIES

ROLL-UP TARP

Superior Quality Michel's Tarps are installed on all our farm wagons

J&M GRAIN WAGON Built to last year after year

555 BU - 16 TONNE **RUNNING GEAR:** Roll-up tarp 425 Used Truck tires Safety chains

655 BU - 24 TONNE **RUNNING GEAR:** Roll-up tarp 445 Used Truck tires Safety chains

Safety chains An economical option for moving grain



KELLO-BILT DISCS

Nothing but heavy duty.





MODEL 225 OFFSET DISC



MODEL 275 OFFSET DISCS



MODEL 225 TANDEM DISCS

KELLO-BILT DISCS

Benefits

- Back-to-back tapered roller bearings, operating in 90W gear oil and sealed with Duo-Cone TM seals.
- Welded steel spacer spools, which will not shatter nor compress, provide maximum durability in the toughest conditions.
- Gang Shafts & End Washers are made of high carbon alloy steel to eliminate stretch and premature failure.
- Bearing standards & wear plates consist of a minimum thickness of 3/8" rectangular tubing for maximum support.
- Gang bar is fabricated as a single weldment for maximum stability, with no U-bolts to stretch and loosen that can cause loose disc assemblies or bearing failures.

5/16" x 28" notched disc blades are available as well as wavy or smooth blades.



NOTCHED DISC BLADES



WAVY DISC BLADES



MODEL 275DR DISC RIPPER THIS MODEL FEATURES A HEAVY DUTY RIPPER SHANKS WITH ADJUSTABLE TRIP AND LIFT/DROP RESET.

ALTERNA

WISHEK HEAVY DUTY DISCS

The heaviest weight per blade in the agricultural industry!

RENT OR PURCHASE YOUR FIELD EQUIPMENT.

Choose what works best for you!

Choose from various scraper options that are best suited for your field conditions.

WISHEK

One Pass Breaking Disc

Cutting widths from 10 to 38 feet available with truck tires and adjustable leveling system.

- > 30" Blades
- > Spool & bearing scrapers
- > Hydraulic leveler
- > Single point depth control
- > Offset from 10' to 18'
- > Tandem from 22' to 38'

842N OFFSET / 842NT TANDEM

Spring cushioned gangs 11" Spacing Approx. 1000 lb/ft *12-15 HP/ft required



Reclaim land use it on stubble and sloughs.



This machine digs!

KINZE MACH TILL

The Only Tillage Tool Needed For Spring & Fall

Maintenance-free double-sealed bearings, carbide roller scrapers, composite bushings, and oversized pins throughout provide many acres of low maintenance operation.



DOUBLE-SEALED BEARINGS





COMPOSITE BUSHINGS



OVERSIZED PINS

KINZE MACH TILL

Low maintenance high-speed disc

The Kinze Mach Till is a versatile, heavy built, low maintenance high-speed disc that prepares seed beds in the spring and incorporates residue in the fall. By combining the benefits of vertical tillage, conventional horizontal tillage, and soil finishing into one machine, it operates at high speeds without creating compaction layers.

MODEL	201	261	302	362	412
Width	20'	26'	30'	36'	41'
Transport Width	13'-10"	13'-10"	11'-4"	11'-4"	13'-6"
Transport Width HIGH POSITION			13'-2"	13'-2"	16'-0"
Transport Width LOW POSITION			14'-8"	14'-8"	17'-8"

High speed tillage tool

- Sizes from 20' to 41'
- longer wear double-v 22' disc blades
- rubber packers with maxlite scrapers
- right and lefthand gauge wheels

Mach Till depth is hydraulically controlled by rear rollers or transport tires







RUBBER FURROW ROLLERS WITH HD SCRAPERS



TRANSPORT LIGHT KIT AND HYDRAULIC HITCH JACK

SCHULTE DISC HARROW

The evolution of the heavy harrow, providing the next level of performance for post harvest and pre-seeding.

> OPTIONAL VALMAR FERTILIZER KIT AVAILABLE



MODEL	DHX-360	DHX-600
WORKING WIDTH	36'	60'
TRANSPORT WIDTH	15.25'	15.25'
TRANSPORT HEIGHT	14.5'	14.5'
TRANSPORT LENGTH	33.5'	45'
WEIGHT	25,000 lbs	32,000 lbs
NUMBER OF DISC/HARROW SECTIONS	3	5
SIZE OF DISCS	18"	18"
DISC SPACING	7.2"	7.2"
HARROW TYNE	5/8" x 26" with high wear tips	5/8" x 26" with high wear tips
DISC ANGLE	4° fixed	4° fixed

SOILSTAR DISC HARROW

Handle all the tillage and residue management on your farm.

The DHX-600 is the evolution of the heavy harrow, providing the next level of performance for post harvest and pre-seeding.





Featuring a **double row of wavy coulters** followed by a **five bar heavy harrow** allows it to efficiently chop straw and mix residue with the ground while spreading and leveling.

STEERABLE WING WHEELS

Steerable wing wheels allow the unit to easily go in or out of transport mode.



SINGLE POINT DEPTH CONTROL



RITEWAY LANDROLLERS

Heaviest rollers on the market.

Pair that with the heaviest, most durable frame, and you have years of dependable service.



Go from transport mode to field mode in minutes.

SIMPLY DRIVE FORWARD TO UNFOLD.



The F3-NT model folds to a mere 12 feet, making tight quarters and maneuvering a breeze.

LAND ROLLERS

Large 42" diameter drum

- Floating rollers for constant ground pressure
- ➤ Lengths from 32' to 89'
- Narrow transport available (NT – 11'6" width)
- Requires less horsepower







3, 5, and 7 Sections Available



SHORT DRUM SECTIONS FLOAT INDEPENDENTLY, ENSURING YOU ROLL EVERY INCH OF YOUR LAND EVENLY.



RITEWAY HARROWS Made to Work. Built to last.



7-BAR HARROW

7200 Series

- Sizes from 58' to 82'
- > 1/2" Tines with carbide option

HEAVY HARROW

8200 and 8200NT Series

- > Sizes from 45' to 90'
- > 9/16 or 5/8 with carbide option
- > Floating harrow sections
- > Hydraulic tine angle adjustment & light kits standard
- ▶ Narrow transport models 50' 62', 73'

ROTARY HARROW

RH 9200 Series

- > 45', 60', 75'
- > Transport width 13'8"
- Hydraulically adjust tine angle from your tractor cab from 20° to 40°





7200 SERIES

7-Bar Mid Harrow 58', 72', 82' Transport width 14'9"

8200 SERIES

5-Bar Heavy Harrow 45', 55', 68', 78', 90'

8200-NT SERIES

50', 62', 73' Narrow Transport width 9'2"

RH 9200 SERIES Rotary Harrow 45', 60', 75'

Transport width 13'8"



STONE CRUSHER, FORESTRY TILLER & MULCHER

With Fixed Tooth Rotor



STONE CRUSHER, FORESTRY TILLER AND MULCHER

With Fixed Tooth Rotor

- Forged and hardened interchangeable counter-blades
- > PTO shaft with cam clutch
- Transmission with side gearbox
- > Hydraulic rear hood
- Inner anti wear clad plates FCP
- > Adjustable extended 3 point linkage
- Maximum Shredding Diameter: 7.5" Stones, 13.5" Trees, 17.5" Stumps



MODEL SFM 250

180-300 HP 1000 PT0 2.5 Meters wide 11.5" Working depth - max

S. HOULE BOX SCRAPER Equipment built to last!w



S. HOULE BOX SCRAPER HLL Series

- > 30" Blade height
- > 8',10',12' widths
- ► 40 to 110 HP
- left+right hand tilt

LN Series

- > 42" Blade height
- > 14', 16', 18' widths
- > 100 to 250 HP



OPTIONS

left or right hand tilt Hyd. activated scarifier teeth Laser or GPS mast Light kit

BRILLION GRASS SEEDERS



BRILLION GRASS SEEDERS

Pull type, skid steer, & 3pt models available

- large seed boxes
- ➤ high capacity seed meters
- > narrow meter spacing
- > along with micrometre adjustment





CROPMASTER	10	12	14
WEIGHT	3252 LBS	3564 LBS	4136 LBS
RAKING WIDTH	21' 6"	25'	28' 6"
TRANSPORT WIDTH	8' 3"	8' 3"	8' 3"

SOVEMA HAY RAKES Available in 10, 12 & 14 wheel models

Speed up drying time Ideal for uneven hay land

Optional tandem rear walking wheels



SWATH ROLLERS



BERG'S Pull Behind Swath Roller

14 GAUGE 11 FOOT STEEL DRUM

High Clearance





KOENDERS Pull Behind or Direct Mount

ROLLER IS MADE FROM HEAVY DUTY POLYETHYLENE - WILL NOT RUST

Ribbed design packs & tucks swath preventing bunching

AGI POST POUNDERS



RENEGADE TRAILER MODEL 660 lb hammer weight

Pounds posts up to 11'11" tall Renegade + model: Pounds posts up to 14'5" tall 720 lb hammer weight includes stabilizer leg



OUTLAW & OUTLAW+ 3 POINT HITCH SIDE MAST MODEL

660 lb hammer weight

Pounds posts up to 11'11" tall Outlaw Plus model: Pounds posts up to 14'5" tall 720 lb hammer weight



SHERIFF SKID STEER CENTER MAST MODEL

660 lb hammer weight

Pounds posts up to 11'3" tall shown with optional pilot auger



POST HUGGER

Standard on all models. Helps align posts for added convenience and safety



OPTIONAL PILOT AUGER

Drills through all soil conditions and most rock obstructions up to 40" depth

BALE CARRIERS 2 great models to choose from



RITEWAY / HAUKAAS BALE CART

Move 1000 Bales A Day

Frame made of 8 x 4 steel (4) 20" custom designed HD hydraulics Comes with steel twine guards to protect wheel bearings from bale twine



TRAILTECH BALE CARRIER

Move bales faster with the convenience of using a truck rather than a tractor

15" Radial tires Simple and quick only needs a tractor at the load end



LEVEL WIND WIRE SPOOLER

Uses existing tractor hydraulics

- Receiver mounts to tractor drawbar or front end loader
- > Optional 3 pt. hitch mount available



TRACTOR PTO FERTILIZER SPREADERS

A Sovema fertilizer spreader can cover an entire field very rapidly, due to its large working width.

- Category 1 / 3PT Hitch
- > Spread fertilizer, sand & salt
- > Steel or plastic hopper
- > 20 HP MIN / 26'-46' spread
- MODEL PL500 Poly Spreader CMS5000500

MODEL P300 Steel Spreader CMS5000530 MODEL P500 Steel Spreader CMS5000501



WALLENSTEIN WOOD CHIPPERS

- > Direct Drive PTO Gravity fed Rotor chippers
- Utilizes a 4-knife disc with 360° discharge chute rotation.



Easily fold up the hopper for compact transportation. MODEL BX36S 3.5" chipping capacity 12-30 Hp required CMS006335

MODEL BX52S 5" chipping capacity 22-55 HP CMS006352

MODEL BX72S 7" chipping capacity 50-85hp required CMS006372



WIL-RICH VERTICAL TILLAGE ATTACHMENT Warms & Aerates Wet Soil

440/SHANK

No need to buy extra, expensive equipment! Convert your chisel plow into a vertical tillage tool. Double way coulter blades 17" diameter

Dry out your fields easily and economically



MOLE HILL LEVELLER

Adds easily to any cultivator

43° AND 50° SIZES Shovels only come in contact with the ground when hitting a mole hill Low power requirements

SCHULTE ROTARY CUTTERS



COMMERCIAL SERIES

XH 1500 SERIES 4

Heavy duty Bondioli G8 drive lines

- High-torque wing clutches
- Larger gear box down shafts
- 7 Gauge domed deck, 13 5/8" deep for maximum material flow and cutting speed
- Cuts material up to 4"

Sizes available 7', 9', 10', 15', 18', 20', 26', 30' and 42'



FARM SERIES FX 1800 & FX 318

Designed for farm and ranch cutting

- > 15' and 18' cutting width
- > 85 HP tractor recommended
- ► Narrow transport of only 93"



FARM SERIES **GX150 15' ROTARY MOWER**

NEW! Economy mower

- Same great brand and cutter at a new lower price point
- > 80 HP plus tractor recommended

ROCK PICKERS & WINDROWERS

Proven RENTAL DOUGH

RS320 JUMBO ROCK PICKER

2x capacity of an average picker

- ► Large 3.2 cubic yard hopper
- Removes surface rocks 2" to 28"

TITAN ROCK PICKER



Huge 5 cu. yd. bucket 6.5 foot tall dump height for larger piles and truck loading

Super wide 7' grate with wide or narrow spacing options

HIGH RISE 8000 ROCK PICKER



Durable grate eliminates jamming and lets soil sift through

Build larger stone piles or dump directly into tandem truck



SCHULTE RDX-102 &117 SNOW BLOWERS Open auger cuts into packed snow with ease

Rotating drum allows snow to be ejected out left or right side or center chute Double chute deflector reduces snow blowback

Cutting blade made with high-grade steel

MODEL	SNOW DRY / WET Tons / Hr	PTO RPM	HP	WEIGHT
RDX-117	762 / 2633	1000	140-220	3085 lbs
SDX-117	762 / 2394	1000	140-220	2705 lbs
RDX-102	426 / 1343	540	85-140	2050 lbs
SDX-102	388 / 1222	540	85-140	1675 lbs
SDX-840	258 / 810	540	55-85	1000 lbs

NOTE: On hydro-statically driven tractors, less HP is required than the 140-220 HP recommended for conventional tractors



SCHULTE SDX-840 SNOW BLOWER For 55-85 HP tractors

► 84" wide cut / 300° rotating chute



SCHULTE SBX SKID STEER Available sizes 75" and 85"



SCHULTE FM-350 / FM-115 Mount your snowblower on the front!

- ► Moves PTO and 3PT from the back to the front
- Available with or without drive train >

GIANT 2500 ROCK PICKER



Picks rocks 2" to 27"

- ► Durable T-iron grate With 1-1/2" spacing
- ► Large 2.5 cubic yard hopper

SMR-800 SKID STEER MULTI RAKE WINDROWER



6' and 8' sizes The perfect tool for your Skid Steer

SRW 1400 **ROCK WINDROWER**



Windrows 2" to 25" rocks into uniform rows / Drum width 14 ft. Narrow transport width (93")

WATER & storage TANKS



UPRIGHT TANK 25 US gal

○ WAT160025 18"D X 29"H

50 US gal WAT160050 18"D X 53"H

65 US gal O WAT160065 23"D X 39"H



PCO TANK

50 US gal O WAT180050 19"W X 22"H X 38"L

100 US gal O WAT180100 30"W X 28"H X 38"L



SMALL LEG TANK

35 US gal WAT170035 20"D X 29"L

55 US gal WAT170055 23"D X 33"L

55 IMP gal O WAT160055 24"D X 43"L

100 IMP gal

○ WAT160125 23"D X 33"L



UPRIGHT TANK

150 IMP gal O WAT000153 29"D X 66"H

200 IMP gal O WAT000200 29"W X 51"H X 48"L

310 IMP gal O WAT000310 29"W X 75"H X 48"L

500 IMP gal WAT000500 48"D X 84"H

750 IMP gal WAT000750 48"D X 116"H



LEG TANKS

300 IMP gal SPECIAL ORDER ● WAT100301 38" D X 78" L ○ WAT100300 38" D X 78" L

500 IMP gal

SPECIAL ORDER
 ● WAT100503
 49"D X 83"L
 ○ WAT100500
 49"D X 83"L



600 IMP gal O WAT000600 78"W X 34"H X 91"L



LOW PROFILE

160 IMP gal O WATO00160 47"W X 16"H X 81"L

230 IMP gal O WAT000230 47"W X 21"H X 81"L

300 IMP gal WAT000302 47"W X 20"H X 89"L

420 IMP gal WAT100420 56"W X 32"H X 72"L

875 IMP gal WAT000800 89"W X 31"H X 100"L

1150 IMP gal O WAT001150 91"W X 25"H X 154"L



LOAF TANK 100 IMP gal WAT100100 24"W X 29"H X 49"L

200 IMP gal O WAT100200 30"W X 37"H X 60"L



WATER HAULING TANKS

WILL FIT IN 6.6 FT TRUCK BOX 300 IMP gal

• WAT100307 48"W X 40"H X 60"L

600 IMP gal • WAT100607 48"W X 49"H X 79"L



TURTLE TANK

185 IMP gal O WAT100185 60"W X 28"H X 48"L

275 IMP gal WAT100275 65"W X 32"H X 49"L

350 IMP gal WAT100350 65"W X 37"H X 49"L



HIPPO LEG TANK

950 imp gal ● WAT000951 74"W X 48"H X 105"L

○ **WAT000950** 74"W X 48"H X 105"L



TRANSPORT TANK

1075 imp gal ○ WAT001075 84"W X 36"H X 126"L ● WAT001076 84"W X 36"H X 126"L

1325 imp gal

○ WAT001325
84"W X 42"H X 136"L
● WAT001326
84"W X 42"H X 136"L

2100 imp gal

● WAT002120 90"W X 51"H X 157"L ○ WAT002122 90"W X 51"H X 157"L



CONE BOTTOM VERTICAL FERTILIZER

3,000 US gal *ENDURAPLAS* **WAT003015** / 110" D X 175" H

5,000 US gal *ENDURAPLAS* **WAT005015** / 110" D X 175" H

10,000 US gal *ENDURAPLAS* **WAT010015 / 144" D X 200" H**



COMES WITH TWO 3" BULK HEADS BUILT IN TIE DOWNS

3,000 US gal *ENDURAPLAS* **•** WAT003005 / 100" D X 103" H

5,000 US gal *ENDURAPLAS* **WAT005005** / 120" D X 120" H

10,000 US gal *ENDURAPLAS* **WAT010005** / 144" D X 178" H

FERTILIZER TANKS



8300 IMP gal • WAT008301 149"D X 163" H



VERTICAL TANK FERT. RATED

1250 imp gal *15 LBS. RATING 3" BULKHEAD* ● WAT001251 87"D X 69"H ○ WAT001252 87"D X 69"H **3400 imp gal** *14 LBS. RATING WATER ONLY* ● WAT003400 120"D X 98"H

SPECIAL ORDER TANKS LOW PROFILE, NARROW UPRIGHT, CONE BOTTOM, SPRAYER TANKS AND LOBE TANKS

LOBE TANKS NARROW ENOUGH TO FIT THROUGH MOST DOORWAY **600 IMP gal** O WAT000603

30"W X 78"H X 97"L



VERTICAL TANK

● WAT001650 88"W X 103"L X 69"H **1700 imp gal** ● WAT001701 95"D X 75"H



TRANSPORT FERTILIZER RATED TANKS

FERTILIZER RATED WITH BANDS

3122 US gal ● WAT103122 89½"W X 72½"H X 150"L



4500 US gal SPECIAL ORDER

• WAT104500 95"W X 84"H X 179"L



1350 imp gal ● WAT001354 80"W X 53"H X 126"L

○ WAT001350 80"W X 53"H X 126"L



FERTILIZER RATED TRANSPORT TANK

3180 US gal ● WAT103181 92"W X 76"H X 145"L

○ WAT103180 92"W X 76"H X 145"L

4200 US gal WAT104201

96"W X 84"H X 180"L

○ WAT104200 96"W X 84"H X 180"L

WARTHOG FLOATING PUMPS

PUMPS MORE THAN 3 MILLION LITERS WATER IN 15 HOURS USING ONLY 26 LITRES OF FUEL.

LARGE VOLUME

If you need to move large volumes of water quickly and efficiently, the Warthog Pump is for you.

> 5 HP KOHLER SELF-PRIMING MOTOR

> > RUGGED & COMFORTABLE CARRY HANDLE

850 US GAL / MIN 700 IMP GAL / MIN

OPTIONS: FUEL TANK AND 400' WARTHOG 6" HOSE DURABLE STEEL ON STEEL INTERNAL IMPELLER PARTS

> QUICK CONNECT COUPLER INCLUDED FOR EASY ASSEMBLY AND BREAKDOWN

Warthog Floating Pump WAP000500 / Fuel Tank WAP000517 / 400' Warthog 6" hose WAP000540

HIGH IMPACT LPE

FLOATING BASE

IS DURABLE AND LIGHTWEIGHT

Banjo Pump – Polypropylene pump with excellent durability, strength & resistance to chemicals.

High Volume Pump

HONDA 2" POLY PUMP 6.5 HP - 154 GPM WAP000054 WAP000055 *With protec seal*!



HONDA 3" POLY PUMP 6.5 HP - 265 GPM WAP000056 WAP000065 *With protec seal*!



Comes w/ a 2 year warranty B&E PUMPS

1" 2.5 HP - 42 GPM WAP000015 2" 7 HP - 158 GPM WAP000020 3" 7 HP - 264 GPM WAP000030 4" 15 HP - 422 GPM WAP000071



VALVES & CHECK VALVES 2" - 3" sizes



GAS POWERED WATER MASTER FLOATING PUMP

A high volume pump that comes with 400 feet of 6 inch hose

700 IMP gal / min 850 US gal / min 5.5 HP Kohler engine *Hydraulic pumps are available by special order* WAP000400

Cast aluminum pump for heavy duty applications.

Water or full trash available Up to 1" solids

4" HONDA WATER PUMP 13 HP - 580 GPM

WAP000069



4" HONDA FULL TRASH PUMP 13 HP - 580 GPM WAP000066



1" HONDA BE PUMP 33 GPM WAP000017

HONDA 2" WATER PUMP 6.5 HP-158 GPM WAP000051

HONDA 3" WATER PUMP 6.5 HP - 264 GPM WAP000061

PARTS & HARDWARE

FILTER FLOAT

This easy to use product replaces the old "chemical jug and stone system" and can be deployed in multiple water sources. Whether it is a slough, ditch, pond, or dugout, the Filter Float keeps the filter submerged without sinking to the bottom. Allowing you to draw water from sources as low as 10" deep.

> Filter floats utilize either a sand screen or super flow filter, and come in 2 sizes.

FILTER FLOAT / 3" SANDSCREEN WAP100510

No need for waders when setting up your pump.

FILTER FLOAT / SUPER FLO 2" SANDSCREEN WAP100500

SAND FILTER FOR WATER

2" WAP100462

3" WAP100463

4" WAP100464

AIR SEEDER

SUCTION HOSE

1", 11/4", 11/2",

5" & 6" available

for custom order

2", 21/2", 3"



SUPER-FLOW WATER FILTERS 2" WAP100420 3" WAP100430

SUPERFLOW ADAPTER 4" WAP100435

EPDM HOSE 1, 1¼, 2, 21/2, 3, 4







BANJO MANIFOLD FITTINGS 3/4" TO 3'



CAM LOCKS 3/4" TO 3



FITTINGS

We have a Huge Selection of

Plastic & Aluminum Fittings

3/4" TO 3'

ELBOWS **BALL VALVES** 3/4" TO 3



3/4" TO 3



5'. 8' & 10' HORIZONTAL BURIAL TANK Single & double compartment 1000 gal up to 34,000 gal Extensions Available



with built in 36" riser

All tanks come

Additional risers available upon request

HOLDING & PUMPOUT BALL TANKS Holding 750 & 1100 gal Pumpout 750 & 1000 gal

LAY FLAT **DISCHARGE HOSE**

1, 2, 3 & 6 INCH

1" - 300' ROLL WAP100011

1½" - 300' ROLL WAP100015

2" – 300' ROLL WAP100020

3" - 300' ROLL WAP100030

4" – 300' ROLL WAP100040

6" – 300' ROLL WAP100060



BLUE PVC DC HOSE WITH CAMLOCKS

2" - 50' ROLL WAP100025

2" – 100' ROLL WAP100026

3" – 50' ROLL WAP100035

3" – 100' ROLL WAP100036

4" – 50' BOLL WAP100045

4" – 100' ROLL WAP100046

6" – 100' ROLL WAP100062

CLASSIC

TREATER

35 L Tank

Mounts in

HWF170900

minutes

SEED







CHEM HANDLERS

POLYWEST HANDLER FROM 15 IMP GAL TO 196 GAL 2" TO 3" MODELS

Easily batch mix dry or liquid chemical

Direct induction system avoids waste & spillage

Load directly from bulk containers with double venturi system

HANDLER I – 2"

15 US GAL HWF100100

CHEM HANDLER II

2" - 42 US GAL HWF100200 2" - 42 US GAL W/ 5.5 PUMP HWF100201 3" - 42 US GAL HWF100203 3" - 42 US GAL HWF100203

CHEM HANDLER III

2" - 70 US GAL HWF100302 2" - 70 US GAL W/ 5.5 PUMP HWF100301 3" - 70 US GAL HWF100303 3" - 70 US GAL W/ 6.5 PUMP HWF100304 3" HD - 70 US GAL HWF100306 3" HD - 70 US GAL W/ 13 PUMP HWF100308

CHEM HANDLER IV

3" - 230 US GAL HWF100402 3" - 230 US GAL W/ 6.5HP PUMP HWF100403 3" - 230 US GAL W/ 13HP PUMP HWF100404

UPGRADED FEATURES

- A. Bolted fitting in the bottom of the tank for improved drainage.
- B. Possibility of leaks are reduced by the removal of threaded fittings on all wash, rinse and agitation lines.
- C. Increase in the size of the wash line connections from 3/4" to 1".





Weatherproof, UV resistant black hose throughout.

2

Dedicated, venturi powered bulk

suction line.

3

Exclusive double

venturi for easy emptying of bulk containers.

3" seamless Handler

bypass offers the

highest volume

bypass flow

CHEM HANDLER V 230 US gal 3" with Honda GX200 & bulk kit COMES W/ VENTURI & RECIRCULATION KIT

HANDLER II AND III COME WITH VENTURI AND RECIRCULATION KIT



CHEMBINE HOT TANK 1680 US GAL HWF100610

CHEMICAL MIXER

Incorporates all the features of a typical chemical mixer while dramatically improving the following areas:

- New knife design empties jugs with speed
- increased agitation
- rotary rinse and drain
- improved ergonomics and better stability
- Optional 6.5 HP or 13HP pump available

CHEMBINE MIXER 75 US GAL HWF100630 75 US GAL W/ 6.5 PUMP HWF100632 75 US GAL W/ 13 PUMP HWF100634

HOT TANK - 1680 US GAL

Reduce downtime by mixing your entire chemical ahead of time

- **Simple Operation:** With 2 three way valves to control all functions. Adds maximum speed and efficiency to your operation!
- Agitation: There are four agitators at the bottom of the tank that agitate and mix the tank.
- Rotary Rinse: There are two rotary rinse nozzles on the top of the tank that can be used to rinse the tank or mitigate foaming issues.

PARTS & HARDWARE

SPRAYERS

We have a wide range of sprayers for all your chemical spraying needs.



ENDURAPLAS

60 US GAL UTV FIELD BOSS HWG110161

60 US GAL FIELD BOSS XSTREAM HWG110172 60 USG UTV FIELD BOSS SPRAYER

100 US GAL 3PT SPRAYER WITH PTO HWG110133



25 GAL WORKHORSE ATV SPRAYER

WORKHORSE

25 gal Tow Behind Sprayer HWG110121

25 gal ATV Boomless Nozzle HWG110122

25 gal ATV Sprayer Nozzle HWG110126

40 gal Tow Behind Sprayer HWG110140

60 gal Tow Behind Sprayer HWG110169

60 gal Utility Skid Mount HWG110171

60 gal 3 Point Hitch HWG110170 BE – AGRIEASE

2 L Hand Sprayer HWG110002

6 L Hand Sprayer HWG110006

8 L Hand Sprayer HWG110008

9 L 12v Pull Sprayer HWG110009

16 L Lithium Ion Backpack Pull Type HWG110010

16 L Portable Sprayer HWG110014

16 L Backpack Sprayer HWG110015

CHEM PUMPS



AG RUNNER CHEM PUMP W/ SURE FLO METER HWF100901



DURA-PUMP AUTO BATCH HWF100915



DURA METER W/ VITON SEAL DP-3000V HWF100906 The dura pump will pump up to 55 liters per minute.

DURA-PUMP EASY CADDY COMES W/ DURA METER HWF100918

Ground Keeper Lawn Fertilizer Highest percentage of nutrients per resealable bag

How it works.

16% Nitrogen your lawn's major requirement for overall growth and development.

17% Sulphur aids in maintaining dark

aids in maintaining dark necessa green color and correlates reaction with Nitrogen addition. green co

Priced Right / Canadian Owned & made

10% Phosphate essential for healthy roots

and shoots and critical for photosynthesis.

3% Iron

necessary for chlorophyll reaction contributes to green coloration of lawn. 3% Potassium

like a radiator, creates tolerance to climate conditions, grass hardiness.



After

PRESSURE WASHER TRAILER



DID YOU KNOW? We make custom mobile pressure washer units.

HOT WATER PRESSURE WASHER TRAILER Custom-designed wash trailer only available at FLAMAN

Pressure washer

- 330.000 Btu burner w/ 10 gal fuel tank
- Commercial 4000PSI 4.0GPM General
- pump w/ external unloader Honda GX390 w/ electric start & low oil protection
- 50' steel braided hose w/ 36" spray lance
- Weight 530 lbs

Trailer

- 5x8 utility trailer
- Engineered C channel frame
- 5200lb axle w/ ST205 75R15 tires
- Led lights
- 4 exterior stake pocked
- 4 interior tie down points
- 12" solid side w/ spare tire mount
- Weight 616 lbs

FIRE SUPPRESSION

New portable fire fighting equipment designed for extreme conditions.



WILDLAND **FIREFIGHTERS**

1.5" Portable **High Pressure** Pump Honda GX200 26' Suction Lift 120' Total Lift 78 GPM HWG119610

2" Fire Cart comes w/ 50 Hose Honda GX200





120' Total Lift

78 GPM

HWG119615

H20 FIRE PRO **35 GAL Fire Fighter** 25' of hose with fire nozzle 12 volt pump 5 GPM HWG119620

Safety First Mount a fire fighter on your grain cart

ENURAPLAS FIREFIGHTERS



60 gal vs 600 gal 850 lbs vs 6600 lbs

60 US Gal Foam Ranger HWG119625

- 60 USG tank / 4 USG foam tank
- Honda GX160 / 5.5HP / 100 PSI
- 100' Hose w/ foam nozzle •
- 35' vertical / 40' horizontal spray •
- · 240lbs comes with metal skid with forklift pockets



300 US Gal Fire Ranger HWG119300

- 300 USG tank
- Honda GX160 / 5.5 HP / 100 PSI
- 100' hose w/ foam nozzle
- 35' vertical / 40' horizontal spray
- 521 lbs
- comes with metal skid with • forklift pockets



Foam vs Water 250 gal vs 2500 gal 3043 lbs vs 25,000 lbs

250 US gal Foam Ranger HWG119255

- 250 USG tank / 15 USG foam tank
- Honda GX160 / 5.5HP / 100 PSI
- 100' hose w/ foam nozzle
- 35' vertical / 40' horizontal spray · 493 lbs comes with metal skid
- with forklift pockets

The product Firefighters rely on to fight fires fast!



PHOS-CHEK WD881 1 gal and 5 gal jugs available




GX390 HONDA 330.000 BTU 389 cc 4000 psi 4.0 gpm HWG134050



Generators

Don't be left in the dark



Pressure Washers

GX160 HONDA 225cc 2500psi 2.3gpm HWG134010 225 CC POWEREASE 3100PSI 2.5GPM HWG134020 420 CC POWEREASE 4000PSI 4.0 GPM HWG134030



GAS GENERATOR SHOWN

4200 WATT Gas Generator HWG135030

Gas Generator Gas Generator

A portable generator will provide recreational, job site or limited home standby power.

420 CC

We have gas generators from 4200-12000 watts and a 3500 watt inverter generator that provides stable, clean power for sensitive equipment.

12000 WATT

3500 WATT Gas Inverter Gas Inverter

2100 WATT

GAS INVERTER SHOWN



Frost Fighter

Diesel/Kerosene Heater 350,000 BTU HWG161350

LB White Heaters

40 LPG Heater 40,000 BTU HWG160045 c/w regulator, 3/8" x 15' hose, thermostat w/ 25' electric cord Diesel Kerosene Heater 75,000 BTU HWG160075 Diesel Kerosene Heater 125,000 BTU HWG160125 Diesel Kerosene Heater 175,000 BTU HWG160175 Diesel Kerosene Heater 175,000 BTU HWG160210



Extension Cords Triple Outlet 50 FOOT HWG800050 100 FOOT HWG800100

Single Outlet 50 FOOT HWG801050 100 FOOT HWG801100



Booster Cables 1-0TT 30 FEET HWG802000 1 GA 25 FEET HWG802001 2 GA 25 FEET HWG802002



2-stroke fuel oil Keeping your ice auger running smoothly. QUALITY 2-STROKE OIL HWG000806 - 2 LITRES HWG000807 - 5 LITRES

4-stroke fuel oil For 4-stroke powered machines such as lawn mowers

QUALITY 4-STROKE OIL HWG000808 - 2 LITRES HWG000809 - 5 LITRES



Ducts & Adapters Sock Adapter Single Duct HWG161451 Sock Adapter Double Duct HWG161452 12" x 12' Duct for Frost fighter HWG161212 Duct for 40,000 BTU Propane Heater HWG161212

9000 WATT HWG135040

HWG135050

2100 WATT HWG135010 HWG135020









FUEL LOCK

Monitor your fuel, from anywhere

- Automatic tank locking system
- Multiple employee Pins
 - Track employee usage & frequency
 - Tracked in real time
 - Small to large farms with bulk fuel tanks
 - Weather proof enclosure
 - Retrofit to new or existing tanks
 - Track usage and track tank levels

PUMPS & ACCESSORIES

GPI Fuel Pumps

GPI Hand Pump HWFZ260005 8 GPM 12v ez-8 with manual nozzle HWF260008 15 GPM 12v with auto nozzle HWF260015 20 GPM 12v with auto nozzle HWF260020 25 GPM 12v with auto nozzle & hose HWF260025 20 GPM 115v with auto nozzle HWF260028 30 GPM 115v with auto nozzle & hose HWF260030

Automatic Nozzles

3/4" SS Def auto nozzle HWF260058 3/4" Automatic unleaded nozzle HWF260350 1" Auto nozzle for diesel HWF260360



Meter & Bushing

GPI 1" fuel pump meter HWFZ260615 Step up bushing ¾"MPT x 1"FPT HWFZ260648



Diesel Fuel Tank Filter

10 Micron filter 1" UNF thread 25 gpm HWF260512 30 Micron filter 1" UNF thread 25 gpm HWF260530



Fuel Tank Vent Cap

2" Vent cap HWF264139 2½" Vent cap HWF264140



WESTEEL FUEL TANKS



Single Wall Cradle ULC Tank

300 IMP GAL HWF264202 500 IMP GAL HWF264221 1000 IMP GAL HWF264212



Flat Top Road Vault Tank 63 IMP GAL HWF262570J 64 IMP GAL HWF262571J 99 IMP GAL HWF262572J 121 IMP GAL HWF262573J 150 IMP GAL HWF262574J 183 IMP GAL HWF262575J 227 IMP GAL HWF264547 500 IMP GAL HWF264616WC

FARM DIESEL FAT TOP TANKS 99 IMP GAL HWF262585 150 IMP GAL HWF262589



Double Wall ULC Cross Vault Tank

The Cross-Vault is a combination Transport Canada/UN and ULC S601-14 certified tank. 950L HWF263094 2000L HWF263095 3000L HWF263096 4500L HWF263097 PUMP PACKAGE HWF263737*12V*

ENDURAPLAS DIESEL & DEF TANKS



DEF Tanks - 9 gpm

55 US Gal 9gpm HWF292555 *COMPACT* 75 US Gal 9gpm HWF292560 *NARROW* 100 US Gal 9gpm HWF292565



Diesel Tanks - 10 gpm

25 US Gal HWF280008 55 US Gal HWF280009 *COMPACT* 55 US Gal HWF280010 100 US gal also available in 15 gpm HWF280028

75 US Gal HWF280015 *NARROW* 100 US Gal HWF280020 100 US Gal HWF280025 *NARROW*



Secure your load



2" Ratchet Straps 2" x 20' HWG100220 2" x 27' HWG100227



2" Ratchet Straps w/ J Hook 2" x 20' HWG100221 2" x 27' HWG100228



2" Strap w/ Flat Hook 2" x 20' HWG100222 2" x 30' HWG100230



4" Flat Hook Ratchet 4" HWG100400



4" Strap w/ Flat Hook 4" x 20' HWG100420 4" x 30' HWG100430 4" x 40' HWG100440



4" Strap w/ 0 Ring 4" x 20' HWG100421 4" x 30' HWG100431 4" x 40' HWG100441



4" Strap w/ 0 Ring & Chain

4" x 20' HWG100422 4" x 30' HWG100432 4" x 40' HWG100442



Ratchet Load Binder HEAVY DUTY 3/8" HWF220034



3/8" Load Binder HWF220030 Load Binder Lock HWF220038 Ratchet Load Binder 5/16" - 3/8" HWF220032



Magnetic Tow Lights

COMES WITH CARRYING CASE AND A 30' CORD LED Heavy Duty 7' span between 2 lights





Rig-it 2" x 27' Tow Bridal FOR SPRAYERS & COMBINES Break strength 240,000lbs. Fastens to frame HWF230830



John Deere Tow Bars 20 Series HWF220620 30 Series HWF220630

R Series HWF220640 R Series w/ weight bar HWF220650



Rig-it Recovery System FITS ANY 2" RECEIVER 19,000lbs. Load strength HWF230325



2-PLY Tow Straps w/ Rings

6" x 30'	120,000 lbs	HWF230105
6" x 50'	120,000 lbs	HWF230110
8" x 30'	160,000 lbs	HWF230115
8" x 50'	160,000 lbs	HWF230120
10" x 30'	200,000 lbs	HWF230135
10" x 50'	200,000 lbs	HWF230140
12" x 30'	240,000 lbs	HWF230145
12" x 50'	240,000 lbs	HWF230150

4-PLY Tow Straps

8"x 30'	280,000 lbs	HWF230315
8" x 50'	280,000 lbs	HWF230320
10" x 30'	350,000 lbs	HWF230335
10" x 50'	350,000 lbs	HWF230340
12" x 30'	420,000 lbs	HWF230345
12" x 50'	420,000 lbs	HWF230350



2-PLY Tow Straps

2" x 20'	30,000 lb	HWF250220
2" x 30'	30,000 lb	HWF250230
3" x 30'	45,000 lb	HWF250330
3" x 50'	45,000 lb	HWF250350
4" x 30'	60,000 lb	HWF250430
4" x 50'	60,000 lb	HWF250450
5" x 30'	75,000 lb	HWF250530
5" x 50'	75,000 lb	HWF250550
6" x 30'	90,000 lb	HWF250630
6" x 50'	90,000 lb	HWF250650
8" x 30'	120,000 lb	HWF250830
8" x 50'	120,000 lb	HWF250850



Nylon Tow Rope

1" x 30'	40,000 lbs	HWF230005
1" X 50'	40,000 lbs	HWF230010
11/4" x 30'	80,000 lbs	HWF230015
11/2" x 30'	120,000 lbs	HWF230025
11/2" x 50'	120,000 lbs	HWF230030
13/4" x 30'	160,000 lbs	HWF230035
13/4" x 50'	160,000 lbs	HWF230040
2" x 30'	200,000 lbs	HWF230045
2" x 50'	200,000 lbs	HWF230050
21/2" x 50'	240,000lbs	HWF230060



Tow Ropes

30 mm x 30'	25,000 lb	70 HP	HWF210330
30 mm x 50'	25,000 lb	70 HP	HWF210350
40 mm x 30'	56,000 lb	160 HP	HWF210430
40 mm x 50'	56,000 lb	160 HP	HWF210450
50 mm x 30'	85,000 lb	250 HP	HWF210530
50 mm x 50'	85,000 lb	250 HP	HWF210550
60 mm x 30'	120,000 lb	350 HP	HWF210630
60 mm x 50'	120,000 lb	350 HP	HWF210650
70 mm x 30'	160,000 lb	450 HP	HWF210730
70 mm x 50'	160,000 lb	450 HP	HWF210750
80 mm x 50'	200,000 lb	500 HP	HWF210850
90 mm x 50'	250,000 lb	600 HP	HWF210895



	Shackles		
5/8"	35.750 lbs	3 1/4 T	HWF220040
3/4"	52,250 lbs	4 3/4 T	HWF220042
1"	90,750 lbs	8 1/2 T	HWF220044
1 1/4"	132,000 lbs	12 T	HWF220046
1 1/2"	187,000 lbs	17 T	HWF220050
1 3/4"	275,000 lbs	25 T	HWF220051
2"	385,000 lbs	35 T	HWF220052
21/2	605,000 lbs	55T	HWF220053



Chains Assemblies

G70 CHAIN W/ GRAB HOOKS HWF220012 5/16 x 16' HWF220015 3/8 x 16'

Chains Per Foot

HWF220006 5/16 G70 HWF220008 3/8 G70 HWF220010 1/2 G70



Clevis Slip Hook

HWF220016 1/4" G70 HWF220017 5/16" G70 HWF220018 3/8" G70 HWF220019 1/2" G70



Slip Hook w/ Latch

HWF220024 1/4 G70 HWF220025 5/16 G70 HWF220026 3/8 G70 HWF220027 1/2 G70



Grab Hook w/ Latch

HWF220028 1/4 G70 HWF220029 5/16 G70 HWF220030 3/8 G70 HWF220031 1/2 G70



Grab Hook

HWF220020 1/4 G70 HWF220021 5/16 G70 HWF220022 3/8 G70 HWF220023 1/2 G70

PARTS & SERVICE

Our stores offer a full-line service department for all your trailer maintenance. We also carry a large inventory of parts and accessories.

Our knowledgeable and experienced team can help you find the right axles, brakes, or hubs you need for your trailer. Some stores offer specialized services such as tractor repair, agricultural equipment service and SGI certification. Services include; Hitch install, Wheel bearing service, Welding repairs, Wiring, Deck installs, Replace axles, Safety inspections, Trailer deck repairs, Brake service (brake shoes, brake adjusters), Installation of air helper springs on most models of trucks, Insurance claims on most makes and models of cargo, utility, and flat deck trailers.



Bearing Kits

Keep your trailer running smoothly with preventative maintenance. 2,000 – 7,000 LB CAPACITY



Brake assemblies Save time and money with a complete brake assembly.

2,000 - 10,000 LB CAPACITY



Brakes drums 2,000 to 10,000 capacity, for all makes and models of trailers.



Couplers Huge selection of couplers, various types.



Reduces vibration and dampens bumps. FROM 2,000 LB CAPACITY



175/80 R13 Tire On a 5 bolt spoke rim PTW344053

175/80 R13 Tire

on a 5 bolt alum. rim PTW344055



205/75 R15 Tire On a 5 bolt alum. rim PTW344356

Spring Axles

Cost efficient and easy to replace. **FROM 2,000 LB CAPACITY**



205/75 R14 Tire On a 5 bolt spoke rim PTW344089 HD Axles Heavy duty axles for those

heavy loads.



7,000 LB - 27,500 LB CAPACITY

205/75 R14 Tire On a 5 bolt alum. rim PTW344075



Suspension Parts We carry a full line of suspension parts: shackles, springs and

more.



225/75 R15 Tire On a 5 bolt spoke rim PTW344280



235/80 R16 Tire

on a 8 bolt mod rim PTW344705

235/80 R16 Tire

On a 6 bolt mod rim PTW344676 235/80 R16 Tire

On a 8 bolt spoke rim PTW344688

235/80 R16 Tire

On a 6 bolt spoke rim PTW344657

TOWING & TRAILER ACCESSORIES



Fenders Make your trailer look brand new again Size available for 10"-16" wheels



Protect your trailer with a hitch mounted rock guard PTt377816



REESE 5th Wheel Hitch

Double pivot, includes rail kit 15,000 lb **PTT230128** 20,000 lb **PTT230132**



DRAW-TITE Folding Ball

Foldable for a smooth deck 25,000 lb **PTT214610**



REESE Gooseneck Hitch

Replaceable Ball 25,000 lb PTT258079



AUTO SLIDE 5th Wheel Hitch

Automatically moves back as you turn / 15,000 lb PTT230215



Electric Jack 3,500 lb, built-in level LED work light PTJ140735

REESE GOOSENECK Hitch Pro Series

Offset ball 25,000 lb **PTT249080**



Rapid Hitch Adjust the height of your hitch effortlessly / 10,000 GTVW



Jacks

2,000 – 10,000 LB CAPACITY Replacement jacks available for any make & model. NTPEA2000

5th Wheel Coupler

Inserts square & round tubes Ball & king pin available



Balls & Ball Mounts 2-8" available to fit any trailer 6,000-16,000 LB CAPACITY



REESE QUICK SLIDE 5th Wheel Hitch

Double pivot, includes rail kit 15,000 lb **PTT230129** 20,000 lb **PTT230133**



Balls & Ball Mounts 6,000-16,000 lb capacity 2-8" available to fit any trailer

LARGE TIRE CHANGING SOLUTIONS

Handle all your large tire changes the easy way!



Wheel Wrangler

Attaches to a front-end loader or forklift Optional Castor Wheels HWF100004

MIN TIRE DIAMETER	42"
MAX TIRE DIAMETER	82"
MAX TIRE WIDTH	28 3/4"
MAX LOAD	1700 lbs



High Clearance Sprayer Jack

Optional Spacer for JD Sprayer HWF100002



Lift-Ez Hydraulic Implement Hitch Jack

4,000 Max Capacity HWF100015



Eastwood Heavy Duty Equipment Jack

HWF100020

KOENDER BOAT DOCKS & LIFTS

Enjoy your time at the lake with a maintenance-free dock.



Electric or hand winch options Optional canopy

Vertical Boat Lifts

4000 lb	5000 lb
120" Inside	120" Inside
126" Outside	128" Outside
115" Length	132" Length

6200 lb e 120" Inside

128" Outside

168" Length





Aluminum Docks

Their aluminum construction will not splinter, rust, or rot.

Modular 4x10 sections Comes with aqua deck panel top 5', 6', and 7' legs not included



4'x 10' Aluminum ock HWR200598

4'x 20' Roll in dock w/ 2 screw jacks, 2 standard 5' legs, 2 wheels HWR200598

4' x 20' Roll in dock w 4 screw jack legs & 4 wheels

HWR200598

8' x 10' platform, c/w 4 screw jacks legs HWR200598

Koender ICE FISHING SHACKS & SLEDS





Molded sled bottom design, fits on the back of your truck.

Koender Ice Fishing Shacks

- One piece molded polyethylene design
- Vents, open and close
- 4 pre-cut fishing holes with covers and seats.
- Molded sled bottom design (4 molded in runners)
- Opening window on door
- Lockable door
- Fits on the back of your truck with "U" bolts

SHOWN WITH OPTIONAL MUSHER BAR

Trapper Sled

Enclosed hull protects your gear 24"H x 24"W x 76"L Lid can be a separate sled Optional musher bar attachment

Sled w/ lid & hitch HWR200514 Sled w/ musher bar HWR200515



Snow Tracker Sled

Capacity of 26 cu feet Lid can be a separate sled Optional musher bar attachment

Sled w/ Lid & hitch HWR200525 Sled w/ Mush bar HWR200526



Hunter Sled

Available in 6' or 8' lengths Spring loaded hitch for extreme conditions 23" incline makes deep snow travel easy

6' Length w/ hitch HWR200516 8' Length w/ hitch HWR200520



12" Catch Cover

The tight fit keeps snow, dirt, and road salt out of your fish house when traveling over the toughest roads. HWR200570

Hole Sleeve

4" HWR200573 9" HWR200574 18" HWR200575



Catch Cover Safety Screen

This safety cover rests in the catch cover ring and prevents objects from falling into the holes. HWR200571



Keep ice shavings off the floor.

Slush Bucket

Eliminates wet, slippery fish house floors. HWR200559



Wood Stove

Exceptional heat with little fuel, made of 20 gauge steel comes w/ with pipe kit HWR200548

Propane Stove

12,000 BTU, variable heat range propane stove kit comes w/ regulator & pipe kit HWR200546



Calf Sled w/ Leg Lock

Designed so the cow can see and smell her calf while it is safely in the sled. 20"D x 26"W x 56"L HWR500110 **Rock Guard**

PTM540058



Quick Disconnect Tie Down Anchor

Mounts on a flat surface, 4000 lb straight pull strength. PTF512869 blue PTF522869 black PTF532869 silver PTF502869 red

Tie Down Hangers

JUNIOR

Set of 2 - conveniently hang tie downs at the front & back of your trailer. 8.5"L x 3"W x 3"H PTF500442

SENIOR

Keep all your tie downs together in one place. 17"L x 3"W x 3"H PTF500465

Broom Hanger

Keep your broom out of the way! Also comes in silver. PTF500607



D-Rings Various types of D-rings available, such as swivel, recessed or weld-on. PTM404605

Salt Shield

Protect your sled or quad. Also doubles as a ramp for unloading. PTM541067



COUPLER LOCK Keep your trailer safe from theft. Fits 1 7/8", 2" and 2 5/16" couplers. PTJ290200



For transporting a motorbike safely in a trailer. Comes with all hardware PTF511017



Wheel Lock

Lock your wheel to prevent theft. It's security for: trailers, cars, trucks and boats. PTJ290901

Doubles as a ramp for unloading.



Airline Track Perfect for hauling motorcycles. Low profile so it stays clean and easy to use. PTF500004



Super Clamp Tie Down

your skis down during transport.

A more versatile way to lock

Quick, easy and secure.

PTF899100

.....

E-Track

Makes a great adjustable hook up point. Gives you more options for tie downs. PTM398100



Stake Pocket Step Easy to remove & install PTM401005



Stake Pocket Spare Mount Easy to remove & install PTM401004



Bolt On Step Bolts on to any trailer 36" wide / available in black PTM401018





Base Cabinet Comes in many colours 40" H, 4' W, 18" D PTF577270

Wall Mount Cabinet Comes in many colours, wall mount, 18" H , 4' W, 16" D PTF577284



Create a custom mobile storage solution

Westcan Mobile Storage Solutions

Trade packages for 12' or 14' long trailers & cube vans.



Helmet Hooks Holds your helmets out of the way. Also comes in black Single 2.5"H x 2.5"W x 6"D PTF500282



Flip Out Work Tray A great work bench for your trailer. Silver or black. 32"W x 14"D PTF500609



Tool Organizer Multiple custom slots keep all of your tools handy! Also comes in black. 2.5"H x 24"W x 6"D PTF502670



All Purpose Shelf For storing your cans and oils. Comes with notches to hold tools. Silver or black. 30"L x 5"W x 4"H PTF500456



Grip Glides Get extra grip when loading your sleds. The small pieces can make a track around a corner. PTF613351



Edge Glides Attach these to the bottom of the ramp door for a smooth transition from the ground to the ramp. PTF613361



Low Pro Grip Glides Get extra traction and help keep your snowmobile straight when loading. PTF613326 (20' total)



Super Glides Protect the trailer deck from ski carbides and guide your sled when loading. PTF899105



Lights All makes and models



Incandescent & LED Lights
Low power and high efficiency



Load Leveller Transfers weight off the tongue & stabilizes the trailer..8K & 1K PTT249902



FLAMAN ST SERIES

53' Behnke Sprayer Trailer

Park right in the field for easy access to water, fertilizer & chemicals

- > Triple axle
- > 80,000 lb GVWR
- > 22.5 tires
- > Air ride suspension
- Lightweight Apitong hardwood decking
- Crossmembers on 12" centres
- > Dual 2 speed jacks
- > Deck space for extra storage
- > Tote cage
- Stowable stairs & grating tread
- > Fertilizer grade water tanks
- Chembine Hot-Tank (available on ST-9200)

NEW SPRING 2021!

Flaman's ST series of Agriculture Sprayer Trailers have been custom designed in-house with safety, speed, and ease of use at the top of mind. Built on a 53' Behnke transport trailer, these multi-purpose units are loaded with features to increase efficiency and reduce downtime.



BEHNKE FB SERIES **53' Step Deck Equipment Trailer** 3-25,000lb Air Brake/Air Ride Axles

T1 - 100KSI Manufacturer Main FrameSingle & Two Stage Air RampsD-Rings every 4' or Rub Rail & Stake Pockets255/70R 22.5 Low Profile TiresPlank Decking

70,000 - 110,000 **GVWR** Range

BEHNKE DETACHABLE Low Bed Semi-Trailer **Non-Ground Detach Neck**

- > 25,000 lb axles with Air Ride Suspension
- > 22" Front Loading Ramps
- > 24" Loaded Deck height
- Extra Flip axle available
- > Oak Decking
- Slide Outs and Flips out available
- Powder coated



BEHNKE FB SERIES **Super Duty Equipment Trailer** 24' Deck + 7' beavertail

(3) 22,500 lb axles 9.5' wide options 6' air assisted ramps (3) 20,000lb Air brake axles Low arc spring suspension 235/75R17.5 Tires

Air bag tilt with air lock on the tilt deck T-1 main frame Oak decking 2 speed landing gear

Header Transports



TRAILTECH HEADER TRANSPORTS

- 7000 lb Torflex axle
- 4 Adjustable header arms will haul flex or draper headers
- For all rigid, flex & draper headers
- Can accommodate up to 36' header

J&M HEADER TRANSPORTS

- Adjustable to fit larger headers and platforms
- 4-Wheel steering for sharper turning
- Designed for maximum support

ENCLOSED TRAILERS



The LT Series Cargo Trailer is a great economy-priced trailer that utilizes construction grade upgrades.

MODEL SHOWN: LTV SERIES 6' X 14' W/ V-NOSE

SOUTHLAND LTV Series Cargo

New V-Nose models!

Additional Features: Includes all LT Series Standard Features 2' V-Nose (added to the length) Upgraded 3/4" T-Strand Floor & Ramp 24" Checkerplate Front Guard



SOUTHLAND LT Series Cargo

New V-Nose models available!

Standard Features: Rear Double Door or Ramp .030 Smooth Aluminum Exterior 12" Checkerplate Front Guard Spring Suspension Enclosed Wiring Including Brake Wire



Xpress Aluminum Trailers are ideal for homeowners, as well as landscapers or those needing a light-weight option without losing out on quality. HSS Tube Framework

ALCOM Xpress Series Cargo

All aluminum frame and rims

Standard Features: 6' x 12' + V-Nose Rear Double Door or Ramp 16" Wall Studs 24" Roof & Floor Studs Spring Suspension LED Lights Chrome Trim Package Interior Lighting w/ Switch Water Resistant Walls & Flooring 24" Checkerplate Front Guard Custom Options: Additional Height Available Upper and Lower Cabinets Extra Tie Downs Recessed E-Track Motorcycle Packages Ladder Racks Custom Flooring Available Finished Interior Packages

FLAT DECK TRAILERS

MAX RAMPS

Diamond C Flat Deck Trailers



EXTREME DUTY FLATDECK LPX

I-Beam frame for low profile design 2-7,000 lb or 3-7000 lb axle configurations A-frame tool box 12K Jack



15,500 lb – 40,000 lb GVWR Available lengths: 20' – 44' Length includes 5' flip up centre

5' DOVE WITH SPRING-ASSISTED, FULL WIDTH MAX RAMPS, FLOATING RAMP HINGES MAKE FOR A SMOOTH TRANSITION FROM RAMP TO DOVE



SOUTHLAND 16' STEEL CAR HAULER

(2) 3500 lb axles 16' deck & 84" deck width



DIAMOND C DEC

16' - 26' x 8'6"(2) 7000lb axlesSpring Suspension12" formed bumper8" I beam frame construction12K drop leg JackSpare mount96" rear slide in rampsTreated lumber

TILT TRAILERS \ HDT

(2) 7000 lb E-Z Lube axles 6 stake pockets and 4 D-rings 12k spring loaded jack LED lights / 16' tilt deck / Bed width: 82" 4' and 6' stationary

Southland Flat Deck Trailer



DUMP TRAILERS

NEW LPT Telescopic Cylinder Edition



DIAMOND C 14' CHANNEL FRAME

Diamond C Dumps

24' HEAVY DUTY LOW PROFILE DUMP

CHAMOND C

I-Beam main frame 3-way tailgate / Roll tarp (2) 7000lb E-Z lube axles 24" High sides

14' STANDARD (2) 7000lb E-Z lube axles E-Z lube axles Slide in ramps Scissor lift

Tarp

TRAILTECH 14' DUMP

MEDIUM DUTY DUMP

DIAMOND C MEDIUM DUTY DUMP

> 12' x 77" Dump (2) 5200lb Electric braking axles 5 foot ramps Double rear doors 7,000 lb jack



SOUTHLAND SL270

> SOUTHLAND SL280HD

TRAILTECH 16' GOOSENECK DUMP

Trailtech Dumps

Torsion axles Champion hoist Tarp All tubing frame Complete wiring harness **12' DUMP** (2) 7,000 lb axles

14' GOOSENECK (2) 7,000 lb axles (

14' DUMP (2) 7,000 lb axles

16' GOOSENECK (3) 7,000 lb axles

Southland Dumps

SL270 14' Dump (2) 7000 lb spring axles Scissor hoist HEAVY DUTY 280HD

14' x 6.5' (2) 8,000 lb axles 9 tonne lift capacity Lockable toolbox 17,600 GVWR

UTILITY FRAILERS

Steel Utility

UVT DIAMOND C OPEN UTILITY

3500 lbs ez lube idler axle 4" Channel frame 2000 lbs flip jack Rub rail and stake pockets



DIAMOND C UTILITY TRAILER WITH ATV PACKAGE

6' W x 12' L 3500 lb EZ-Lube Axle Top Wind Jack We carry a wide variety and models of utility trailers to help you get the job done!



MEDIUM DUTY UTILITY 2" Pine plank floor Flat folding gate

3,500 lb spring suspension axle 5' x 10' 6' x 12' 6' x 14'

Aluminum Utility



548 UTILITY TRAILER 54" W x 96" L & Bi-fold gate All Alum. frame & floor Alum. fenders w/vinyl gravel guard



8114 – 14' UTILITY TRAILER

Alum. frame & floor Bed size: 81"w x 145"L Alum. fenders w/guard 3000 lb rubber torsion axle



UTV – 12' 3,000 lb torsion axle Curb weight: 760 lb Bed size: 71"w x 150"L & 57" Ramp 24" Alum. shield w/ storage box

PECIALTY RAILERS



Auto Hauler

GREAT VALUE TO KEEP YOUR VEHICLE PROTECTED

Features include: 15" Tires, Roof vent, White interior, 24" Stone guard, 48", Side cargo door.

Options include: Smooth wall exterior, 54" escape door, Torsion axles.



CUSTOM ORDER ONLY

Job Shack

DO YOU NEED ON SITE SPACE FOR YOUR CREW?

ATC job shack trailers are an efficient solution to your job-site needs. Lunch room, meeting room and/or workspace with a desk or table. They can be heated/insulated and have air conditioning for year-round use.

Options include: Torflex axles, Partition wall with door, Benches, Table, Front air conditioning, Heated, 110v outlets



8.5 X 22 + V-NOSE - HIGH COUNTRY 4 PLACE HIGHBOY





All Aluminium Sled Trailers

HIGH COUNTRY SLED TRAILERS

HIGH COUNTRY 3 PLACE 8.5 x 16' + 5 v-nose / 2-3500 lbs Torsion Axles

HIGH COUNTRY 4 PL 8.5 x 22' + 5 v-nose / 2-3500 lbs Torsion Axles



CLASSIC DECK OVER SLED **TRAILERS YOUR CHOICE STEEL OR ALUMINIUM**



Steel Sled Trailers

XR SERIES

XR 3 PLACE 8.5 x 16' + v-nose / 2-3500 lbs axles

XR 4 PLACE 20' + v-nose / 2-3500 lb Torflex axles

SUMMIT SERIES

SUMMIT 3 PLACE 8.5 x 16' + 4.5 v-nose / 2-3500 lbs axles

SUMMIT 4 PLACE 8.5 x 20' + 4.5 v-nose / 2-3500 lbs axles



CUSTOM ORDER ONLY

Concession Units All units are fully customizable

Custom Options:

Available in 12' to 32' Lengths Interior / Exterior Counters Lighting Signage Shelving Bally Cloth Windows



MODEL SHOWN: POLAR EXPRESS SUPER-SIZED 5' X 10'

POLAR TEMP Refrigerated Trailers PERFECT FOR DELIVERY OR BACKUP COLD STORAGE!

Standard Features:

Total Steel Construction & Polyurethane Insulation Heavy Duty Hinges & Door Latch Heavy Smooth Aluminum Floor Plate Front-Mounted Refrigeration Unit

STOCK TRAILERS



Travalong Livestock 7.5' WIDE STANDARD STOCK TRAILER

Available in 16' to 36' Lengths 6'8" Height Sliding Rear Gate w/ Slam Latch & Butterfly Latch Fold Down Gate at Nose Treated Wood Floor Rubber Rear Bumper



Travalum Livestock 16' BUMPER PULL STOCK TRAILER

6' 8" W x 6'8" H x 16' L Easily Tows with 1/2 Ton Rubber Floor Mats 10" Tongue & Groove Extruded Floor 1 Solid Centre Gate 57" Double Wall Siding **FLAMAN** Fitness

Schwinn IC4

Bikes U616 & R616

U616

Premium bikes that feature Bluetooth connectivity and Dual Track blue back lit displays. **Visit your nearest Flaman Fitness to try the bikes out.**

Max Trainer M6, M8, & M9

Tough on calories, easy on your joints. Get a HIIT workout in just 14 minutes.

Schwinn IC4 Bike

Designed specifically to help you achieve your fitness goals with an action-packed cardio workout. Magnetic resistance provides a smooth, quiet ride with 100 micro-adjustable resistance levels.

Bowflex C6 Spin Bike

Bowflex C6

Magnetic Resistance With 100 Adjustable Levels Of Resistance For Any Type Of Rider.

Designed for comfort. The C6 provides a smooth, quiet ride from the comfort of home.



We are the largest supplier of Bowflex in Western Canada!





Bowflex Treadmill 7

The treadmill experience that connects you with your subscribed streaming services and the JRNY experience – offering an array of personalized features to track your progress and constantly challenge your best effort.



#1 Selling Gym in Canada

Bowflex Xtreme SE 2

Change exercises quickly and easily with no cable changes needed between exercises. Setup & delivery available in most locations

Accessories

Rubber Hex Dumbbells

MD Buddy

Balance Cushion

From cross-training, agility, resistance, and balance training, to aerobics and massage tools, we have accessories to support your fitness goals.

Bowflex Velocore Bike This indoor exercise bike was engineered with leaning mode. You can sway, lean, and rock from side-to-side for a more robust riding experience. Help strengthen and tone your arms and core. You're in for a comfortable, more naturalfeeling ride.



Home Gyms, Cages, Racks and More!

Work out from the comfort of home with strength equipment from X-plode by Progression Fitness, our in-house brand. From home gyms to cages and racks. We have quality strength equipment at a reasonable price. Progression Fitness also carries cardio equipment!

Get a club quality workout in the comfort of your home!

Check out our monthly specials at

www.flamanfitness.com

We service what we sell. We offer warranty on all of our products. We make service calls.

We offer financing. Take it home for \$0. We can finance for up to 36 months OAC at most locations.

SASKATCHEWAN

Humbolt 306.682.2574

Maidstone

Moosomin

Yorkton 306.783.7229

306.893.2631

306.435.4143

Prince Albert 306.764.6004

Regina 306.79<u>0.9255</u>

Saskatoon 306.978.1999

MANITOBA

Swan River 204.734.9999

Winnipeg 204.78<u>6.6957</u>

X-plode Fitness Loops

> MD Buddy Massage Ball

X-plode Kettlebells

Progression Olympic

Rubber Grip Plates

MD Buddy Speed Rope

MD Buddy 3-in-1 Soft Plyobox

View Our Full Selection of Accessories at **www.flamanfitness.com**

PFX FT Max

Commercial Playgrounds

We sell commercial playgrounds that are great for your school, park, or daycare.

Many models are available for a custom fit. Call to get a quote today and discuss all the options.

> **KIDSTALE** KP 1603

and the state



Swing Sets

We offer an extensive variety for a wide range of ages to accommodate the space you have. Our variety of frame options means there's something for every budget.



Challenge Ladder

Straight forward overhead challenge built with large rungs for easy gripping.

EXTREME

din D

This standard playground playset comes with a slide and more for hours of fun. Encouraging outdoor play and physical activity will help keep your kids active and healthy.



6' Standard Park **Bench with Back**

Take a rest or watch the sunset on the 6' standard park bench.

• Size: 18" x 72" x 39"

Weight: 124 lbs

Have you seen

The Flaman Fitness Playgrounds Catalogue?

Download the current version today by visiting our website.

www.flamanfitness.com



KIDSTALE EXTREME

PADDLEBOARDS

We carry **Aztron, POP** and **Aquatone** paddleboards

10'4" Paddle Board Aquatone- Mist

It's a full size board packed into half the size of the traditional board. It's not only easy to transport, but also boasting high performance.

> Many more models, colours and lengths available!

10' Paddle Board Aquatone - Wave

The all-time classic high performance all-round inflatable SUP, setting benchmark with stunning performance and ultimate flexibility.

10' Paddle Board Aztron - Nova

The Nova transforms the typical SUP to less than half of its traditional size without compromising performance.

11' Paddle Board Aztron - Super Nova

This refreshing Compact SUP boasts its revolutionary smart-folding concept making it super portable while maintaining good performance.

TRAMPOLINES

Trainor Sports 13' Trampoline and Enclosure

Trainor's patented, reinforced frame is welded, zinc-coated, weather-resistant and ready to support up to 220 lbs.



Summer Fun and Sun.

Kids can safely have fun while contained by a long-lasting UV-resistant PE enclosure netting with a deluxe reinforced top.

TRAINOR SPORTS



Agriculture Equipment Rentals



K-LINE AG HIGH SPEED DISCS Ideal for trash management & seed bed preparation • 21' to 41' Widths

• Hydraulically raise or lower rollers on the go with the Powerflex model



WISHEK DISCS - 14' TO 26'

The heaviest disc on the market!

- 13 HP per foot of disc required
- · Most effective way to break up land or improve drainage



GRAIN EXTRACTOR



REM VRX GRAIN VACS Quiet, fast and easy to use

- Gentle seed handling
- • Move up to 6,000 bu/hr during full bin load-out
- • Great for clean-up and full bin situations

Prices subject to change without notice. Sizes may vary upon location, call your local Flaman dealer for available sizes.

JOIN OUR TEAM! Looking to expand your business?

96

Join our growing team of rental dealers in Western Canada. You can expect a supportive network of like-minded business people to help you grow your business and be successful. Last year we rented equipment to over **40,000 customers** in farming, oilfield, construction and more. Investment in equipment is required. Proudly serving Western Canada since 1959.





RITEWAY LAND ROLLERS Convenient narrow transport

- Great for many applications like pulse crops or hay land.
- Increase germination every seed has good contact with soil.
- Smooths fields for straight cutting



RITEWAY HEAVY HARROWS Made to work. Built to last.



SCHULTE 36' DHX DISC HARROW The perfecttool to resize and manage residue on your farm



KINZE MACH TILL The only tillage tool needed for spring & fall

Prices subject to change without notice. Sizes may vary upon location, call your local Flaman dealer for available sizes.



Contact Carter **306.700.3823**

Rental Equipment May Vary Depending On Dealer Location. Prices subject to change without notice.

Hay & Livestock Equipment Rentals



HAUKAAS BALE CARTS Move up to 1000 bales/day!

Gentle on bales and the hayfield

• Quickly gather bales and place in semitrailer-sized groups



POST POUNDERS Fencing made easier

- No tractor needed / Easy operation
- Self-contained with a 13 HP Honda motor
- For building new fences or making repairs

Landscape Equipment Rentals



SCHULTE ROUGH CUT MOWERS Tough and dependable

- · Great for mowing crop residue, pastures, weeds or roadsides
- Ultra narrow transport width for added safety
- Designed to work in the toughest terrain

98



BRILLION TPH 10' GRASS SEEDER The most accurate way to seed grass

CONSTRUCTION RENTALS



MINI EXCAVATORS

- two-speed tracking motor and 32 HP engine
- superb stability thanks to 12" Bridgestone rubber tracks
- ISO servo controls
- 2330 mm boom and 1525 mm dipper



SKID STEERS

- vertical and radial lift options
- engines from 56 HP to 74 HP
- rated operating capacities from 1,753 lb to 3,296 lb



SCISSOR LIFTS

· 26'6" platform height

550 lb load capacity

and egress

· unique gate handle for

easy and safe access

Roller supported deck extension for effortless extension even at height



TELEHANDLERS

- lift heights range from 36.4' to 56' lb
- load capacity from 6,000 lb to 10,000 lb
- forward reach of 24' to 42'
- 74 HP engine

Flaman is your Compaction Headquarters. Whatever your project calls for, we have the machine to do the job!

CONSTRUCTION RENTALS Available Only In The Yorkton, Moosomi, Prince Albert & Swan River Region

YOUR one stop construction and rental shop in Saskatchewan and Western Manitoba.

Yorkton, SK 306.994.0654

Moosomin, SK 306.802.4808

Prince Albert, SK 306.400.3361

Swan River, MB 204.400.5621





CONCRETE

TOOLS We rent quality HILTI tools at Flaman for all your hammer drilling and jack hammering needs.

HEATERS

These 350,000 BTU diesel or propane heaters will give you clean dry heat wherever you need it.

WE ALSO RENT:

Auger Bits, 6" - 30" **Grapple Forks** Hyd Auger Drives Pallet Forks Auger Extensions Snow Blades Frost Bits Snow Blowers **Bale Spears** Snow Buckets Hyd Jack Hammers Sweepers Brooms Tree Scoops Buckets Tooth & Smooth Trenchers

TRAILER RENTALS





Haul your cattle or horses in one of our easy pulling stock trailers. We have 10' to 16' trailers available.

STOCK TRAILER RENTALS

Bumper or Gooseneck Hitch 14' Models Start@ **\$105**/DAY 7'X16' WITH V-NOSE ENCLOSED SHOWN

FLAMAN I

Moving? Need some temporary, mobile storage? Various sizes of cargo trailers available Ramp or barn door options

ENCLOSED TRAILER RENTALS

Model 6' x 10' Trailer **\$80**/DAY Model 6' x 12' Trailer **\$90**/DAY Model 7' x 14' Trailer **\$100**/DAY Model 8' x 20' Trailer **\$135**/DAY

5'X8' - 8.5' X 23' SIZES AVAILABLE



Do you have leaves & branches to haul to the landfill? Our utility trailers are perfect for the job. UTILITY TRAILER RENTALS 4' x 8' Models Start@ \$60/DAY

Prices subject to change without notice. Sizes may vary upon location, call your local Flaman dealer for available sizes.

JOIN OUR TEAM! Looking to expand your business?

Join our growing team of rental dealers in Western Canada. You can expect a supportive network of like-minded business people to help you grow your business and be successful. Last year we rented equipment to over **40,000 customers** in farming, oilfield, construction and more. Investment in equipment is required. Proudly serving Western Canada since 1959.

Rental Equipment May Vary Depending On Dealer Location

24' GOOSE-NECK FLATDECK SHOWN 20' - 30' SIZES AVAILABLE

GOOSENECK FLATDECK RENTALS

24' Models Start@ \$160/DAY



FLATDECK TRAILER RENTALS

18' Lowboy Trailer \$95/DAY
20' Highboy Trailer \$120/DAY
6' x 12' Tilt Trailer \$70/DAY
2 Place (8.5' x 10') Sled Trailer \$65/DAY
4 Place (8.5' x 20') Sled Trailer \$100/DAY



14' DUMP SHOWN 10' - 14' SIZES AVAILABLE

Need to haul dirt, snow or debris? DUMP TRAILER RENTALS

10' Models Start@ **\$105**/DAY

12' Models Start@ \$135/DAY

14' Models Start@ \$140/DAY

Prices subject to change without notice. Sizes may vary upon location, call your local Flaman dealer for available sizes.



Contact Carter **306.700.3823**

Rental Equipment May Vary Depending On Dealer Location

63

Smoky Lake

Atmore / Grassland



AG Store Locations

Moosomin, SK Hwy #1 West 306.802.4808 **Saskatoon, SK** Hwy #16 & 71st St 306.700.3823

Swan River, MB

204,400,5621

Hwy #83A

Yorkton, SK Hwy #16 East 306.994.0654 Prince Albert, SK Hwy #2 South 306,400,3361

Swift Current, SK 2500 South Service Road West 844.966.0962 **Southey, SK** Hwy #6 306.993.9688







ASSINIBOIA 306.642.4621 B & A Petroleum

CANORA 306.563.6426 Brendonn Holdings

CUDWORTH 306.256.2300 Horizon Fertilizers

ELROSE 306.378.7804 Bob & Chris MacDonald

ESTEVAN 306.421.0280 Johnson Brothers

HOOSIER 306.460.9650 C. Fischer Trucking Inc

HUMBOLDT 306.682.2574 Horizon Fertilizers

LLOYDMINSTER (AB) 780.870.8900 Headon Rentals





Winnipe

Rental Dealer



Franchise Opportunities Location

306.662.2262 B & A Petroleum PANGMAN 306.442.7400 Redcoat Ag Inc.

SHAUNAVON 306.297.1400 B&A Petroleum

MAPLE CREEK

SWIFT CURRENT 306.773.8890 B & A Petroleum

UNITY 306.228.2172 Last Pass Ag

WILKIE 306.843.8275 Last Pass Ag

WYNYARD 306.554.2511 K4 Rentals



AUSTIN 204.637.2515 Mar-Dee Enterprises

BRANDON 204.728.4554 Mar-Dee Enterprises

CRYSTAL CITY 204.825.0170 Thiessen AgriVentures

DAUPHIN 204.638.4401 Brendonn Holdings

MELITA 204.522.3202 Mar-Dee Enterprises

NEEPAWA 204.476.2348 Mar-Dee Enterprises

PORTAGE LA PRAIRIE 204.857.8764 Mar-Dee Enterprises

RESTON 204.877.3729 Mar-Dee Enterprises

RUSSELL 204.773.2268 Brendonn Holdings

VIRDEN 204.748.2283 Mar-Dee Enterprises







SASKATCHEWAN

Saskatoon, SK **306.700.3823** Hwy #16 & 71st St

Prince Albert, SK 306.400.3361 Hwy #2 South Southey, SK **306.993.9688** Hwy #6

Moosomin, SK **306.802.4808** Hwy #1 West Yorkton, SK **306.994.0654** Hwy #16 East

Swift Current, SK 844.966.0962 2500 South Service Rd West

MANITOBA

Swan River, MB 204.400.5621 Hwy #83A



Pre-Owned & Clearance www.flamanagriculture.com/inventory Shop online on your own time.



arance ^{m/inventory} own time.

www.flaman.com